

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE	4/6/2017	Follow-Up Inspection	All concerns corrected
AGATE FIELD VINEYARD	Winery	2911 ROZA DR	ZILLAH	4/10/2017	Routine Inspection	0/0
APPLE BIN SHELL	Mini-mart	3707 W. NOB HILL BLVD.	YAKIMA	4/3/2017	Routine Inspection	15/20 All staff need FWC, PIC to correct NLT 15 April. No thermometer in hot holding deli case - or metal stem thermometer to check temperatures of PHF. PIC to correct NLT 7 April and contact YHD when corrected.
AZTECA MARKET PLACE	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	4/20/2017	Routine Inspection	5/5 Not all employee FWC available
BI-MART # 626	Grocery Store	1207 N. 40TH AVE. - YAKIMA	YAKIMA	4/17/2017	Routine Inspection	0/0
BLACK ROCK CREEK SNACK BAR	Snack Bar	31 RAY RD	SUNNYSIDE	4/20/2017	Routine Inspection	5/5 Missing 1 FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BLUE RIBBON COMMISSARY	Commissary	2807 W WASHINGTON AVE	YAKIMA	4/19/2017	Routine Inspection	10/12 No hot water at the hand washing sink, food sink full of painting tools and paint.
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	4/6/2017	Routine Inspection	0/0
BLUE SKY MARKET #2	Grocery Store	330 NORTH STREET	MABTON	4/20/2017	Routine Inspection	0/0
BOB'S DRIVE IN	Restaurant	108 E. HWY 12.(YAKIMA VALLEY HWY.)	SUNNYSIDE	4/20/2017	Routine Inspection	0/0
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	4/25/2017	Routine Inspection	5/5 PIC FWC expired. PIC will correct NLT 1 May 2017.
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	4/21/2017	Complaint Inspection	Received complaint of greasy fries sold from a previous catering event. Spoke with PIC - the PIC assured that all fries are sold fresh and was adamant that there would have been no catering
CARNICERIA LA CANDELARIA	Restaurant	302 MAIN STREET	GRANGER	4/26/2017	Routine Inspection	25/33 Improper hot holding of PHF's, Non-food contact surfaces not cleanable, Leaking hand wash sink in restroom
CASCADE CATERING	Catering	13321 U.S. HWY. 12	NACHES	4/20/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHERRY WOOD BED & BREAKFAST	Bed & Breakfast	3271 ROZA DR. - ZILLAH	ZILLAH	4/7/2017	Routine Inspection	0/0
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	4/7/2017	Routine Inspection	0/0
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/20/2017	Routine Inspection	0/0
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/6/2017	Follow-Up Inspection	All concerns corrected
COCINA ZACATECAS	Mobile	16791 SUMMITVIEW RD. - COWICHE	COWICHE	4/24/2017	Routine Inspection	0/0
COLLEGE MART	Mini-mart	1106 W NOB HILL BLVD	YAKIMA	4/3/2017	Routine Inspection	0/0
COWICHE CREEK BREWING COMPANY	Winery	514 THOMPSON ROAD	COWICHE	4/6/2017	Pre-Opening Inspection	Still a few items to be corrected. Will email photos of corrections to AMT. Ready to open 4/10
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	4/6/2017	Routine Inspection	0/0
DENNY'S RESTAURANT # 7869	Restaurant	2603 RUDKIN RD	UNION GAP	4/5/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL FOGON (MOBILE)	Mobile		SUNNYSIDE	4/20/2017	Routine Inspection	5/5 FWC not current.
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	4/18/2017	Opening Inspection	Fire in the kitchen in March. All food discarded and affected equipment replaced
EL TACO LOCO VELOZ	Mobile		SUNNYSIDE	4/20/2017	Routine Inspection	0/0
GAP COFFEE COMPANY	Espresso Stand	2630 MAIN ST	UNION GAP	4/6/2017	Routine Inspection	0/0
GOLDEN NUGGET	Mini-mart	1041 BUENA RD	ZILLAH	4/7/2017	Routine Inspection	15/15 FWC needed for all staff, need thermometer in hot deli case. PIC to correct NLT 20 April and contact YHD when corrected.
GRIZZLY ESPRESSO	Espresso Stand	3602 FRUITVALE BLVD	YAKIMA	4/3/2017	Routine Inspection	30/30 bare hand contact of ice for drink by employee, CDI. Hot holding case needs thermometer. PIC will purchase NLT 7 April and contact YHD when corrected.
GROMORE TRADING	Mini-mart	14411 WIDE HOLLOW RD	YAKIMA	4/28/2017	Routine Inspection	5/5 Thermometer was not taking an accurate temperature of hot held food. Owner to replace with accurate thermometer.
HIGH CALIBER COFFEE	Espresso Stand/Deli	2105 3RD AV S	UNION GAP	4/6/2017	Routine Inspection	0/0
HIGHWAY ESPRESSO	Espresso Stand	10118 U.S. HIGHWAY 12	NACHES	4/24/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 STAFF SGT PENDLETON WAY	YAKIMA	4/17/2017	Routine Inspection	30/30 Cooled eggs at 125 degrees.
JUGOS NUTRICIONALES	Juice Bar	502 S. 1ST STR. SUITE # 2 - YAKIMA	YAKIMA	4/26/2017	Routine Inspection	0/0
LA MONARCA	Mobile	Corner of Postma Road & Beaudry Road, Moxee	YAKIMA	4/6/2017	Commissary Inspection	READY TO REOPEN
				4/19/2017	Follow-Up Inspection	0/0
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	4/28/2017	Routine Inspection	0/0
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	4/6/2017	Routine Inspection	55/58 Soups at room temperature above stove CDI, room temperature storage of chicken and beef in back storage room CDI, cold prep table at 53 degrees CDI, chicken thawing at room temperature in back room CDI.
LENCHAS HOT DOGS	Mobile		SELAH	4/25/2017	Routine Inspection	0/0
LITTLE DUTCH INN	Tavern	214 N 6TH AVE.	YAKIMA	4/26/2017	Routine Inspection	5/8 Not all foodworker cards present, Improper thawing of lunchmeat in sink with no running water.
LOS HERNANDEZ TAMALES	Restaurant/Catering	3706 MAIN ST	UNION GAP	4/25/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LUPE'S KITCHEN	Restaurant/Catering	9-A S. TOPPENISH AVENUE	TOPPENISH	4/6/2017	Routine Inspection	0/0
				4/29/2017	Catering Routine Inspection	0/0
MC DONALD'S	Restaurant	739 W. 1ST AVENUE	TOPPENISH	4/19/2017	Routine Inspection	0/0
MC DONALD'S - WAL-MART	Restaurant	1600 E. CHESTNUT	YAKIMA	4/26/2017	Routine Inspection	0/0
MI PUEBLITO #1	Restaurant	419 TOPPENISH AVENUE	TOPPENISH	4/6/2017	Routine Inspection	30/30 Room temperature storage of chicken soup above stove CDI, Deli case at 43 degrees, PIC closed lid CDI.
MOUNTAIN MOMMA'S	Restaurant	15070 HWY 410	NACHES	4/21/2017	Pre-Opening Inspection	
NORTH TOWN COFFEEHOUSE	Espresso Stand	32 N. FRONT ST. # 101 - YAKIMA	YAKIMA	4/24/2017	Pre-Opening Inspection	Establishment good to open with a level 2 license.
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	Restaurant	206 E. WINE COUNTRY RD.	GRANDVIEW	4/7/2017	Routine Inspection	10/10 FWC out of date for PIC, Need thermometer in back room refrigerator. PIC to contact YHD NLT 10 April when corrected.
PEACE LOVE AND COFFEE	Espresso Stand	101 STOVER RD	GRANDVIEW	4/6/2017	Routine Inspection	25/25 Bare hand contact ice drink. PIC to correct staff on use of gloves and/or scoops to avoid cross contamination.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT # 11	Restaurant	2002 W. NOB HILL BLVD.	YAKIMA	4/3/2017	Routine Inspection	10/10 cold holding prep table at 48 degrees CDI. PIC to ensure cold holding prep table lid is down to ensure cold holding temperatures are at proper temperatures.
PIZZA HUT / WINGSTREET	Restaurant	2680 YAKIMA VALLEY HWY. # 1	SUNNYSIDE	4/20/2017	Routine Inspection	0/0
PUPUSERIA SAN VICENTE	Mobile		YAKIMA	4/6/2017	Pre-Opening Inspection	Corrections needed from 3/24/17. On 4/5/17 corrections confirmed made. ok to open
RED LOBSTER # 0597	Restaurant	905 N. 1ST STREET	YAKIMA	4/26/2017	Routine Inspection	10/10 No paper towels in men's bathroom.
RESTAURANTE MI LINDO	Restaurant	1600 YAKIMA VALLEY HWY	SUNNYSIDE	4/7/2017	Routine Inspection	5/5 FWC expired. PIC to contact YHD NLT 15 April when corrected.
RITE AID # 5300	Grocery Store	2010 YAKIMA VALLEY HWY,SUITE C-1	SUNNYSIDE	4/6/2017	Routine Inspection	0/0
ROADRUNNER	Mini-mart	705 W. 1ST STREET	WAPATO	4/6/2017	Routine Inspection	0/0
SAFEWAY FUEL STATION # 462	Mini-mart	216 N. 5TH AVE.	YAKIMA	4/26/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAKURA TERIYAKI & SUSHI	Restaurant	2000 E. YAKIMA VALLEY HWY.	SUNNYSIDE	4/8/2017	Routine Inspection	90/103 Raw chicken above salad - CDI, Improper cooling cooked chicken in 4 inch pans in walk-in CDI, Improper cooking time of chicken PIC instructed of requirement to cook chicken to proper temperatures prior to serving, room temperature storage of cooked chicken in serving area CDI, No sanitizing solution in facility PIC was instructed to purchase bleach solution prior to opening to the public CDI, Chicken being thawed in 5 gallon buckets CDI. PIC was provided with a process based instructional presentation by YHD inspection staff on safe food practices. Reinspection within 30 days for compliance and improvements.
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	4/19/2017	Routine Inspection	25/25 Not washing hands before putting gloves.
SKIPPER'S SEAFOOD & CHOWDER HOUSE	Restaurant	2150 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/20/2017	Routine Inspection	5/10 FWC not current, box of bread on floor.
SLIM'S MARKET	Grocery Store	9951 HIGHWAY 12	NACHES	4/10/2017	Complaint Inspection	0/2 Ceiling has mold growth in the store.
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	4/26/2017	Routine Inspection	25/25 Cold hold next to grill left open, temps above 50F, no sanitizing solution prepared. PIC corrected both issues on-site.
STARBUCKS COFFEE #3370	Espresso Stand	420 S 72ND AVE	YAKIMA	4/17/2017	Routine Inspection	0/3 Ice scoop in bin
STOKES BURGER RANCH	Restaurant	706 YAKIMA VALLEY HWY.	SUNNYSIDE	4/20/2017	Routine Inspection	5/10 Food at 42 degrees, handling raw meat and then the salad without changing gloves.



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STOP N' GO DRIVE IN	Restaurant	2820 FRUITVALE BLVD.	YAKIMA	4/3/2017	Routine Inspection	0/3 Employee personal drinks kept above prep table CDI. PIC to ensure all employee personal drinks are kept in the break area - away from prep table.
SU MERCADITO	Mini-mart	320 "B" STREET	MABTON	4/20/2017	Routine Inspection	0/3 Employee drink cups in food prep area - CDI
SU MERCADITO # 3	Mult Food Service	110 ASH - GRANDVIEW	GRANDVIEW	4/6/2017	Follow-Up Inspection	All concerns corrected with exception of: 1. Roof repairs to be completed by 15 April 2. PIC to label all cheeses for resale NLT 15 April PIC to contact YHD when completed.
SU MERCADO	Grocery Store	123 DIVISION ST.	GRANDVIEW	4/7/2017	Routine Inspection	10/13 TWC out of date PIC to correct NLT 15 April. Sour cream not labeled PIC to label all food for sale NLT 15 April. Instructions provided
SUBWAY	Restaurant	631 1ST ST W	WAPATO	4/6/2017	Routine Inspection	0/0
SUBWAY # 33723	Restaurant	425 S. ELM	TOPPENISH	4/19/2017	Routine Inspection	0/0
SUBWAY # 46232 (WAL- MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	4/26/2017	Routine Inspection	0/0
SUNDANCE ESPRESSO	Espresso Stand	202 S 1ST ST.	SELAH	4/10/2017	Complaint Inspection	10/18 Improperly stocked hand wash sink, wastewater plumbing under sink is leaking, floor in espresso has not been cleaned thoroughly

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUPER TACOS (Mobile)	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	4/6/2017	Follow-Up Inspection	60 red points. PIC was provided instruction on process to ensure proper cooling of cooked meats (beef found at room temperature for cooling), Hot holding of meats at 130 degrees - PIC shown that meats need to be at higher temperatures in hot holding. Sour cream at 51 degrees in cold holding. PIC instructed on having ice on hand in mobile unit to ensure temperatures are at proper temperatures. Compliance to be done in 30 days at cost to the owner.
TACO KING	Mobile	615 YAKIMA VALLEY HWY.	SUNNYSIDE	4/7/2017	Routine Inspection	75/75 Need potable hose for refilling water tank on mobile unit, PIC to correct NLT 15 April. Rice kept at room temperature CDI, Beans and rice in hot holding at 125 degrees CDI, Sour cream in cold holding at 51 degrees. PIC to contact YHD NLT 15 April with corrections.
TACOS APATZINGAN	Restaurant	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/20/2017	Follow-Up Inspection	25/25 Cooling in big containers thicker than 2 inches. Need reinspection
TACOS EL PELON II	Mobile		SUNNYSIDE	4/14/2017	Pre-Opening Inspection	OK TO OPEN - NO CONCERNS NOTED - COMMISSARY INSPECTED AS WELL
TACOS LOS PARIENTES	Mobile	2400 YVH by Auto Repair Medina		4/6/2017	Follow-Up Inspection	All concerns corrected
TANJULI WINERY	Winery	209 N. BONAIR RD	ZILLAH	4/10/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA EL CAMPIRANO	Restaurant	202 S 5TH AVE.	YAKIMA	4/20/2017	Pre-Opening Inspection	Facility needs to connect refrigeration and seal all bare wood at service counter. PIC will contact YHD when ready for inspection.
				4/25/2017	Pre-Opening Inspection	Facility authorized to open - license mailed to PIC
TAQUERIA EL CHILE LOCO	Restaurant	101 S 1ST ST	SELAH	4/5/2017	Pre-Opening Inspection	Ready to open.
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA	4/3/2017	Routine Inspection	50/50 Cooked chicken at room temperature CDI. Buffet food below 130 degrees CDI. PIC will ensure temperatures are taken on all foods.
THE CHERRY PATCH MINI MART	Mini-mart	101 W. 1ST AVE.	ZILLAH	4/7/2017	Routine Inspection	0/0
THE ORCHARD INN BED & BREAKFAST	Bed & Breakfast	1207 PECKS CANYON RD	YAKIMA	4/19/2017	Routine Inspection	0/0
THE SPICY QUESADILLA	Restaurant	227 S TOPPENISH AVE.	TOPPENISH	4/19/2017	Follow-Up Inspection	25/30 Cooling beans in big containers thicker than 2 inches.
UNION GAP DISTRICT# 2 SCHOOL	School	3201 S. 4TH ST.	UNION GAP	4/13/2017	Routine Inspection	0/0
WAFFLES CAFFE	Restaurant	7200 W. NOB HILL BLVD.	YAKIMA	4/6/2017	Routine Inspection	0/6 Improper thawing of PHF's, Non-food contact surfaces not cleaned.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WEST VALLEY CHURCH OF THE NAZARENE	Church Kitchen	7109 NOB HILL BLVD, W	YAKIMA	4/24/2017	Routine Inspection	0/0
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	4/17/2017	Routine Inspection	5/10 Missing FWCs, onions stored on floor
WILRIDGE WINERY	Winery	250 EHLER RD.	YAKIMA	4/17/2017	Routine Inspection	5/5 FWC not present at time of inspection
YAKIMA VALLEY VINTNERS	Winery	114 GRANDRIDGE	GRANDVIEW	4/6/2017	Routine Inspection	0/0