

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Ali's One Stop Mini Mart	Mini-mart	801 S FAIR AVE	YAKIMA	7/7/2017	Pre-Opening Inspection	
AMERISTAR STORE # 8	Mini-mart	1005 W. WALLACE WAY	GRANDVIEW	7/24/2017	Routine Inspection	0/0
ANTOJITOS MEXICANOS RESTAURANT MI TIERRA	Restaurant	3512 SUMMITVIEW AVE	YAKIMA	7/18/2017	Routine Inspection	0/0
BEEM'S NUTRITION AT CHESTERLY PARK	Grocery Store	3715 W RIVER ROAD	YAKIMA	7/26/2017	Routine Inspection	0/0
BEST WESTERN GRAPEVINE INN	Continental Brkfst	1849 QUAIL LANE	SUNNYSIDE	7/24/2017	Routine Inspection	0/0
BURGER KING	Restaurant	5905 SUMMITVIEW AVE.	YAKIMA	7/24/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BURGER KING - SO. 1ST # 8029678	Restaurant	2113 S. 1ST STREET	YAKIMA	7/26/2017	Routine Inspection	0/0
BUTCHER'S BEEF PIT	Mobile/Catering	1103 W SPRUCE	YAKIMA	7/12/2017	Pre-Opening Inspection	
DOLLAR TREE - WAPATO	Grocery Store	109 W. 1ST	WAPATO	7/17/2017	Pre-Opening Inspection	
EL CAMARON	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	7/24/2017	Follow-Up Inspection	135/158 No FWC on site. Food in refrigerator and freezer uncovered and shows potential for cross contamination. Deli cases and refrigeration need deep cleaning. Improper cooling of cooked meats in refrigeration. Hot holding below 124 degrees. Room temperature storage of soups and beans. Chemicals not properly stored. Open doors and windows allowing pests. Due to significant public health concerns the Director of Environmental Health approved immediate closure of this facility pending an office conference.
EL NOA NOA	Restaurant	4671 N TRACK ROAD	WAPATO	7/24/2017	Routine Inspection	60/75 Cross contamination of meats and vegetables in refrigeration and freezer CDI. Improper cooling of meats and cooked beans. Room temperature storage of PHF. Deli case above 45 degrees. Facility in need of a deep and thorough cleaning. Owner was requested to contact the YHD for an office conference.
FRED MEYER # 486	Mult Food Service	1206 N. 40TH AVE.	YAKIMA	7/21/2017	Pre-Opening Inspection	Pre opening inspection complete, facilities fit design, awaiting photos of sealed floor, temperatures and boundaries before final approval.
				7/27/2017	Pre-Opening Inspection	Received final photos via email, good to open. Photos printed and going to document manager
FRIO	Deli	525 S 6TH ST	SUNNYSIDE	7/27/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOPTOWN PIZZA	Restaurant	2560 DONALD/WAPATO ROAD	WAPATO	7/1/2017	Routine Inspection	5/10 Missing FWCs, food stored on the floor
I SPY ICE CREAM COMPANY	Mobile	VARIES	YAKIMA	7/8/2017	Routine Inspection	0/0
JITTER BEAN ESPRESSO BAR	Espresso Stand	401 W. NOB HILL BLVD.	YAKIMA	7/26/2017	Routine Inspection	0/0
JITTERZ ESPRESSO	Espresso Stand	700 YAKIMA VALLEY HWY.	SUNNYSIDE	7/24/2017	Routine Inspection	0/0
kiko's tacos	Mobile			7/13/2017	Routine Inspection	43/35 handwashing sink blocked. Room temperature storage of cooked peppers CDI. This mobile unit is now permanently parked. Concerns with waste water disposal. Owner was informed of requirement to move unit daily for disposal of waste water. City of Sunnyside code enforcement was informed.
LA ESPIGA DE ORO BAKERY	Bakery	803 W NOB HILL BLVD	YAKIMA	7/17/2017	Routine Inspection	45/40 FWC not current, handling ready to eat food with bare hands, hand washing sink full of dishes, openings around the back door.
LA ROSE CAFE	Espresso Stand	921 N. 16TH AVE. - YAKIMA	YAKIMA	7/25/2017	Routine Inspection	10/15 Improperly stocked hand wash sink, need to repair or replace the commercial refrigerator
MAGIC'S PIZZA SHACK	Restaurant	309 S 1ST ST.	SELAH	7/25/2017	Routine Inspection	5/5 FWC missing for a couple employees

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MAIN STOP ON THE AVE	Restaurant	120 E. YAKIMA AVENUE	YAKIMA	7/20/2017	Routine Inspection	0/0
MARISCOS NAYARIT	Restaurant	606 S 36TH AVE	YAKIMA	7/5/2017	Compliance Inspection	95/95 Bare hand contact. Expired FWC. Improper cooling of soups and sauces. Hot holding at 102 degrees CDI. Back kitchen deli case at 49 - 56 degrees CDI by adding ice bath. Cook staff need to utilize thermometers to check temperatures of food.
				7/21/2017	Compliance Inspection	25/25 Improper cooling of soup. Owner informed of requirement to use either ice bath or cool in 2 inch pans.
MAVERIK # 428	Mini-mart	1601 E. LINCOLN	SUNNYSIDE	7/24/2017	Routine Inspection	15/15 Ensure all Food Worker Cards are current. Ensure cold holding is at the proper temperature
MELISSA'S CATERING	Mobile	839 W 1st St, Toppenish	TOPPENISH	7/24/2017	Routine Inspection	35/35 Room temperature storage cooked beef CDI. Cold deli table at 55 degrees.
MEXICAN FRUIT # 2	Mobile	8 RANCHRITE RD. - YAKIMA	SUNNYSIDE	7/26/2017	Compliance Inspection	25/43 No sanitizing solution for cleaning. Owner voluntarily closed the facility until bleach could be purchased. Operator understood the importance of having a sanitizing solution available to ensure food safety. Billed 20 minutes for compliance
MIZ DEE'S B.B.Q. WORKS & CATERING	Restaurant/Catering	523 W. YAKIMA AVE.	YAKIMA	7/7/2017	Routine Inspection	0/0
MY BROTHER'S PLACE	Mini-mart	810 W. 1ST AVE.	TOPPENISH	7/24/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
OBENTO HOUSE	Restaurant	11 N. 11TH AVE #105	YAKIMA	7/27/2017	Routine Inspection	0/0
OUTBACK ESPRESSO	Espresso/Catering	8803 AHTANUM RD.	YAKIMA	7/26/2017	Routine Inspection	0/0
PAPA JOHN'S PIZZA	Restaurant	3508 SUMMITVIEW	YAKIMA	7/26/2017	Routine Inspection	0/0
ROUND TABLE PIZZA	Restaurant	1300 N. 40TH AVE. # 109	YAKIMA	7/26/2017	Routine Inspection	0/0
RUSSILLOS PIZZA & GELATO	Restaurant/Catering	32 N. FRONT ST. SUITE # 102 - YAKIMA	YAKIMA	7/26/2017	Routine Inspection	0/0
SUBWAY # 39961	Restaurant	2675 E. LINCOLN AVE.	SUNNYSIDE	7/27/2017	Routine Inspection	0/5 Food-contact surfaces must be sanitized
SUBWAY # 4468	Restaurant	2810 E. LINCOLN AVE.	SUNNYSIDE	7/24/2017	Routine Inspection	5/5 Foodworker cards needed
TACOS EL PELON II	Mobile		SUNNYSIDE	7/13/2017	Follow-Up Inspection	0/0 All previous concerns corrected. Excellent improvement and operation.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS LAS BRASAS	Mobile		WAPATO	7/17/2017	Compliance Inspection	Attempted to inspect adjacent commissary kitchen. Was informed by employees that it was locked and they did not have the key. They indicated they had used it that morning when the owner was there and would again at 1pm for more cooking. cursory inspection of Tacos Las Brasas was good, clean, proper hot holding and gloves all noted.
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	7/24/2017	Routine Inspection	35/45 Room temperature storage of PHF CDI. Deli case at 74 degrees. Mobile unit needs a deep cleaning
THE PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	7/27/2017	Complaint Inspection	Complaint abated
THE SPICY QUESADILLA	Restaurant	227 S TOPPENISH AVE.	TOPPENISH	7/24/2017	Compliance Inspection	135/161 Second compliance inspection. Office conference required with the EH Director on Friday 28 July. Bare hand contact. Cross contamination in back storage area. No separation of meats and cooked vegetables. Room temperature storage. Improper cooling. Lots of flies, storage of food on floor. No sanitizing cloths. Deep cleaning required.
TOP SHOT ESPRESSO	Espresso Stand	208 N 5TH AVE	YAKIMA	7/26/2017	Routine Inspection	0/0
WILEY CITY MARKET	Mini-mart	2929 S. WILEY RD.	YAKIMA	7/26/2017	Routine Inspection	5/5 Expired FWC