

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
3 RIVERS LAND & SEA FOOD CO.	Mobile	1917 RD. 34 PASCO, WA		10/6/2010	Routine Inspection	0/0
41ST STREET ESPRESSO	Espresso Stand	4112 1/2 TERRACE HGTS. DR.	YAKIMA	10/18/2010	Routine Inspection	0/0
AGAPE MT. SUNSHINE B. & B. / RETREAT	Bed & Breakfast	10121 HWY 410	NACHES	10/22/2010	Routine Inspection	0/5
APPLE COUNTRY BED & BREAKFAST	Bed & Breakfast	4561 OLD NACHES HWY	NACHES	10/19/2010	Routine Inspection	0/0
ARCTIC CIRCLE	Restaurant	3912 W NOB HILL	YAKIMA	10/7/2010	Routine Inspection	Handwash sink has broken faucet.
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	10/18/2010	Routine Inspection	5/10 - Expired FWC.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BEEM'S VALLEY NUTRITION	Grocery Store	2415 S 14TH STREET	UNION GAP	10/20/2010	Routine Inspection	0/0 No problems.
BINGO BITES	Deli	3112 MAIN ST	UNION GAP	10/19/2010	Follow-Up Inspection	20/20 Hands not washed as required, inaccurate metal stem thermometer
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	10/20/2010	Follow-Up Inspection	5/20 Missing FWC
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	10/1/2010	Routine Inspection	60/60 Missing FWC, hands not washed as required, RTS of PHF, metal stem thermometer was not being used, unlabeled chemicals
				10/20/2010	Follow-Up Inspection	5/5 Missing FWC
BRATS N' BREWS	Restaurant/Catering	5110 TIETON DR. # 270	YAKIMA	10/14/2010	Routine Inspection	5/10 - FWC needed.
BREWER'S MINI-MART	Mini-mart	912 N. 1ST STREET	YAKIMA	10/11/2010	Routine Inspection	5/5 Missing FWCs
BURGER KING	Restaurant	1605 E. YAKIMA AVE.	YAKIMA	10/21/2010	Routine Inspection	0/0
BURGER KING - SO. 1ST	Restaurant	2113 S. 1ST STREET	YAKIMA	10/26/2010	Routine Inspection	0/0 No problems.
Caffe Brewlatte	Espresso Stand	2800 TERRACE HTS DRIVE	YAKIMA	10/5/2010	Routine Inspection	0/10

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CARNITAS SUPREME	Restaurant	5 N. "A" STREET	TOPPENISH	10/29/2010	Complaint Inspection	Rogelio found cooking carnitas in his home. He'll be coming in for an office conference.
CHRISTIE'S CAKES	Bakery	1624 S. 27TH AVE.	YAKIMA	10/19/2010	Routine Inspection	0/0
CLAAR CELLARS	Winery	1001 VINTAGE VALLEY PARKWAY	ZILLAH	10/8/2010	Follow-Up Inspection	0/0
CLARK'S EMPIRE FOODS	Grocery Store	3361 MAPLEWAY	YAKIMA	10/18/2010	Routine Inspection	20/20 Missing FWCs, improperly stocked hand wash sink, no metal stem thermometer available
COCA COLA BOTTLING - YAKIMA & TRI-CITIES		607 E. "R" STREET	YAKIMA	10/6/2010	Routine Inspection	0/0
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	10/15/2010	Routine Inspection	15/20 BHC with RTE foods, ice scoop stored on a damp cloth.
DAWN TIL DUSK ESPRESSO	Espresso Stand	9918 U. S. HWY. 12	NACHES	10/19/2010	Routine Inspection	0/0
DAYS INN	Continental Brkfst	1504 N. 1ST STREET	YAKIMA	10/12/2010	Routine Inspection	40/40 PHF stored at room temperature, improperly cold holding milk, no metal stem thermometer available
DOMINO'S PIZZA # 7171	Restaurant	420 S. 72ND AVE.	YAKIMA	10/12/2010	Routine Inspection	15/18 Missing FWCs, unlabeled chemicals

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
E Z N CAFE & ESPRESSO	Restaurant	802 1ST AVENUE	ZILLAH	10/8/2010	Routine Inspection	65/77 Missing FWCs, hands not washed as required, bare hand contact with ready to eat food, improperly stocked hand wash sink, raw meat stored above ready to eat food, inaccurate metal stem thermometer, improper chemical storage
EAGLE ROCK GROCERY	Grocery Store	8590 HWY 410	NACHES	10/22/2010	Routine Inspection	10/10 - FWC needed and improper hot holding temperatures.
EL CAMARON TAQUERIA	Mobile	1301 YAKIMA VALLEY HWY - 4-10 MARKET	SUNNYSIDE	10/20/2010	Routine Inspection	10/10 All three sinks in mobile carts had items in it.
EL CONQUISTADOR MEXICAN RESTAURANT	Restaurant/Catering	612 E. EDISON AVE.	SUNNYSIDE	10/20/2010	Routine Inspection	15/15 Hot water handle is broken. They are using hw sink in waitress area, raw meats being stored above RTE foods.
EL MEJOR TAQUITO	Mobile	821 Yakima Valley HWY Sunnyside	SUNNYSIDE	10/12/2010	Routine Inspection	5/10 PIC was unable to correctly answer basic food safety questions, small refrigerator missing thermometer.
EL RANCHERO 2	Restaurant/Lounge	306 S. 1ST ST.	YAKIMA	10/18/2010	Routine Inspection	45/63 Paper towels missing at both handwash sinks, PHF's being stored at room temperatures, refrigerator cold holding PHF's at 48F, improper thawing of PHF's, ice scoop stored in ice bin. Follow up required.
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	10/20/2010	Routine Inspection	65/78 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, improperly hot holding PHF, unlabeled chemicals

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FRATERNAL ORDER OF EAGLES #289	Restaurant/Lounge	307 W. CHESTNUT	YAKIMA	10/29/2010	Follow-Up Inspection	25/25 Improperly stocked hand wash sink, hands not washed as required
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	10/15/2010	Routine Inspection	45/45 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer, unlabeled chemicals
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	10/12/2010	Routine Inspection	30/36 Missing FWC, improper use of time as a control
GREEN OLIVE CAFE' & ESPRESSO	Restaurant	2926 COVEY LANE	SUNNYSIDE	10/12/2010	Routine Inspection	25/30 Room temperature storage of boiled eggs, missing thermometers.
HAROLD'S GENERAL MERCHANDISE	Grocery Store	4080 HARRAH RD	HARRAH	10/21/2010	Routine Inspection	10/10 Hot holding of PHF's at 130F, they are using a roasting thermometer which only has a range of 130-200F.
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	10/29/2010	Routine Inspection	0/0
HIGHWAY ESPRESSO	Espresso Stand	10118 U.S. HIGHWAY 12	NACHES	10/19/2010	Routine Inspection	0/0
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 'A' ST E	YAKIMA	10/6/2010	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOOP'S SPORTS BAR & GRILLE	Tavern	2103 W LINCOLN AVE.	YAKIMA	10/20/2010	Follow-Up Inspection	5/8 Missing FWC
JACK IN THE BOX # 8300	Restaurant	2317 S 1ST STREET	YAKIMA	10/4/2010	Routine Inspection	15/15 Missing FWCs, egg sanitizer container was not labeled
JACK IN THE BOX # 8315	Restaurant	1002 N. 1ST STREET	YAKIMA	10/11/2010	Routine Inspection	40/48 Missing FWCs, hands not washed as required, improperly stocked hand wash sinks, out of compliance with risk control plan for egg handling
				10/29/2010	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	10/13/2010	Compliance Inspection	0/0
JACK-SON'S SPORTS BAR	Restaurant/Catering	432 S 48TH AVE.	YAKIMA	10/12/2010	Routine Inspection	35/48 Missing FWC, hands not washed as required, inaccurate metal stem thermometer, unlabeled chemical
				10/29/2010	Follow-Up Inspection	15/20 Missing FWCs, improperly stocked hand wash sink
JAN MELHORN'S CATERING ETC	Catering	1408 CITY RESERVOIR RD	YAKIMA	10/6/2010	Routine Inspection	0/0
KANA WINERY	Winery	6 S 2ND ST.	YAKIMA	10/1/2010	Routine Inspection	No problems.
KENTUCKY FRIED CHICKEN/A&W	Restaurant	2325 S 1ST ST	YAKIMA	10/5/2010	Routine Inspection	15/15 Missing FWCs, improperly cold holding milk

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	10/13/2010	Routine Inspection	40/43 - FWC needed, no soap or paper towels at handwash sink in kitchen, and rice at room temperature.
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	10/15/2010	Routine Inspection	5/10 missing FWC, plumbing issues for both the hand wash sink and vegetable prep sink (see scanned docs for more info)
LA NACIONAL	Grocery Store	506 S. 1ST STREET	YAKIMA	10/1/2010	Routine Inspection	10/10 inadequate hand washing facilities
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	10/6/2010	Routine Inspection	15/20 Selling chicharron that comes from unapproved source.
LAREDO DRIVE-IN	Restaurant	9921 HWY. 12	NACHES	10/19/2010	Routine Inspection	0/5
LINCOLN AVENUE ESPRESSO BAR	Espresso Stand	1801 W LINCOLN AVE	YAKIMA	10/29/2010	Routine Inspection	5/8 Missing FWC
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	10/18/2010	Routine Inspection	25/25 - Improper hot holding temperatures.
MARCUS WHITMAN COWICHE ELEMENTARY SCHOOL	School	1181 THOMPSON RD	COWICHE	10/14/2010	Routine Inspection	0/0
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	YAKIMA	10/25/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MEI WING	Restaurant	2529 MAIN ST. # 258	UNION GAP	10/4/2010	Compliance Inspection	0/0
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	10/14/2010	Routine Inspection	5/15 Expired FHC's, missing labels on cheese and tortillas, separation needed between the different raw meats.
NEW HOPE INDUSTRIES	Catering	1224 N 1ST ST	YAKIMA	10/14/2010	Routine Inspection	5/5 - Need some FWC
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	10/13/2010	Compliance Inspection	55/60 PHF stored at room temperature, improperly cooling PHF
				10/14/2010	Routine Inspection	65/86 Missing FWCs, hands not washed as required, no hot water at men's restroom, cooked noodles stored at room temperature, unlabeled chemical
				10/20/2010	Compliance Inspection	15/15 Hands not washed as required
NICK'S MERCADO LATINO # 2	Meat Market	718 S. 6TH STREET	YAKIMA	10/21/2010	Follow-Up Inspection	They have corrected all the problems from the previous inspection.
NILE VALLEY GAME PROCESSING	Meat Market	23 E. 2ND STREET	NACHES	10/19/2010	Routine Inspection	0/0
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	10/18/2010	Routine Inspection	45/53 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	10/8/2010	Routine Inspection	50/50 Missing FWCs, hands not washed as required, bare hand contact with ready to eat food, raw meat stored over ready to eat food, unlabeled chemical
				10/26/2010	Follow-Up Inspection	0/5
PANADERIA YARITZI	Catering	116 S. WAPATO AVE.	WAPATO	10/15/2010	Routine Inspection	5/5 missing FWC - very little food prep occurring
PAPA MURPHY'S	Restaurant	2695 E. LINCOLN	SUNNYSIDE	10/6/2010	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	64 W. NOB HILL BLVD.	YAKIMA	10/5/2010	Routine Inspection	20/20 Tomatoes were not properly washed, mislabeled chemical
				10/15/2010	Routine Inspection	15/18 Missing FWC, improper chemical storage
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	10/11/2010	Routine Inspection	25/30 Missing FWC, improperly stocked hand wash sink, mislabeled chemical
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	10/13/2010	Routine Inspection	70/86 Improperly cooling PHF, PHF stored at room temperature, metal stem thermometer is not used, unlabeled chemicals
POOCHIE'S	Restaurant/Catering	301 S. 3RD AVE.	YAKIMA	10/12/2010	Routine Inspection	5/5 - Expired FWC
QUALITY MART	Mini-mart	616 S 3RD ST.	YAKIMA	10/25/2010	Routine Inspection	35/40 Improperly hot holding PHF, hand wash sink blocked and two hand wash sinks were improperly stocked

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUIZNO'S SUB	Restaurant	5603 SUMMITVIEW #102	YAKIMA	10/26/2010	Routine Inspection	5/5 Various lunch meats cold holding at 47F.
RED LOBSTER RESTAURANT # 597	Restaurant	905 N. 1ST STREET	YAKIMA	10/28/2010	Routine Inspection	45/45 Improperly cooling PHF, missing FWCs, improperly stocked hand wash sink
RED ROOSTER BAR & GRILL	Tavern	519 S. 1ST STREET	SELAH	10/7/2010	Routine Inspection	5/5 - No FWC available.
RICOS TACOS AYLIN	Mobile	111 N. 6th Street in Sunnyside	SUNNYSIDE	10/20/2010	Routine Inspection	0/0 No problems
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	10/25/2010	Routine Inspection	0/0
ROCKIN' COFFEE	Espresso Stand	809 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	10/7/2010	Pre-Opening Inspection	ok'd to temporarily open - see miscellaneous activity
RODEWAY INN & SUITES	Continental Brkfst	510 N. 1ST. ST.	YAKIMA	10/29/2010	Pre-Opening Inspection	
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	10/4/2010	Compliance Inspection	5/5 Missing FWC
SAFEWAY # 1235	Grocery Store	2204-A W. NOB HILL BLVD.	YAKIMA	10/25/2010	Routine Inspection	15/26 Hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SALSITA ANTOJITOS MEXICANOS	Restaurant	902 S. FAIR AVE.	YAKIMA	10/20/2010	Routine Inspection	He has boarded up all pest entry points, he has installed a large walk in cooler and is having less trouble with cooling PHF's.
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	10/28/2010	Routine Inspection	0/0
SKIPPER'S SEAFOOD & CHOWDER HOUSE	Restaurant	2150 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	10/11/2010	Routine Inspection	10/15 Improper cold holding of PHF's, also ice scoop stored on a dirty surface.
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	10/25/2010	Routine Inspection	0/0
STUART ANDERSON'S BLACK ANGUS RESTAURANT	Restaurant	501 N FRONT ST.	YAKIMA	10/21/2010	Routine Inspection	20/33 Missing FWCs, hands not washed as required
SUBWAY # 6870	Restaurant	2402 S. 1ST ST. # A-100	YAKIMA	10/19/2010	Follow-Up Inspection	5/16 Missing FWCs
SUGAR SHACK	Espresso Stand	1302 FAIR AVE.	YAKIMA	10/22/2010	Routine Inspection	15/30 Missing FWC, improperly stocked hand wash sinks
SUN COUNTRY INN	Snack Bar	1700 1ST ST N	YAKIMA	10/7/2010	Follow-Up Inspection	15/20 Missing FWCs, improperly stocked hand wash sink
				10/22/2010	Compliance Inspection	15/15 Missing FWC, improperly cold holding eggs in shell

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE FOOD MART	Mini-mart	600 HWY 12	SUNNYSIDE	10/6/2010	Routine Inspection	20/20 - Expired FWC, No hot water in facility, and inaccurate thermometer.
TACO BELL - SELAH	Restaurant	805 NORTH PARK DR.	SELAH	10/12/2010	Routine Inspection	0/0
TACOS EL GORDO	Mobile	601 YAKIMA VALLEY HWY. ?????	SUNNYSIDE	10/11/2010	Routine Inspection	30/40 HW sink had hot water turned off, not using thermometer, not emptying waste tank. Follow-up needed.
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	10/4/2010	Routine Inspection	20/25 Hands not washed as required, improperly cold holding PHF
TEFFT CELLARS	Winery	2862 N OUTLOOK RD	OUTLOOK	10/11/2010	Routine Inspection	5/5 Missing FWC
THE COFFEE MAKER & ESPRESSO	Espresso Stand	1526 S. 18TH STREET	YAKIMA	10/4/2010	Routine Inspection	10/15 - No paper towels available in the restroom
THE FARMHOUSE CAFE	Restaurant	4081 HARRAH RD.	HARRAH	10/21/2010	Routine Inspection	0/5 Unapproved, home made salsa being stored in a food prep area.
THE VINEYARD	Restaurant	150 DIVISION ST.	GRANDVIEW	10/1/2010	Routine Inspection	25/28 FWCs were not available, improperly cold holding PHF, unlabeled chemical
TIETON MIDDLE SCHOOL	School	711 FRANKLIN RD	TIETON	10/14/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TONY'S STEAKHOUSE	Restaurant/Catering	221 YAKIMA AV W	YAKIMA	10/20/2010	Routine Inspection	5/16 - Several FWC needed.
TOPPENISH MARKET PLACE	Grocery Store	512 W 1ST	TOPPENISH	10/15/2010	Routine Inspection	25/36 Missing FWC, improperly stocked hand wash sink and blocked hand wash sink, unlabeled chemical
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	10/13/2010	Routine Inspection	0/0
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	10/13/2010	Routine Inspection	0/0
TOWER CAFE	Espresso Stand/Deli	402 E YAKIMA AVE. #100	YAKIMA	10/19/2010	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometer
VALLEY VIEW MARKET II	Mini-mart	618 E. TOPPENISH AVE.	TOPPENISH	10/14/2010	Routine Inspection	5/5 Various PHF's being hot held at 133F.
WESTFARM DAIRY FAIR	Deli	400 ALEXANDER RD.	SUNNYSIDE	10/18/2010	Routine Inspection	0/5
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	10/29/2010	Routine Inspection	0/0
WRAY'S MEADOWBROOK	Grocery Store	7200 W. NOB HILL BLVD.	YAKIMA	10/29/2010	Routine Inspection	30/35 Improper hot holding of PHF's at 109F (fried chicken), improper cold holding of eggs at 56F.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA VALLEY JUSTICE CENTER	Jail	1500 PACIFIC	YAKIMA	10/14/2010	Routine Inspection	15/23 Improperly stocked hand wash sink, raw meat stored above ready to eat food