

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact**
- DOH: Washington State Department of Health**
- FDA: Food and Drug Administration**
- FWC: Food Worker Card**
- HACCP: Hazard Analysis Critical Control Point**
- PHF: Potentially Hazardous Food**
- PIC: Person in Charge**
- ROP: Reduced Oxygen Packaging**
- RTE: Ready to Eat**
- RTS: Room Temperature Storage**
- USDA: United States Department of Agriculture**
- WAC: Washington Administrative Code**
- WSPA: Washington State Department of Agriculture**

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MARKET	Mini-mart	1121 16TH ST S	SUNNYSIDE	11/3/2010	Routine Inspection	55/91 FWCs not available, improperly stocked hand wash sink, blocked hand wash sink, improperly hot holding PHF, metal stem thermometer is not used, improper chemical storage
				11/29/2010	Follow-Up Inspection	55/86 Missing FWCs, hand wash sink is blocked, improperly hot holding PHF, no metal stem thermometer available, improper chemical storage
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	11/8/2010	Routine Inspection	0/5
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	11/9/2010	Routine Inspection	0/0
AM/PM	Mini-mart	1601 W WASHINGTON AVE.	YAKIMA	11/23/2010	Routine Inspection	5/5 - 2 FWC needed.
AMERISTAR # 15	Mini-mart	723 E. 1ST AVE.	ZILLAH	11/1/2010	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
APPLE BIN SHELL	Mini-mart	3707 W. NOB HILL BLVD.	YAKIMA	11/9/2010	Routine Inspection	5/18 - Improper hot holding temperatures.
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	11/4/2010	Routine Inspection	0/0
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	11/19/2010	Routine Inspection	0/0
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	11/5/2010	Routine Inspection	0/0
BASKIN-ROBBINS	Ice Cream Parlor	3802 W. NOB HILL BLVD.	YAKIMA	11/8/2010	Routine Inspection	5/11 Missing FWCs
BI-MART # 605	Grocery Store	309 S. 5TH AVE. - YAKIMA	YAKIMA	11/1/2010	Routine Inspection	0/0
BIRCHFIELD MANOR	Restaurant	2018 BIRCHFIELD RD	YAKIMA	11/8/2010	Routine Inspection	35/40 - Improper cooling and missing FWC.
BLUE SKY MARKET #2	Grocery Store	330 NORTH STREET	MABTON	11/15/2010	Routine Inspection	35/45 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	11/17/2010	Compliance Inspection	5/12 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	11/9/2010	Routine Inspection	15/31 Missing FWCs, raw meat stored above RTE food, metal stem thermometer cannot be calibrated
BURGER KING	Restaurant	2611 W NOB HILL	YAKIMA	11/12/2010	Routine Inspection	5/8 Missing FWCs
CATS LITERACY CENTER	School	107 BUENA WAY #10	TOPPENISH	11/12/2010	Routine Inspection	0/0
CEDARS SUITES YAKIMA	Continental Brkfst	1010 E. "A" STREET	YAKIMA	11/3/2010	Routine Inspection	0/8
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	11/17/2010	Routine Inspection	0/0
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/18/2010	Routine Inspection	40/51 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, improper chemical storage
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	11/19/2010	Routine Inspection	0/0
CLARK'S EMPIRE FOODS	Grocery Store	3361 MAPLEWAY	YAKIMA	11/1/2010	Follow-Up Inspection	15/15 Expired PHF on shelf, inaccurate metal stem thermometer
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	11/19/2010	Routine Inspection	0/5 dishwasher had broken temp gauge or inadequate water temperature during the sanitizing cycle.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CORNER GROCERY & HARDWARE	Grocery Store	8501 AHTANUM RD	YAKIMA	11/8/2010	Routine Inspection	0/0 still level 1, but looking to upgrade.
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	11/4/2010	Routine Inspection	0/0
CULTURA WINERY	Winery	3601 HIGHLAND DR.	ZILLAH	11/5/2010	Routine Inspection	0/0
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	11/15/2010	Routine Inspection	0/0
DENNY'S RESTAURANT # 7869	Restaurant	2603 RUDKIN RD	UNION GAP	11/15/2010	Routine Inspection	25/28 Bare hand contact with ready to eat foods by cooks, handwash sink missing paper towels.
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	11/17/2010	Routine Inspection	0/0
DOC'S ON THE GREEN PIZZERIA	Restaurant	530 CHERRY HILL RD. - GRANGER	GRANGER	11/3/2010	Routine Inspection	10/18 Improper chemical storage
DOLLAR TREE STORE # 2753	Grocery Store	2660 YAKIMA VALLEY HWY	SUNNYSIDE	11/8/2010	Routine Inspection	0/0
E Z N CAFE & ESPRESSO	Restaurant	802 1ST AVENUE	ZILLAH	11/5/2010	Follow-Up Inspection	5/5 Raw meat stored above RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EAGLE HIGH SCHOOL	School	143 WARD RD	TOPPENISH	11/12/2010	Routine Inspection	0/0
ELITE EXPRESS	Mini-mart	2501 TERRACE HGTS. DR.	YAKIMA	11/24/2010	Routine Inspection	20/27 No water in restrooms, improperly stocked hand wash sinks, missing FWC, inaccurate metal stem thermometer
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	11/8/2010	Follow-Up Inspection	90/101 Bare hand contact with RTE food, blocked hand wash sink, no hot water at hand wash sink, improperly cooling PHF, RTS of PHF, unlabeled chemicals
				11/19/2010	Compliance Inspection	0/5
FRANKLIN MIDDLE SCHOOL	School	410 S. 19TH AVE	YAKIMA	11/17/2010	Routine Inspection	0/0
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	11/3/2010	Routine Inspection	0/0
GARFIELD ELEMENTARY SCHOOL	School	505 MADISON AV	TOPPENISH	11/3/2010	Routine Inspection	0/0
GAS MAX	Mini-mart	608 WINE COUNTRY ROAD	GRANDVIEW	11/10/2010	Routine Inspection	50/61 PIC did not answer correctly, missing FWC, improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer available
				11/29/2010	Follow-Up Inspection	30/30 Missing FWC, improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	11/5/2010	Follow-Up Inspection	5/5 Missing FWC
GILBERT ELEMENTARY SCHOOL	School	4400 DOUGLAS DRIVE	YAKIMA	11/4/2010	Routine Inspection	0/0
GOTTA STOP MABTON	Mini-mart	HWY 22 & MAIN	MABTON	11/15/2010	Routine Inspection	20/36 Improperly stocked hand wash sink, improper chemical storage, unlabeled chemicals
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	11/19/2010	Routine Inspection	5/5 inaccurate thermometer
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	11/19/2010	Routine Inspection	0/0
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	11/15/2010	Routine Inspection	0/0
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	11/15/2010	Routine Inspection	0/0
GREYSTONE RESTAURANT	Restaurant/Lounge	5 N. FRONT STREET	YAKIMA	11/1/2010	Routine Inspection	15/15 - No FWC available and no paper towels available at the bar.
GRIEB OPTIMAL WINECRAFTING, LLC / TREVERI CELLARS	Winery	225 S. 2ND AVE.	YAKIMA	11/18/2010	Pre-Opening Inspection	Establishment cleared to open after permit fees have been submitted.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GWEN'S PLACE	Restaurant/Cateri ng	1103 W SPRUCE	YAKIMA	11/15/2010	Routine Inspection	0/0 No problems.
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	11/19/2010	Routine Inspection	0/0
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	11/17/2010	Routine Inspection	0/5 Dishwasher sanitizer not functioning
HIGHLAND HIGH SCHOOL	School	17000 SUMMITVIEW	COWICHE	11/18/2010	Routine Inspection	0/0
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAH	11/19/2010	Routine Inspection	0/0
HILTON GARDEN INN	Restaurant/Cateri ng	401 E YAKIMA AVE	YAKIMA	11/30/2010	Routine Inspection	10/10 - No soap at handwash sink at the bar.
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	11/18/2010	Routine Inspection	0/0
INTERNATIONAL MARKET	Grocery Store	512 W 1ST ST.	WAPATO	11/4/2010	Routine Inspection	40/71 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF
				11/30/2010	Follow-Up Inspection	0/8

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JEAN'S COTTAGE INN	Restaurant/Catering	3211 MAIN ST	UNION GAP	11/3/2010	Routine Inspection	0/8 Improper thawing of raw meats.
JENNY MAE'S GLUTEN - FREE GOODIES	Bakery	8308 AHTANUM RD	YAKIMA	11/23/2010	Routine Inspection	0/0
JOY GARDEN	Restaurant	5605 TIETON DR.	YAKIMA	11/17/2010	Routine Inspection	25/35 - BHC with RTE food, no paper towels for handwash sink in kitchen, and bare wood shelves.
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	11/2/2010	Routine Inspection	0/6
KIRKWOOD ELEMENTARY SCHOOL	School	403 S. JUNIPER	TOPPENISH	11/19/2010	Routine Inspection	0/0
LA BARATA	Meat Market	317 B ST	MABTON	11/4/2010	Pre-Opening Inspection	Ready to open
LA BARATA # 2	Meat Market	602 S. 3RD STREET	YAKIMA	11/8/2010	Routine Inspection	55/76 No hot water, no FWC's, unapproved pesticided over food prep areas, paper towels missing, no sanitizer, hanging raw meat to dry, dirty kitchen, exposed wood on food prep surface, gaps in door ways and AC unit. Closed due to no hot water.
				11/9/2010	Follow-Up Inspection	They now have hot water. Still need to install baseboard, weather strips on all door leading out, fix leak in ceiling. Follow up needed. Ok to re-open meat dept.
				11/19/2010	Compliance Inspection	25/25 They do not have FHC's yet, handwash sink still needs a working paper towel dispenser.
				11/29/2010	Compliance Inspection	15/15 No FHC's, handwash sink needs paper towels.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	11/18/2010	Routine Inspection	0/0
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	11/3/2010	Routine Inspection	0/0
MAJOR'S	Restaurant	1705 W. LINCOLN AVE.	YAKIMA	11/18/2010	Routine Inspection	0/0
MC DONALD'S	Restaurant	739 W. 1ST AVENUE	TOPPENISH	11/19/2010	Routine Inspection	0/15 Various refrigerator units need temperature gauges, ice scoop stored on top of ice, wiping cloths not being stored in sanitizer.
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	11/12/2010	Routine Inspection	0/0
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	11/9/2010	Routine Inspection	5/5 inaccurate thermometers
NEW HONG KONG RESTAURANT	Restaurant	918 W. HIGHWAY 12	GRANDVIEW	11/10/2010	Routine Inspection	10/18 Improperly stocked hand wash sink
NEW YORK TERIYAKI	Restaurant	210 S. 72ND AVE. SUITE# 150	YAKIMA	11/2/2010	Follow-Up Inspection	15/26 Missing FWCs, improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	11/1/2010	Follow-Up Inspection	5/13 Missing FWC
				11/9/2010	Compliance Inspection	5/5 Missing FWC
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	11/8/2010	Routine Inspection	0/0
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	11/18/2010	Follow-Up Inspection	0/0 They have hot water.
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	11/8/2010	Routine Inspection	0/0
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	Restaurant	206 E. WINE COUNTRY RD.	GRANDVIEW	11/30/2010	Routine Inspection	15/20 Expired FWC's, inadequate and inaccessible hand wash sinks.
PANADERIA DELICIAS	Bakery	1401 FRUITVALE BLVD	YAKIMA	11/8/2010	Routine Inspection	0/0
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	11/2/2010	Follow-Up Inspection	10/15 Improperly cold holding PHF
PIK-A-POP # 11	Mini-mart	1524 YAKIMA VALLEY HWY.	SUNNYSIDE	11/3/2010	Routine Inspection	20/33 Missing FWCs, improperly stocked hand wash sink, blocked restroom hand wash sink, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	11/17/2010	Routine Inspection	0/0
PIZZA HUT	Restaurant	823 W ZILLAH RD. # 200	ZILLAH	11/3/2010	Routine Inspection	15/15 Missing FWCs, unlabeled chemicals
				11/30/2010	Follow-Up Inspection	0/0
PIZZA HUT / WINGSTREET	Restaurant	2680 YAKIMA VALLEY HWY. # 1	SUNNYSIDE	11/29/2010	Routine Inspection	5/10 - Several FWC needed.
PRIME CUT MEATS & DELI	Deli	140 S. 72ND AVE.	YAKIMA	11/30/2010	Pre-Opening Inspection	Approved to open.
QUALITY MART	Mini-mart	616 S 3RD ST.	YAKIMA	11/2/2010	Follow-Up Inspection	0/10
RAJ & CO.	Mini-mart	4708 TIETON DR	YAKIMA	11/9/2010	Routine Inspection	10/10 - No paper towels for handwash sink in kitchen.
RAY'S RETAIL MEATS	Meat Market	2109 S 3RD AVE.	UNION GAP	11/17/2010	Routine Inspection	10/15 Reduced Oxygen Packaging cooked meats
RED LOBSTER RESTAURANT # 597	Restaurant	905 N. 1ST STREET	YAKIMA	11/16/2010	Follow-Up Inspection	5/5 Missing FWC
RITE AID # 4063	Grocery Store	12 N 9TH AVE.	YAKIMA	11/30/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RITE AID # 5300	Grocery Store	2010 YAKIMA VALLEY HWY,SUITE C-1	SUNNYSIDE	11/3/2010	Routine Inspection	0/0
RIVERSIDE CHRISTIAN SCHOOL	Snack Bar	721 KEYES	YAKIMA	11/17/2010	Routine Inspection	0/10
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	11/10/2010	Routine Inspection	0/0
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	11/12/2010	Routine Inspection	0/0
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	11/4/2010	Routine Inspection	0/0
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	11/15/2010	Routine Inspection	0/0
SAFEWAY # 1593	Grocery Store	610 E. WINE COUNTRY RD.	GRANDVIEW	11/10/2010	Follow-Up Inspection	25/30 Improperly hot holding PHF
SAFEWAY # 584	Grocery Store	711 W. 1ST AVENUE	TOPPENISH	11/12/2010	Routine Inspection	50/66 Missing FWCs, improperly stocked hand wash sinks, improperly hot holding PHF, improperly cold holding PHF
SAINT JACK'S VIDEO	Snack Bar	614 W. 1ST STREET	WAPATO	11/9/2010	Routine Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	11/10/2010	Routine Inspection	0/0
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	11/1/2010	Routine Inspection	0/5
SENIOR NUTRITION PROGRAM - MABTON COMMUNITY CENTER	Serving Site	406 WASHINGTON ST	MABTON	11/15/2010	Routine Inspection	5/8 Improperly hot holding PHF
SENIOR NUTRITION PROGRAM - SUNNYSIDE SENIOR CENTER		1400 FEDERAL WAY	SUNNYSIDE	11/8/2010	Routine Inspection	35/45 Missing FWC, room temperature storage of PHF, inaccurate metal stem thermometer
				11/18/2010	Follow-Up Inspection	0/0
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	11/19/2010	Routine Inspection	0/0
SILVER DOLLAR CAFE	Restaurant	30501 HWY 24	SUNNYSIDE	11/16/2010	Routine Inspection	15/30 BHC with RTE food
SILVER DOLLAR INN	Tavern	324 B ST.	MABTON	11/15/2010	Routine Inspection	15/18 BHC with RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	11/22/2010	Routine Inspection	0/0
STM MARKET	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	11/19/2010	Opening Inspection	Inspection of kitchen remodel. No problems observed.
STONEHENGE TAVERN	Tavern	603 1ST AVE ZILLAH	ZILLAH	11/1/2010	Complaint Inspection	Sewage had backed up, but the owner said that they cleaned it up. The pipe was plugged and repaired. Toilets flush and sinks drain satisfactorily.
STUART ANDERSON'S BLACK ANGUS RESTAURANT	Restaurant	501 N FRONT ST.	YAKIMA	11/17/2010	Follow-Up Inspection	25/30 BHC with RTE food, improperly stocked hand wash sink
SUBWAY # 3842	Restaurant	2301 W. NOB HILL BLVD. SUITE # 9	YAKIMA	11/15/2010	Routine Inspection	0/0 No problems.
SUBWAY # 46232 (WAL-MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	11/17/2010	Routine Inspection	0/5
SUBWAY #17791	Restaurant	613 N 1ST ST.	YAKIMA	11/8/2010	Routine Inspection	0/5 Womens restroom handwash sink is slow to drain.
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	11/4/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUN COUNTRY INN	Snack Bar	1700 1ST ST N	YAKIMA	11/10/2010	Compliance Inspection	10/10 No soap at hand wash sink
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	11/8/2010	Routine Inspection	0/0
SUNBURST VIDEO	Snack Bar	201 AVE. "F"	GRANDVIEW	11/29/2010	Routine Inspection	10/10 - Takes several minutes to get hot water at sinks in kitchen.
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	11/8/2010	Routine Inspection	10/10 No hand wash sink
TACOS APATZINGAN	Restaurant/Catering	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/8/2010	Routine Inspection	0/5
TACOS ARIEL	Mobile	809 W Nob Hill BLVD	YAKIMA	11/16/2010	Routine Inspection	15/25 BHC with RTE foods. Mobile unit is filthy inside, follow up needed.
TACOS EL GORDO	Mobile	601 YAKIMA VALLEY HWY. ?????	SUNNYSIDE	11/8/2010	Follow-Up Inspection	They had hot water. They have a commercial style refrigerator but it's not at their location yet.
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	11/17/2010	Routine Inspection	15/15 One expired FHC, restroom has a broken cold water valve.
THE COFFEE SHOPPE	Espresso Stand	3311 W. NOB HILL BLVD.	YAKIMA	11/8/2010	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TRULY SCRUMPTIOUS	Restaurant	1 W. YAKIMA AVE. #'S 28 & 30	YAKIMA	11/19/2010	Pre-Opening Inspection	approved to open.
UNION GAP CARNICERIA	Meat Market	909 LOWER AHTANUM RD	UNION GAP	11/15/2010	Routine Inspection	45/50 Expired FHC's, improper room temp storage of PHF's. Follow up required.
				11/29/2010	Follow-Up Inspection	They have corrected all the problems from previous inspection.
VALLEY BUFFET	Restaurant	507 1ST AVE.	ZILLAH	11/8/2010	Routine Inspection	0/13
VALLEY VIEW ELEMENTARY	School	515 ZILLAH AVE	TOPPENISH	11/12/2010	Routine Inspection	0/0
VITAMIX ROAD SHOW	Serving Site	2310 LONGFIBER RD. - UNION GAP	UNION GAP	11/17/2010	Routine Inspection	15/22 No hot water at hand wash station in booth, missing FWC
				11/17/2010	Follow-Up Inspection	0/0
WAFFLES CAFFE	Restaurant	7200 W. NOB HILL BLVD.	YAKIMA	11/16/2010	Routine Inspection	15/18 Missing FWC, improperly stocked hand wash sink
WAPATO DAIRY QUEEN	Restaurant	318 S. WAPATO AVE.	WAPATO	11/9/2010	Routine Inspection	40/56 Missing FWCs, hands not washed as required, bare hand contact with RTE food, metal stem thermometers were not operating
				11/30/2010	Follow-Up Inspection	10/18 Tomatoes not washed as required
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	11/17/2010	Routine Inspection	0/5 dishwasher was not working properly

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WEST VALLEY HIGH SCHOOL	School	9800 ZIER RD.	YAKIMA	11/10/2010	Routine Inspection	0/0
WEST VALLEY JUNIOR HIGH	School	7507 ZIER RD.	YAKIMA	11/10/2010	Routine Inspection	0/5 missing sanitizer
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	11/10/2010	Routine Inspection	0/0
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	11/10/2010	Routine Inspection	25/46 Improperly stocked hand wash sink, metal stem thermometer cannot be calibrated, unlabeled chemical
				11/29/2010	Follow-Up Inspection	15/15 No hot water at restroom hand wash sink, metal stem thermometer cannot be calibrated for accuracy
WHITE HOUSE CAFE	Restaurant	3602 KERN ROAD	YAKIMA	11/10/2010	Routine Inspection	10/10 Handwash sink paper towel dispenser is jammed.
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	11/15/2010	Routine Inspection	0/0
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	11/4/2010	Routine Inspection	0/0
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE, L.L.C.	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	11/8/2010	Routine Inspection	30/46 Missing FWCs, improperly hot holding gravy

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	11/15/2010	Routine Inspection	0/0
YAKIMA GROCERY OUTLET	Grocery Store	2109 S. 1ST STREET	YAKIMA	11/30/2010	Routine Inspection	0/0
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	11/19/2010	Routine Inspection	0/0
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	11/19/2010	Routine Inspection	0/0
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	11/19/2010	Routine Inspection	0/0