

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WACWA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	2/28/2011	Complaint Inspection	20/20 No receipts for breakfast burritos, missing FWC
40TH AVE. ESPRESSO	Espresso Stand	1207 N 40TH AVE	YAKIMA	2/17/2011	Routine Inspection	5/5 expired FWCs
7-ELEVEN # 2362-17080B	Mini-mart	1512 SUMMITVIEW	YAKIMA	2/10/2011	Routine Inspection	20/23 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometer
7-ELEVEN #2307-22714J	Mini-mart	1711 E. NOB HILL BLVD.	YAKIMA	2/7/2011	Routine Inspection	15/15 - Missing FWCs, no hot water available in facility
901 PASTA	Restaurant/Catering	910 SUMMITVIEW AVE. SUITE # 7-A	YAKIMA	2/3/2011	Routine Inspection	20/28 Missing FWCs, improperly cold holding PHF, inaccurate metal stem thermometer
ALBERTSON'S FOOD CENTER # 249	Grocery Store	1610 W. LINCOLN AVE.	YAKIMA	2/28/2011	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AM/PM UNION GAP	Mini-mart	20 E. VALLEY MALL BLVD.	UNION GAP	2/4/2011	Routine Inspection	40/48 Missing FWCs, improperly stocked hand wash sinks, blocked hand wash sink, inaccurate metal stem thermometer, unlabeled chemical, improper chemical storage
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Lounge	1505 E. WASHINGTON AVE.	UNION GAP	2/4/2011	Routine Inspection	20/25 Missing FWCs, hands not washed as required
BASKIN-ROBBINS # 4314 - SO. 1ST STR.	Ice Cream Parlor	1505 S. 1ST STREET	YAKIMA	2/4/2011	Routine Inspection	0/11
BOB'S BURGERS & BREW	Restaurant/Lounge	121 N. FAIR AVE	YAKIMA	2/3/2011	Routine Inspection	0/5 Metal stem thermometer not available
BUHRMASTER BAKING CO. - SELAH	Bakery	117 E. 3RD AVENUE	SELAH	2/4/2011	Routine Inspection	5/10 - FWC needed.
CARNITAS SUPREME	Restaurant	5 N. "A" STREET	TOPPENISH	2/8/2011	Surveillance Inspection	No signs of operation
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	2/28/2011	Surveillance Inspection	No sign of food preparation on Friday afternoons (~3:45 PM)
CLASSY COFFEE - ROCKIN' COFFEE	Espresso Stand	1805 S. 1ST STREET	SUNNYSIDE	2/8/2011	Routine Inspection	20/48 Hands not washed as required, inaccurate metal stem thermometer
				2/16/2011	Pre-Opening Inspection	Approved to open with the completion of the following items: 1) Need to dispose of mop water and wastewater into approved sewer, 2) Need thermometer in refrigerator 3) Need to pay fees.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COCINA ZACATECAS	Mobile		COWICHE			
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	2/11/2011	Pre-Opening Inspection	Approved to open after payment is received.
DEEP SEA DELI	Grocery Store	20 N. 9TH AVE.	YAKIMA	2/10/2011	Routine Inspection	40/40 Timer faucets for restroom hand wash sinks operate for a few seconds, improper hot holding of PHF, no metal stem thermometer was available
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	2/1/2011	Routine Inspection	0/0 Packaged foods need labeling
DOLLAR TREE # 2387	Grocery Store	703 W. NOB HILL BLVD. - YAKIMA	YAKIMA	2/14/2011	Routine Inspection	65/65 Raw meats found at room temperature. Improper cooling, follow up needed.
DOMINO'S PIZZA # 7164	Restaurant	102 W MEAD AVE	YAKIMA	2/7/2011	Routine Inspection	0/0
DONALD STORE	Mini-mart	2640 DONALD RD. - WAPATO	WAPATO	2/4/2011	Routine Inspection	0/0
DREAM GIRLS	Espresso Stand	10 W YAKIMA AVE.	YAKIMA	2/10/2011	Routine Inspection	50/71 PIC unable to answer questions on food safety, improper storage of raw meats, improper thawing, improper hot holding, inaccurate thermo meter, no sanitizer, food left open/out, mice dropping under cabinets, dirty kitchen/food prep area. Follow up needed.
				2/11/2011	Routine Inspection	5/5 - 3 of 4 workers need FWC posted.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL GALLO GIRO PANADERIA Y TAQUERIA	Restaurant	706 W1ST ST	TOPPENISH	2/8/2011	Routine Inspection	0/0
EL PARRILLON LOCO	Restaurant	511 N. 1ST STREET # 12	YAKIMA	2/11/2011	Follow-Up Inspection	The walk-in refrigerator's compressor has failed and a new one has been ordered. I spoke with the owner of YakiMex and was told that it should be fixed this weekend.
EL PORTON	Restaurant	420 S. 48TH AVE.	YAKIMA	2/1/2011	Routine Inspection	0/0
ESPRESSO EXPRESS	Espresso Stand	3706 TIETON DR	YAKIMA	2/4/2011	Routine Inspection	5/5 Restroom availability and use issue (see report in imaging)
ESSENCIA ARTISAN BAKERY	Restaurant/Catering	4 N. 3RD ST.	YAKIMA	2/10/2011	Routine Inspection	10/10 Improper cold holding of PHF.
FAIRFIELD INN & SUITES BY MARRIOTT	Continental Brkfst	137 FAIR AVENUE	YAKIMA	2/11/2011	Routine Inspection	0/0
FRATERNAL ORDER OF EAGLES #289	Restaurant/Lounge	307 W. CHESTNUT	YAKIMA	2/4/2011	Routine Inspection	0/6
FRED MEYER	Grocery Store	1206 N. 40TH AVE.	YAKIMA	2/7/2011	Routine Inspection	5/15 Missing FWCs
FRESH TASTE MEALS		2204-I W. NOB HILL BLVD.	YAKIMA	2/3/2011	Routine Inspection	5/5 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GEARJAMMER TRUCK STOP	Restaurant	2310 RUDKIN RD.	UNION GAP	2/2/2011	Routine Inspection	10/41 Missing FWC, inaccurate metal stem thermometer
GLESENERS MARKET	Mini-mart	1326 FAIR AVE.	YAKIMA	2/2/2011	Routine Inspection	0/9
GOLDEN BULL CHINESE RESTAURANT	Restaurant	106 N. 1ST STREET	SELAH	2/11/2011	Routine Inspection	10/15 - No FWC and pooling eggs. Whole kitchen needs cleaning.
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST ²	YAKIMA	2/11/2011	Routine Inspection	5/8 Missing FWCs
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	2/4/2011	Routine Inspection	20/57 Missing FWC, improperly stocked hand wash sink, raw meat stored with RTE food
GRANDVIEW CHURCH OF THE NAZARENE	Rest - Seasonal	500 N. ELM STREET	GRANDVIEW	2/28/2011	Follow-Up Inspection	20/36 Hands not washed as required, missing FWC
GRANDVIEW MARKET	Mini-mart	100 E. WINE COUNTRY RD.	GRANDVIEW	2/16/2011	Follow-Up Inspection	15/23 Hands not washed as required
				2/16/2011	Routine Inspection	10/18 Improperly hot holding PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AV E	YAKIMA	2/15/2011	Routine Inspection	45/69 Missing FWCs, hands not washed as required, BHC with RTE food, raw meat stored above RTE food, inaccurate metal stem thermometer
J'S ASIAN FLAMING GRILL III	Restaurant	606 S 36TH AVE	YAKIMA	2/11/2011	Follow-Up Inspection	5/5 Missing FWC
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	2/28/2011	Routine Inspection	20/20 missing FWCs, inadequate hand washing facilities, missing an accurate metal stem thermometer
LA PACHANGA (MOBILE)	Mobile		TIETON	2/10/2011	Surveillance Inspection	Mobile unit has been moved.
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	2/11/2011	Complaint Inspection	20/23 Hands not washed as required, raw meats stored above ready to eat foods
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	2/14/2011	Routine Inspection	20/28 Missing FWCs, no metal stem thermometer was available, unlabeled chemical
MC DONALD'S OF SUNNYSIDE	Restaurant	2200 YAKIMA VLY HWY	SUNNYSIDE	2/16/2011	Routine Inspection	20/23 Missing FWCs, hands not washed as required
MEMO'S MEXICAN FOOD RESTAURANT	Restaurant	306 S. 1ST ST.	YAKIMA	2/10/2011	Pre-Opening Inspection	Minor corrections needed prior to opening (see report in imaging)

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MI PUEBLITO	Restaurant	13 E TOPPENISH AVE	TOPPENISH	2/11/2011	Routine Inspection	0/3 Improper thawing of PHF's (raw menudo). No other problems observed.
MI TESORO FAMILY RESTAURANT	Restaurant	809 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/10/2011	Pre-Opening Inspection	Approved to open
OBENTO HOUSE	Restaurant	11 N. 11TH AVE #105	YAKIMA	2/18/2011	Routine Inspection	60/73 No receipts available for verifying foods from approved sources, raw meats stored next to ready to eat food, improperly hot holding rice, improperly cold holding PHF, inaccurate metal stem thermometer
OLD TOWN PUMP SALOON	Restaurant/Lounge	3716 MAIN STREET	UNION GAP	2/28/2011	Pre-Opening Inspection	Extensive remodel completed - Approved to open
OUTBACK ESPRESSO NORTH	Espresso Stand	1212 S. 80TH AVE	YAKIMA	2/15/2011	Routine Inspection	15/20 Missing FWCs, no paper towels at hand wash sink
OUTBACK STEAKHOUSE	Restaurant/Catering	2412 RUDKIN RD.	UNION GAP	2/10/2011	Routine Inspection	20/23 Missing FWCs, hands not washed as required
OXFORD INN	Continental Brkfst	1603 TERRACE HTS DR.	YAKIMA	2/9/2011	Routine Inspection	0/11
PABLITO'S PIZZA	Restaurant	501 W 1ST AVE.	TOPPENISH	2/2/2011	Routine Inspection	0/0 No problems observed.
PIK A POP # 14	Mini-mart	3602 TIETON DR	YAKIMA	2/28/2011	Routine Inspection	10/18 Improperly hot held PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT #23	Restaurant	3915 N. KERN ROAD	YAKIMA	2/1/2011	Routine Inspection	0/0
PIZZA TIME	Restaurant	2105 W LINCOLN AVE [®]	YAKIMA	2/17/2011	Routine Inspection	0/0
POWERHOUSE GRILL	Restaurant	3807 RIVER RD.	YAKIMA	2/10/2011	Routine Inspection	25/43 Missing FWCs, hands not washed as required, inaccurate metal stem thermometer
PRIME CUT MEATS & DELI	Deli	140 S. 72ND AVE.	YAKIMA	2/4/2011	Routine Inspection	0/0
R. C.'S	Restaurant/Lounge	31 A RAY RD.	SUNNYSIDE	2/9/2011	Routine Inspection	15/15 Hands not washed as required
REXFORD MANOR RETIREMENT COMMUNITY	Retirement Housing	1010 N. 34TH AVENUE	YAKIMA	2/17/2011	Routine Inspection	0/0 (Small kitchen was originally approved as a level 2 establishment. Menu seems to be getting more complex - a menu will be requested from PIC)
RITE AID # 5296	Grocery Store	2204-B W. NOB HILL BLVD.	YAKIMA	2/15/2011	Routine Inspection	0/5
ROAD RUNNER DELI MART	Mini-mart	1419 S 3RD AVE.	YAKIMA	2/1/2011	Routine Inspection	0/0
ROADRUNNER GAS	Mini-mart	1820 S. 3RD AVE.	YAKIMA	2/9/2011	Routine Inspection	35/48 Improperly stocked hand wash sink, improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROUND TABLE PIZZA	Restaurant	1300 N. 40TH AVE. # 109	YAKIMA	2/9/2011	Routine Inspection	25/38 Missing FWCs, improperly stocked hand wash sink, improper chemical storage
ROY'S MARKET	Mini-mart	201 S 6TH ST.	YAKIMA	2/2/2011	Routine Inspection	0/0
SAKURA TERIYAKI & SUSHI	Restaurant	2000 E. YAKIMA VALLEY HWY.	SUNNYSIDE	2/28/2011	Routine Inspection	10/10 missing FWCs, missing a metal stem thermometer
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	2/14/2011	Follow-Up Inspection	15/23 Hands not washed as required
SEATTLE'S BEST COFFEE	Restaurant	1700 E WASHINGTON AVE.	UNION GAP	2/18/2011	Follow-Up Inspection	0/10
SECOND STREET GRILL	Restaurant/Lounge	28 N 2ND ST.	YAKIMA	2/1/2011	Routine Inspection	40/61 Missing FWCs, hands not washed as required, raw meats stored above RTE food, inaccurate metal stem thermometer, unlabeled chemicals
SELAH SANDWICH SHOP	Espresso Stand/Deli	105 W NACHES AVE.	SELAH	2/17/2011	Follow-Up Inspection	30/35 Hands not washed as required, BHC with RTE food
SMITTY'S CONOCO-STORE #190	Mini-mart	301 N 1ST ST.	YAKIMA	2/8/2011	Routine Inspection	0/0
				2/11/2011	Routine Inspection	15/15 Expired FHC, improper cold holding of PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	2/9/2011	Routine Inspection	70/92 Missing FWC, hands not washed as required, improperly stocked hand wash sinks, raw meat stored above ready to eat food, improperly cooling PHF, inaccurate metal stem thermometer
STARBUCKS COFFEE #33370	Espresso Stand	420 S 72ND AVE	YAKIMA	2/18/2011	Routine Inspection	5/5 missing FWCs
SUMERCADITO # 3	Grocery Store	110 ASH - GRANDVIEW	GRANDVIEW	2/10/2011	Compliance Inspection	35/35 Employee restroom still does not have running water, Chorizo/sausage hanging at room temperature. A second compliance inspection is required.
SUB SHOP # 138	Restaurant	2204-E W. NOB HILL BLVD.	YAKIMA	2/17/2011	Compliance Inspection	No repeated issues observed
SUB SHOP OF YAKIMA	Restaurant	6 N. FAIR AVE. SP# 109	YAKIMA	2/18/2011	Routine Inspection	5/13 Inaccurate metal stem thermometer
SUBWAY # 36788	Restaurant	210 S. 72ND AVE. SUITE # 100	YAKIMA	2/2/2011	Routine Inspection	10/10 - Some workers need FWC and digital thermometer needs batteries.
SUMMITVIEW STATION	Mini-mart	4802 SUMMITVIEW AVE.	YAKIMA	2/2/2011	Routine Inspection	25/25 Room temperature storage of PHF
				2/1/2011	Routine Inspection	5/8 Missing FWCs
				2/17/2011	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE COMMUNITY CENTER/SUNNYSIDE PROMISE	Snack Bar	1521 S. 1ST STREET	SUNNYSIDE	2/16/2011	Routine Inspection	0/8
SUNSHINE MART	Grocery Store	6712 TIETON DR	YAKIMA	2/4/2011	Routine Inspection	15/15 - Container of milk stored in ice machine (ice used for human consumption) and straws need to be in wrappers or straw dispenser.
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	2/16/2011	Routine Inspection	35/46 Improperly stocked hand wash sink, improperly hot holding PHF
TACO BELL # 9461	Restaurant	2124 S. 1ST STREET	YAKIMA	2/7/2011	Routine Inspection	0/0
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	2/2/2011	Routine Inspection	15/15 BHC with RTE food
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	2/4/2011	Follow-Up Inspection	10/10 Cold holding PHF's at 50F. All other items from previous inspection have been corrected.
THE ICE RINK	Snack Bar	1700 E. BEECH	YAKIMA	2/19/2011	Routine Inspection	15/21 Hands not washed as required
THE MAGIC KITCHEN	Restaurant	1103 S. 3RD AVENUE	YAKIMA	2/3/2011	Routine Inspection	0/0
THE MAJESTIC THEATRE	Snack Bar	1919 S. 14TH ST.	UNION GAP	2/10/2011	Routine Inspection	5/10 No sanitizer made up during inspection, thermometer needed to be calibrated.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE ORCHARD INN	Bed & Breakfast	1207 PECKS CANYON RD	YAKIMA	2/14/2011	Routine Inspection	0/0
THE RIB SHACK	Restaurant	2511 MAIN ST	UNION GAP	2/18/2011	Pre-Opening Inspection	Approved to open.
TOPPENISH MARKET PLACE	Grocery Store	512 W 1ST	TOPPENISH	2/8/2011	Surveillance Inspection	Inspected carmel corn sold at store, no signs of mold. Some specs of food coloring may have been mistaken for mold by complaining customer. Spoke with store manager who said the popcorn would be closely monitored.
TREVERI CELLARS	Winery	225 S. 2ND AVE.	YAKIMA	2/11/2011	Routine Inspection	0/0 No problems.
TRULY SCRUMPTIOUS	Restaurant	1 W. YAKIMA AVE. #'S 28 & 30	YAKIMA	2/5/2011	Routine Inspection	0/5 To much clutter on food prep surface. Need to keep personal and non-food items off food prep area.
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	2/17/2011	Follow-Up Inspection	30/30 Missing FWCs, improperly hot holding PHF
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	2/2/2011	Follow-Up Inspection	15/18 Improperly stocked hand wash sink, inaccurate metal stem thermometer
URM CASH & CARRY	Grocery Store	14 S. 5TH AVENUE	YAKIMA	2/17/2011	Routine Inspection	0/5
WAREHOUSE DEMO SERVICES # 1013	Grocery Store	2310 LONGFIBER RD. - UNION GAP	UNION GAP	2/4/2011	Routine Inspection	10/10 Blocked kitchen hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WENDY'S OLD FASHIONED HAMBURGERS	Restaurant	2208 S. 1ST STREET	YAKIMA	2/10/2011	Routine Inspection	15/15 Expired FHC's, soap missing at handwash sink.
WINE COUNTRY EVENTS & CATERING	Catering	5110 TIETON DRIVE # 150	YAKIMA	2/17/2011	Pre-Opening Inspection	Approved to open.
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	2/1/2011	Routine Inspection	5/5 missing FWCs
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	2/2/2011	Compliance Inspection	0/0
YAKIMA CINEMA	Snack Bar	1305 N. 16TH AVE.	YAKIMA	2/14/2011	Routine Inspection	0/0
YAKIMA COOPERATIVE ASSOCIATION	Mini-mart	2202 S 1ST ST	YAKIMA	2/10/2011	Routine Inspection	15/15 Improper reheating of PHF's.