

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE	10/14/2011	Compliance Inspection	0/0
41ST STREET ESPRESSO	Espresso Stand	4112 1/2 TERRACE HGTS. DR.	YAKIMA	10/7/2011	Routine Inspection	0/0
AGAPE MT. SUNSHINE B. & B. / RETREAT	Bed & Breakfast	10121 HWY 410	NACHES	10/20/2011	Routine Inspection	5/5 - FWC expired.
AGUILILLA BAKERY	Bakery	3206 MAIN ST.	UNION GAP	10/19/2011	Routine Inspection	0/5 Two refrigerators need thermometers.
AHTANUM FOOD MART	Mini-mart	8407 AHTANUM RD.	YAKIMA	10/20/2011	Routine Inspection	10/10 Improperly stocked hand wash sink
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	10/27/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ALBERTSON'S FOOD CENTER # 249	Grocery Store	1610 W. LINCOLN AVE.	YAKIMA	10/27/2011	Routine Inspection	15/23 Missing FWCs, improper chemical storage
APPLE COUNTRY BED & BREAKFAST	Bed & Breakfast	4561 OLD NACHES HWY	NACHES	10/14/2011	Routine Inspection	5/10 - FWC expired and thermomter needed for refrigerator.
ARCTIC CIRCLE	Restaurant	3912 W NOB HILL	YAKIMA	10/11/2011	Routine Inspection	10/10 One of the HW sink is missing soap.
BLUE HILLS TAQUERIA	Restaurant	1509-B TIETON DR. - YAKIMA	YAKIMA	10/4/2011	Routine Inspection	35/35 No water at hand washing sink(at arrival), Expired FWC, gloves/hand-food barriers not immediately available at food prep area, inaccurate thermometer. Follow-up inspection to be performed.
BONNEVILLE SMOKED PRODUCTS		616 S 20TH AVE	YAKIMA	10/12/2011	Follow-Up Inspection	Previous issues unrepeated
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	10/27/2011	Routine Inspection	0/0
				10/19/2011	Routine Inspection	40/59 Hands not washed as required, improperly stocked hand wash sink, inaccurate metal stem thermometer, unlabeled chemical, improper chemical storage
				10/25/2011	Follow-Up Inspection	20/36 Blocked hand wash sink, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BURGER KING	Restaurant	1605 E. YAKIMA AVE.	YAKIMA	10/18/2011	Routine Inspection	0/0
				10/24/2011	Routine Inspection	5/5 Missing FWCs
				10/25/2011	Complaint Inspection	No sign of the diarrhea trail on any of the two slides. Manager will have the slide cleaned and sanitized.
				10/27/2011	Routine Inspection	0/10 Box of tomatos stored on ground. One stall in womens restroom is not working. There is a sewage smell emitting from this stall. PIC states it's been like this for almost a month. They have called a plumber.
CABIN ESPRESSO	Espresso Stand	6301 AHTANUM RD	YAKIMA	10/27/2011	Routine Inspection	
CAFFE BREW/LATTE	Espresso Stand	2800 TERRACE HTS DRIVE	YAKIMA	10/19/2011	Routine Inspection	0/0
CAROUSEL FRENCH CUISINE	Restaurant	25 N. FRONT STREET	YAKIMA	10/20/2011	Follow-Up Inspection	10/23 Improperly stocked hand wash sinks
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	10/28/2011	Routine Inspection	0/23
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	10/7/2011	Follow-Up Inspection	10/13 Missing FWC, inaccurate metal stem thermometer
				10/21/2011	Compliance Inspection	0/0
CLAAR CELLARS	Winery	1001 VINTAGE VALLEY PARKWAY	ZILLAH	10/21/2011	Routine Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CLEMENCE R. CARLSON VFW POST # 6929	Restaurant	132 DIVISION ST	GRANDVIEW	10/14/2011	Follow-Up Inspection	15/25 Missing FWCs, unlabeled chemical
CONQUISTADOR	Restaurant	214 S. 6TH ST. UNIT # 7	SUNNYSIDE	10/18/2011	Routine Inspection	0/5 Two refrigerators missing thermometers.
CORNER GROCERY & HARDWARE	Grocery Store	8501 AHTANUM RD	YAKIMA	10/20/2011	Routine Inspection	20/15 No hand washing sink in front food prep area, metal stem thermometer was not available, soda fountain improperly drained.
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	10/27/2011	Routine Inspection	0/0
COWICHE HARVEST FOODS	Grocery Store	16850 SUMMITVIEW RD	COWICHE	10/3/2011	Routine Inspection	5/5 Improper hot holding of PHF
COWNTRY CAFE'	Restaurant	428 S. "G" STREET	TOPPENISH	10/20/2011	Follow-Up Inspection	15/15 BHC with RTE foods.
DAD'S FAMILY RESTAURANT	Restaurant	433 SELM	TOPPENISH	10/7/2011	Follow-Up Inspection	10/10 Improper chemical storage
DAWN TIL DUSK ESPRESSO	Espresso Stand	9918 U. S. HWY. 12	NACHES	10/20/2011	Routine Inspection	0/0
DAYS INN	Continental Brkfst	1504 N. 1ST STREET	YAKIMA	10/12/2011	Routine Inspection	10/10 inadequate hand washing facilities

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOMINO'S PIZZA # 7170	Restaurant	6 S 9TH ST	YAKIMA	10/10/2011	Compliance Inspection	0/0
DOMINO'S PIZZA # 7171	Restaurant	420 S. 72ND AVE.	YAKIMA	10/28/2011	Routine Inspection	0/0
DONALD STORE	Mini-mart	2600 DONALD-WAPATO RD.	WAPATO	10/17/2011	Routine Inspection	25/33 Improper hot holding of PHF's. One of the food prep refrigerators is very dirty. Employee restroom is very dirty.
EAGLE ROCK GROCERY	Grocery Store	8590 HWY 410	NACHES	10/20/2011	Routine Inspection	0/0
EL MEJOR TAQUITO (BLDG.)	Restaurant	544 S. 6TH STREET	SUNNYSIDE	10/18/2011	Routine Inspection	0/0 NO problems.
EL MIRADOR MEXICAN RESTAURANT	Restaurant	418 W. WALNUT	YAKIMA	10/24/2011	Routine Inspection	5/5 inaccurate thermometer
EL PARRILLON LOCO	Restaurant	511 N. 1ST STREET # 12	YAKIMA	10/5/2011	Routine Inspection	20/20 Expired FHC's, handwash out by the grill needs soap and paper towels. They do not have a thermometer for checking hot foods.
EL RANCHITO	Restaurant	1319 E. 1ST AVENUE	ZILLA	10/5/2011	Pre-Opening Inspection	They are ready to open.
FIESTA FOODS	Grocery Store	1008 E. NOB HILL BLVD.	YAKIMA	10/28/2011	Follow-Up Inspection	65/70 Missing FWC, improperly cooling PHF, RTS of PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FILIPINO AMERICAN TAKE-OUT THURSDAY	Snack Bar	211 W. 1ST STREET	WAPATO	10/20/2011	Follow-Up Inspection	0/0
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	10/24/2011	Routine Inspection	60/70 Missing FWCs, improperly stocked hand wash sinks, raw meats stored above ready to eat food, improperly hot holding PHF, inaccurate metal stem thermometer, unlabeled chemical
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	10/24/2011	Complaint Inspection	A couple of foods were being held hot below 140 F. These foods were discarded.
HIGHWAY ESPRESSO	Espresso Stand	10118 U.S. HIGHWAY 12	NACHES	10/31/2011	Routine Inspection	25/25 - Improper hot holding temperatures.
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AVE	YAKIMA	10/14/2011	Routine Inspection	0/5
INTERNATIONAL HOUSE OF PANCAKES # 640	Restaurant	15 VALLEY MALL BV E	UNION GAP	10/10/2011	Follow-Up Inspection	15/20 Inaccurate metal stem thermometer, improper chemical storage
JACK-SON'S SPORTS BAR	Restaurant/Catering	432 S 48TH AVE.	YAKIMA	10/13/2011	Follow-Up Inspection	15/20 Hands not washed as required
				10/12/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JEAN'S COTTAGE INN	Restaurant/Catering	3211 MAIN ST	UNION GAP	10/19/2011	Routine Inspection	0/5 Potential food contamination during storage.
JITTER BEAN ESPRESSO BAR dba YAKIMA'S BEST ESPRESSO	Espresso Stand	401 W. NOB HILL BLVD.	YAKIMA	10/24/2011	Complaint Inspection	0/8 Towels are dark blue.
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	10/13/2011	Follow-Up Inspection	5/10 - 2 workers need FWC.
KIMBERLY'S	Restaurant	2011 W. WASHINGTON AVE.	YAKIMA	10/31/2011	Routine Inspection	25/30 Improperly hot holding PHF
L & L DRIVE IN II	Restaurant	645 E. WINE COUNTRY RD.	GRANDVIEW	10/28/2011	Routine Inspection	15/15 - Ice scoop improperly stored.
LA SALLE HIGH SCHOOL - CONCESSIONS	Seasonal Concession	3000 LIGHTNING WAY	UNION GAP	10/20/2011	Routine Inspection	30/30 Hands not washed as required, improperly stocked hand wash sink, metal stem thermometer was not available
LAREDO DRIVE-IN	Restaurant	9921 HWY. 12	NACHES	10/14/2011	Routine Inspection	0/0
LAS CUATRO ESTRELLAS	Bakery	108 E. MOXEE AVE. # 1	MOXEE	10/26/2011	Routine Inspection	35/45 Improperly stocked hand wash sink, RTS of PHF
LATINO MARKET	Mini-mart	502 W. 1ST STREET	TOPPENISH	10/20/2011	Routine Inspection	35/35 Improper hot holding temperatures of PHF's. BHC w/RTE foods. HW sink was being used to store dishes.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LITTLE CAESARS # 202	Restaurant	2301 W. NOB HILL BLVD.	YAKIMA	10/26/2011	Routine Inspection	5/8 Missing FWCs
MC DONALD'S	Restaurant	739 W. 1ST AVENUE	TOPPENISH	10/20/2011	Routine Inspection	0/0 No problems.
MEI WING	Restaurant	2529 MAIN ST. # 258	UNION GAP	10/18/2011	Routine Inspection	0/0
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	10/20/2011	Routine Inspection	30/48 Room temp storage. No thermometers. Foods not labeled.
MI PUEBLITO MEXICAN RESTAURANT	Restaurant/Lounge	1102 W NOB HILL BLVD.	YAKIMA	10/14/2011	Routine Inspection	20/20 missing FWCs, inadequate hand washing facilities, inaccurate thermometer
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	10/31/2011	Routine Inspection	0/0
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	10/27/2011	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	10/27/2011	Routine Inspection	0/0
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	10/27/2011	Routine Inspection	0/0



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NEW HOPE INDUSTRIES	Catering	1224 N 1ST ST	YAKIMA	10/24/2011	Routine Inspection	15/15 - FWC needed and no soap at handwash sink.
NILE VALLEY GAME PROCESSING	Meat Market	4721 S.R. 410	NACHES	10/26/2011	Routine Inspection	10/15 - Several items stored in handwash sink.
NOB HILL FOOD STORE	Mini-mart	1710 E. NOB HILL BLVD.	YAKIMA	10/10/2011	Follow-Up Inspection	10/10 Missing FWC, inaccurate metal stem thermometer
				10/19/2011	Compliance Inspection	0/0
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	10/12/2011	Routine Inspection	30/35 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
OLIVE GARDEN ITALIAN RESTAURANT #1352	Restaurant/Catering	222 E YAKIMA AVE.	YAKIMA	10/31/2011	Routine Inspection	20/20 Missing FWC, hands not washed as required
ON THE GO - SENIOR CAFE (GRANDVIEW)	Serving Site	401 W 2ND ST.	GRANDVIEW	10/28/2011	Routine Inspection	0/0
PAPA MURPHY'S	Restaurant	2695 E. LINCOLN	SUNNYSIDE	10/12/2011	Routine Inspection	5/5 - Some FWC have expired.
PIETY FLATS WINERY	Winery	2560 DONALD/WAPATO ROAD	WAPATO	10/17/2011	Routine Inspection	NO problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUIZNO'S SUB	Restaurant	5603 SUMMITVIEW #102	YAKIMA	10/26/2011	Routine Inspection	5/5 Two employees need current FHC's
RED ROOSTER	Tavern	519 S. 1ST STREET	SELAH	10/13/2011	Routine Inspection	0/5
RESER'S FINE FOODS	Grocery Store	605 E. NOB HILL BLVD.	YAKIMA	10/19/2011	Routine Inspection	0/0
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	10/19/2011	Routine Inspection	0/0
SAFEWAY # 563	Grocery Store	613 S. 6TH STREET	SUNNYSIDE	10/7/2011	Follow-Up Inspection	5/10 Missing FWC
SANCHEZ TACOS	Mobile	109 W. 1ST ST., WAPATO	WAPATO	10/17/2011	Routine Inspection	0/0 No problems.
SCHOOL HOUSE ESPRESSO	Espresso Stand	900 YAKIMA VALLEY HWY. SUITE 3	SUNNYSIDE	10/14/2011	Compliance Inspection	0/0
SHIRLEY'S ESPRESSO	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	10/24/2011	Routine Inspection	No problems.
SILVER CREEK BAR & GRILL	Tavern	108 ILLER ST.	MOXEE	10/26/2011	Routine Inspection	50/74 Missing FWC, BHC with RTE food, RTS of PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SKY BAR & LOUNGE	Restaurant/Lounge	13 S. 1ST ST.	YAKIMA	10/5/2011	Routine Inspection	15/15 - Improper ice scoop being used.
SOPHIE'S	Espresso Stand/Deli	503 W. 1ST.	WAPATO	10/17/2011	Routine Inspection	0/5 No sanitizer solution made up during inspection.
SPORTS CENTER	Restaurant	214 E YAKIMA AVE.	YAKIMA	10/28/2011	Routine Inspection	35/56 Hands not washed as required, raw meat stored above ready to eat food, inaccurate metal stem thermometer, improper chemical storage
SPUDAWGY	Restaurant	1215 E. WASHINGTON	UNION GAP	10/13/2011	Routine Inspection	10/13 Improperly stocked hand wash sink
SPUR TAVERN	Tavern	3980 HARRAH RD.	HARRAH	10/20/2011	Follow-Up Inspection	0/0
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	10/21/2011	Routine Inspection	0/0
SUBWAY # 46232 (WAL-MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	10/13/2011	Routine Inspection	20/25 Improperly stocked hand wash sink, improper chemical storage
SUGAR SHACK	Espresso Stand	1302 FAIR AVE.	YAKIMA	10/12/2011	Routine Inspection	0/10 missing sanitizer, dirty food storage surfaces
SUNDQUIST CAFE	Espresso Stand	1015 S. 16TH AVE.	YAKIMA	10/12/2011	Follow-Up Inspection	25/33 Improperly hot holding PHF
				10/18/2011	Compliance Inspection	25/30 Improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE FOOD MART	Mini-mart	600 HWY 12	SUNNYSIDE	10/12/2011	Routine Inspection	0/0
SWEETIE PIE BABY CAKES	Bakery	5609 SUMMITVIEW AVE	YAKIMA	10/24/2011	Routine Inspection	Owner of The Cake Deco Shop states that Sweetie Pie Baby Cakes is not and has not used their kitchen. Called SPBC and they will be in to sort things out.
T.S.S. YOGURT		4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	10/14/2011	Pre-Opening Inspection	Approved to open once a few minor items have been done.
TACO BELL - SELAH	Restaurant	721 N. PARK CENTRE	SELAH	10/10/2011	Routine Inspection	0/0
TACOS & ANTOJITOS LA NENA	Restaurant/Catering	809 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	10/7/2011	Routine Inspection	15/15 Rice was being cooled on counter. Temp of rice was 180F. Both hand wash sinks need paper towels.
TACOS ESTRELLA	Mobile		SUNNYSIDE	10/18/2011	Complaint Inspection	The mobile unit had a 3-comp sink, one of which is used for HW. Also, they use the restroom in the building in which they are located out of. The building has a restroom with working toilet and handwash sink which is equipped with hot water, soap, and paper towels.
TAQUERIA CAMINO REAL	Restaurant	1112 1/2 TIETON DR.	YAKIMA	10/14/2011	Routine Inspection	Approved to open
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	10/11/2011	Routine Inspection	20/20 Cold holding PHF's at 51F. Inaccurate thermometer. Improper chemical storage.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	10/24/2011	Compliance Inspection	10/10 Handwash sink paper towel dispenser is full of food stuff. So much that the paper towels being dispensed are being contaminated by the build-up.
TAQUERIA MEXICANA	Restaurant	105 1/2 S ALDER ST	TOPPENISH	10/13/2011	Routine Inspection	10/15 Produce being washed in 3-comp sink. Sanitizer had soap and bleach.
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA	10/27/2011	Routine Inspection	45/55 Improperly cooling PHF, inaccurate metal stem thermometer, unlabeled chemicals
THE COFFEE MAKER & ESPRESSO	Espresso Stand	1526 S. 18TH STREET	YAKIMA	10/13/2011	Routine Inspection	0/0
THE DAILY BUZZ	Espresso/Catering	610 S 6TH ST.	SUNNYSIDE	10/7/2011	Routine Inspection	10/15 Improperly stocked hand wash sink
THE HIDEOUT RESTAURANT & LOUNGE	Restaurant/Lounge	401 WAPATO AV S	WAPATO	10/5/2011	Compliance Inspection	0/0
THE LITTLE BAKE SHOP AT JOHNSON ORCHARDS	Bakery	4906 SUMMITVIEW AV	YAKIMA	10/26/2011	Routine Inspection	0/0
THE REC ROOM BAR & GRILL	Restaurant	5110 TIETON DR. # 270	YAKIMA	10/19/2011	Routine Inspection	5/10 - FWC needed and thermometer needed for refrigerator.
THOR'S GALLEY	Snack Bar	801 N FIRST	SELAH	10/13/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TONY'S STEAKHOUSE	Restaurant/Catering	221 YAKIMA AV W	YAKIMA	10/26/2011	Routine Inspection	10/24 - Several FWC needed and raw meat stored above RTE food
TULLY'S COFFEE @ VALLEY MALL	Espresso Stand	2529 MAIN STR. # 118	UNION GAP	10/18/2011	Routine Inspection	30/38 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	10/25/2011	Routine Inspection	45/45 Missing FWC, hands not washed as required, improperly hot holding PHF
VILLASENOR'S	Restaurant	601 FRUITVALE BLVD.	YAKIMA	10/11/2011	Routine Inspection	5/18 - 4 workers missing FWC and mold on the ceiling of the walk-in refrigerator.
WAFFLES CAFE	Restaurant	7200 W. NOB HILL BLVD.	YAKIMA	10/17/2011	Routine Inspection	30/35 Missing FWC, hands not washed as required, improperly colding holding PHF with ice
WENDY'S	Restaurant	1001 N 1ST ST.	YAKIMA	10/17/2011	Complaint Inspection	Flies were present. Building and equipment were clean.
WEST VALLEY DAIRY QUEEN	Restaurant	7410 W. NOB HILL BLVD.	YAKIMA	10/10/2011	Compliance Inspection	0/0
WEST VALLEY HIGH SCHOOL CONCESSION STAND	Seasonal Concession	9800 ZIER RD.	YAKIMA	10/27/2011	Routine Inspection	0/10 Various refrigerators lacking thermometers. They are using the food prep sink as a rinsing sink.
				10/14/2011	Routine Inspection	35/35 Missing FWCs, hands not washed as required, improperly stocked hand wash station, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WESTFARM DAIRY FAIR	Deli	400 ALEXANDER RD.	SUNNYSIDE	10/12/2011	Routine Inspection	0/5
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	10/31/2011	Routine Inspection	0/0
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE, L.L.C.	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	10/12/2011	Routine Inspection	35/43 Improperly cooling PHF, inaccurate metal stem thermometer
WINEGLASS CELLARS	Winery	260 N BONAIR	ZILLAH	10/7/2011	Routine Inspection	5/5 Missing FWC
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	10/21/2011	Follow-Up Inspection	0/0
WRAY'S SOUTHGATE	Grocery Store	401 W. NOB HILL BLVD.	YAKIMA	10/26/2011	Routine Inspection	30/30 - Several FWC needed and improper hot holding temperatures.
XPRESS MART	Mini-mart	51 FIRING CENTER RD.	YAKIMA	10/17/2011	Routine Inspection	5/8 - Several workers need FWC or need to update cards.
ZESTA CUCINA	Restaurant	5110 TIETON DRIVE # 210	YAKIMA	10/28/2011	Routine Inspection	40/50 Missing FWCs, improperly hot holding PHF, unlabeled chemical
				10/19/2011	Routine Inspection	5/5 - Some workers don't have FWC or they are expired.