

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.
 HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

- Abbreviations**
 BHC: Bare Hand Contact
 DOH: Washington State Department of Health
 FDA: Food and Drug Administration
 FWC: Food Worker Card
 HACCP: Hazard Analysis Critical Control Point
 PHF: Potentially Hazardous Food
 PIC: Person in Charge
 ROP: Reduced Oxygen Packaging
 RTE: Ready to Eat
 RTS: Room Temperature Storage
 USDA: United States Department of Agriculture
 WAC: Washington Administrative Code
 WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MARKET	Mini-mart	1121 S. 16TH ST.	SUNNYSIDE	1/5/2012	Routine Inspection	40/40 Blocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
7-ELEVEN #2307-27470C	Mini-mart	810 YAKIMA AV E	YAKIMA	1/27/2012	Follow-Up Inspection	30/30 Missing FWC, improperly stocked hand wash sink, improperly reheating PHF for hot holding, inaccurate metal stem thermometer
7-ELEVEN #2362-14435E	Mini-mart	3908 TERRACE HGTS DR	YAKIMA	1/13/2012	Routine Inspection	5/5 - All workers need FWC
7-ELEVEN STORE 2307-27556G	Mini-mart	1601 FRUITVALE BLVD.	YAKIMA	1/4/2012	Routine Inspection	30/35 Improperly hot holding PHF, inaccurate metal stem thermometer
AM/PM # 4387	Mini-mart	912 N. 1ST STREET	YAKIMA	1/20/2012	Routine Inspection	20/25 Missing FWC, improperly stocked hand wash sinks, inaccurate metal stem thermometer
				1/4/2012	Routine Inspection	30/43 Missing FWCs, improperly stocked hand wash sinks, inaccurate metal stem thermometer, improper chemical storage
				1/20/2012	Follow-Up Inspection	5/5 Inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERISTAR # 12	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	1/31/2012	Routine Inspection	40/58 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Lounge	1505 E. WASHINGTON AVE.	UNION GAP	1/19/2012	Routine Inspection	0/0 No problems.
BALLESTERI'S CAFE	Restaurant	4001 SUMMITVIEW AVE. # 3	YAKIMA	1/18/2012	Routine Inspection	50/58 Missing FWC, improperly cooling PHF, inaccurate metal stem thermometer, unlabeled chemical, mislabeled chemical
BEEM'S NUTRITION AT CHESTERLY PARK	Grocery Store	3715 W RIVER ROAD	YAKIMA	1/30/2012	Routine Inspection	0/0
BEST WESTERN GRAPEVINE INN	Continental Brkfst	1849 QUAIL LANE	SUNNYSIDE	1/5/2012	Routine Inspection	0/0 Reminder note - see inspection report
BEST WESTERN LINCOLN INN	Snack Bar	1614 N. 1ST STREET	YAKIMA	1/18/2012	Routine Inspection	30/35 Missing FWC, improperly hot holding food
BIG WOLF MINI MARKET	Mini-mart	67831 HIGHWAY 97	WAPATO	1/30/2012	Routine Inspection	5/5 - FWC needed
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	1/10/2012	Follow-Up Inspection	5/5 Missing FWCs
				1/20/2012	Compliance Inspection	5/5 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	1/6/2012	Routine Inspection	10/13 Women's restroom is lacking paper towels.
BOOMER'S BAR & GRILLE	Restaurant/Catering	1719 S 1ST ST	YAKIMA	1/9/2012	Routine Inspection	0/5 Dishwasher not sanitizing properly
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	1/5/2012	Compliance Inspection	0/0
CAFE MELANGE	Restaurant/Catering	7 N. FRONT STREET	YAKIMA	1/25/2012	Routine Inspection	10/25 Missing thermometers, potential contamination of foods.
CASCADE CATERING	Catering	13321 U.S. HWY. 12	NACHES	1/30/2012	Routine Inspection	0/0
COCA COLA BOTTLING - YAKIMA & TRICITIES		607 E. "R" STREET	YAKIMA	1/4/2012	Routine Inspection	0/0
COCINA ISABEL	Restaurant	303 S. 13TH STREET	SUNNYSIDE	1/31/2012	Routine Inspection	40/50 - FWC needed, handwash sink in kitchen not properly stocked, and improper hot holding of refried beans.
COMFORT INN	Continental Brkfst	911 VINTAGE VALLEY PARKWAY	ZILLA	1/5/2012	Compliance Inspection	5/5 Missing FWC
CRUISIN COFFEE SOUTH FIRST	Espresso Stand	111 E. WASHINGTON AVE.	YAKIMA	1/12/2012	Routine Inspection	0/5 Bag of onions stored on the ground.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOLLAR TREE # 2387	Grocery Store	703 W. NOB HILL BLVD. - YAKIMA	YAKIMA	1/5/2012	Routine Inspection	0/0
EAST VALLEY MARKET	Mini-mart	7208 POSTMA RD.	YAKIMA	1/30/2012	Routine Inspection	5/5 One employee missing a food handler card.
EL PASTOR RESTAURANT	Restaurant	315 W. WALNUT	YAKIMA	1/9/2012	Routine Inspection	5/5 - Several FWC have expired.
EL PORTON DE PEPE	Restaurant	15 S 5TH AVENUE	YAKIMA	1/4/2012	Routine Inspection	10/10 Missing/expired FWCs, missing consumer advisory
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	1/20/2012	Routine Inspection	20/20 - Some FWC needed and BHC with RTE food.
EL PORVENIR	Bakery	209 S. TOPPENISH AVE.	TOPPENISH	1/26/2012	Routine Inspection	20/25 - BHC with doughnuts, food stored in refrigerator that was not working, and general cleanliness needed
ESPRESSO EXPRESS	Espresso Stand	3706 TIETON DR	YAKIMA	1/10/2012	Routine Inspection	20/25 - FWC needed, ice scoop laying in ice, and thermometers needed for refrigerators.
FIFTH AVE DELI	Deli	415 W. WALNUT	YAKIMA	1/18/2012	Routine Inspection	0/0
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	1/6/2012	Routine Inspection	25/25 - Improper hot holding temperatures.
FUENTES DE FRUTAS	Juice Bar	12 W WASHINGTON	YAKIMA	1/27/2012	Routine Inspection	5/5 - Expired FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GEPPETTO'S ITALIAN BISTRO & DELI	Deli	3105 SUMMITVIEW AV	YAKIMA	1/6/2012	Routine Inspection	20/20 - Some workers need FWC and BHC with ready-to-eat food.
GIBBONS SODA FOUNTAIN	Snack Bar	113 TOPPENISH AVE.	TOPPENISH	1/26/2012	Routine Inspection	15/15 - Improperly reheating soup
GOTTA STOP MABTON	Mini-mart	HWY 22 & MAIN	MABTON	1/12/2012	Routine Inspection	15/18 - Paper towels needed at hand wash sink in restroom and FWC needed.
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	1/6/2012	Compliance Inspection	0/0
GRANGER TRAVEL PLAZA	Mini-mart	1221 BAILEY AVE	GRANGER	1/10/2012	Routine Inspection	0/13 Improper thawing methods being used, potential food contamination during storage, no sanitizer made up during inspection.
GUERRA'S DELI & CAFE # 2	Deli	1829 S 1ST STREET SUITE "B"	SUNNYSIDE	1/26/2012	Routine Inspection	0/0 No problems.
IN & OUT MINI MART	Mini-mart	1513 TIETON DR	YAKIMA	1/19/2012	Routine Inspection	35/48 Missing FWC, improperly hot holding PHF, no metal stem thermometer
				1/26/2012	Follow-Up Inspection	5/15 No metal stem thermometer available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KENTUCKY FRIED CHICKEN	Restaurant	108 & 110 40TH AV N	YAKIMA	1/23/2012	Routine Inspection	10/10 Improper chemical storage
KENTUCKY FRIED CHICKEN/A&W	Restaurant	2325 S 1ST ST	YAKIMA	1/23/2012	Complaint Inspection	Manager said that the date on the box is the kill date. Food workers have 12 days from the kill date to serve the chicken according to KFC policy. No smell nor observation of any spoiled chicken.
KERRI'S CAKES	Bakery	1370 NACHES-TIETON RD.	TIETON	1/4/2012	Routine Inspection	0/0
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	1/30/2012	Routine Inspection	0/0
LA MILPA MARKET	Mini-mart	602 1/2 W NOB HILL BLVD.	YAKIMA	1/5/2012	Routine Inspection	40/63 Missing FWC, improperly stocked hand wash sinks, washing vegetables in hand wash sink, moldy food, inaccurate metal stem thermometers
LA PACHANGA (MOBILE)	Mobile		TIETON	1/27/2012	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
LOS CARRIZOS	Restaurant	1012 E. LINCOLN AVE.	SUNNYSIDE	1/5/2012	Routine Inspection	0/0
LOS HERMANDEZ	Restaurant	3706 MAIN ST	UNION GAP	1/9/2012	Routine Inspection	15/15 BHC with RTE
				1/5/2012	Routine Inspection	10/15 Missing FWCs, inaccurate thermometer, missing sanitizer
				1/25/2012	Routine Inspection	0/0 No problems noted.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LOTUS CHINESE RESTAURANT	Restaurant	901 W. 15TH AVENUE	TOPPENISH	1/10/2012	Routine Inspection	0/5
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	1/24/2012	Routine Inspection	45/45 Missing FWCs, improperly stocked hand wash sinks, improperly cooling PHF
MAJOR'S	Restaurant	1705 W. LINCOLN AVE.	YAKIMA	1/4/2012	Follow-Up Inspection	0/0
MANHATTAN STATION ESPRESSO	Espresso Stand	921 N. 16TH AVE. - YAKIMA	YAKIMA	1/3/2012	Routine Inspection	0/3
MC DONALD'S	Restaurant	5910 SUMMITVIEW AVE ²	YAKIMA	1/6/2012	Routine Inspection	5/5 - Several workers have expired FWC
MC DONALD'S RESTAURANT	Restaurant	1601 W LINCOLN	YAKIMA	1/5/2012	Routine Inspection	0/0
MEADOWBROOK CONVENIENCE CENTER	Snack Bar	7200 W. NOB HILL BLVD.	YAKIMA	1/25/2012	Routine Inspection	5/10 Missing FWCs, missing temperature gauge
MERCADO LATINO II	Meat Market	718 S. 6TH STREET	YAKIMA	1/10/2012	Routine Inspection	5/13 Inaccurate metal stem thermometer
MERCEDES & FAMILY	Restaurant	5607 TIETON DR. SUITE # 106	YAKIMA	1/11/2012	Routine Inspection	25/30 - Chorizo at 60 degrees. It was discarded.
				1/25/2012	Routine Inspection	35/35 Improper storage of raw meats, improperly cooling PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MI PUEBLITO	Restaurant	13 E TOPPENISH AVE	TOPPENISH	1/11/2012	Routine Inspection	0/0
MILLER'S DAIRY QUEEN	Restaurant	401 W. 1ST AVENUE	TOPPENISH	1/10/2012	Routine Inspection	0/0 NO problems.
MINER'S DRIVE IN	Restaurant	2415 S. 1ST STREET	UNION GAP	1/11/2012	Routine Inspection	0/5
MOJO'S ESPRESSO	Espresso Stand	1003 W YAKIMA AVE ²	YAKIMA	1/9/2012	Routine Inspection	0/21
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	1/4/2012	Compliance Inspection	30/30 - Improper cooling, several cockroaches and mice droppings found.
NEW THAI RESTAURANT	Restaurant	4808 TIETON DRIVE.	YAKIMA	1/31/2012	Routine Inspection	5/5 Improperly hot holding PHF
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	1/6/2012	Follow-Up Inspection	0/0
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	1/11/2012	Routine Inspection	0/5 Food prep area is very dirty.
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	1/23/2012	Routine Inspection	10/10 One expired FWC, no consumer advisory.
				1/31/2012	Routine Inspection	0/5
				1/6/2012	Routine Inspection	5/13 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	1/26/2012	Routine Inspection	5/10 - FWC needed
PABLITO'S PIZZA	Restaurant	501 W 1ST AVE.	TOPPENISH	1/10/2012	Routine Inspection	20/25 Missing FWC, improperly stocked hand wash sinks, no metal stem thermometer
PANDA EXPRESS RESTAURANT	Restaurant	1915 1ST ST S	YAKIMA	1/19/2012	Routine Inspection	0/0
PANDA GARDEN RESTAURANT	Restaurant	3210 PICARD PLACE	SUNNYSIDE	1/30/2012	Routine Inspection	60/60 Improperly stocked hand wash sinks, raw meat stored above RTE food, improperly cooling PHF, inaccurate metal stem thermometer, unlabeled chemicals
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS, DR.	YAKIMA	1/30/2012	Routine Inspection	10/10 Cold holding PHF's at 50F.
PAPA MURPHY'S PIZZA	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	1/5/2012	Routine Inspection	0/0
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	1/11/2012	Routine Inspection	0/0 No problems observed.
PEACH TREE RETIREMENT	Retirement Housing	2800 W. VIOLA - YAKIMA	YAKIMA	1/20/2012	Follow-Up Inspection	0/0
PIONEER KITCHEN	Restaurant	227 STOPPENISH AVE.	TOPPENISH	1/30/2012	Routine Inspection	0/0
				1/26/2012	Routine Inspection	5/5 - Improper hot holding temperature of gravy

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIRATE COVE DAVIS STUDENT STORE	Snack Bar	212 S. 6TH AVE	YAKIMA	1/25/2012	Routine Inspection	0/0
PIZZA HUT	Restaurant	823 W ZILLAH RD. ZILLAH # 200		1/25/2012	Routine Inspection	5/5 - 5 FWC needed
PRONTO MARKET	Grocery Store	103 S. MAIN	GRANGER	1/12/2012	Routine Inspection	0/5
PUPUSERIA RESTAURANT	Restaurant/Cateri ng	2695 E. LINCOLN AVE # E	SUNNYSIDE	1/30/2012	Routine Inspection	65/73 Missing FWC, raw meat stored above RTE food, improperly cooling PHF, RTS of PHF
QUICK CHECK	Grocery Store	131 S. 2ND ST.	YAKIMA	1/10/2012	Routine Inspection	25/25 - Eggs on the counter at 60 degrees.
RAMOS SEAFOOD	Commissary	6450 YAKIMA VALLEY HWY.	WAPATO	1/13/2012	Pre-Opening Inspection	Approved to open.
RED LION HOTEL YAKIMA CENTER	Restaurant/Loung e	607 E YAKIMA AVE.	YAKIMA	1/26/2012	Routine Inspection	35/45 Missing FWCs, improperly stocked hand wash sink, improperly cold holding PHF, unlabeled chemical
RESTAURANTE EL FARO	Restaurant	111 N. 6TH STREET # C	SUNNYSIDE	1/6/2012	Routine Inspection	
ROAD RUNNER DELI/MART	Mini-mart	1419 S 3RD AVE.	YAKIMA	1/24/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROADRUNNER	Mini-mart	705 W. 1ST STREET	WAPATO	1/30/2012	Routine Inspection	40/40 - Several FWC needed, no hot water in restroom, and improper hot holding temperatures.
ROSEDELL BED & BREAKFAST	Bed & Breakfast	1811 W. YAKIMA AVE.	YAKIMA	1/17/2012	Routine Inspection	0/0
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	1/31/2012	Routine Inspection	45/63 Missing FWCs, raw meat stored above ready to eat food, improper use of time as a control, unlabeled chemicals
SAFEWAY FUEL STATION # 1235	Mini-mart	2112 W. NOB HILL BLVD.	YAKIMA	1/23/2012	Routine Inspection	0/0 No problems noted.
SAFEWAY FUEL STATION # 462	Mini-mart	216 N. 5TH AVE.	YAKIMA	1/4/2012	Routine Inspection	0/0
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	1/26/2012	Routine Inspection	0/5
SUBWAY # 33723	Restaurant	425 S. ELM	TOPPENISH	1/11/2012	Routine Inspection	25/30 Improper hot holding of PHF, sanitizer without disinfectant agent
SUBWAY #17791	Restaurant	613 N 1ST ST.	YAKIMA	1/11/2012	Routine Inspection	5/5 - Missing several FWC.
SUMMITBREW ESPRESSO	Espresso Stand	3203 SUMMITVIEW AVE.	YAKIMA	1/5/2012	Pre-Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNY SPOT	Restaurant	1850 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/5/2012	Routine Inspection	30/35 Missing/expired FWCs, Inadequate handwashing facilities, improper cold holding of PHF, inaccurate thermometer, missing sanitizer
SUNNYSIDE RODEWAY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE	1/5/2012	Routine Inspection	5/5 missing FWCs
SUPERMEX OF YAKIMA	Restaurant/Cateri ng	316 3RD ST S	YAKIMA	1/9/2012	Routine Inspection	45/63 No FWCs available, hands not washed as required, improperly stocked hand wash sinks, no metal stem thermometer available, improper chemical storage, deli slicer not cleaned thoroughly
SUSIE'S SALOON	Tavern	1023 N 1ST ST.	YAKIMA	1/26/2012	Follow-Up Inspection	20/28 Missing FWCs, inaccurate metal stem thermometer, mislabeled chemical
T.S.S. YOGURT		4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	1/20/2012	Routine Inspection	30/33 - No soap or paper towel at handwash sink in bar area, metal stem thermometer not accurate, and improper storage of serving utensil.
TACO BELL # 5733	Restaurant	4001 FRUITVALE BLVD	YAKIMA	1/4/2012	Routine Inspection	0/0
TACO TIME	Restaurant	701 W YAKIMA AVE.	YAKIMA	1/9/2012	Routine Inspection	0/0
				1/5/2012	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS APATZINGAN	Restaurant/Catering	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/30/2012	Routine Inspection	25/31 Hands not washed as required, raw meat stored above RTE food, inaccurate metal stem thermometer
TAQUERIA CAMINO REAL	Restaurant	1112 1/2 TIETON DR.	YAKIMA	1/5/2012	Routine Inspection	5/5 - Raw meat stored above vegetables.
TEQUILA'S MEXICAN RESTAURANT	Restaurant	1 W. YAKIMA AVE. # 34	YAKIMA	1/4/2012	Routine Inspection	45/60 Missing FWCs, hands not washed as required, BHC with RTE food, improperly stocked hand wash sinks
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	1/20/2012	Follow-Up Inspection	15/30 Missing FWCs, improperly stocked hand wash sink
THE COFFEE SHACK	Espresso Stand	7111 POSTMA RD	MOXEE	1/4/2012	Routine Inspection	30/46 Missing FWC, improperly hot holding PHF
THE JAMMER	Tavern	2310 RUDKIN RD.	UNION GAP	1/20/2012	Follow-Up Inspection	0/8
THE MAJESTIC THEATRE	Snack Bar	1919 S. 14TH ST.	UNION GAP	1/30/2012	Routine Inspection	15/20 Expired FWC's, milk being stored out at room temperature, no sanitizer.
TOPPENISH COMMUNITY CHEST	Serving Site	4 N. "B" STREET	TOPPENISH	1/23/2012	Routine Inspection	0/0
				1/23/2012	Routine Inspection	0/0
				1/23/2012	Routine Inspection	0/0
				1/5/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TOWER CAFE	Espresso Stand/Deli	402 E YAKIMA AVE. #100	YAKIMA	1/4/2012	Routine Inspection	0/0
VALLEY VIEW MARKET II	Mini-mart	618 E. TOPPENISH AVE.	TOPPENISH	1/11/2012	Routine Inspection	0/0
VIBRANT HEALTH	Grocery Store	1314 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/26/2012	Routine Inspection	0/5 Must keep personal foods separate from foods offered to the public.
VILLASENOR'S MEXICAN RESTAURANT	Restaurant	225 STOPPENISH AVE.	TOPPENISH	1/23/2012	Routine Inspection	80/96 Missing FWCs, hands not washed as required, BHC with RTE food, improperly cooling PHF, inaccurate metal stem thermometer, improper chemical storage
WEST VALLEY BAR & GRILL	Tavern	1212 S. 80TH AVE.	YAKIMA	1/4/2012	Routine Inspection	15/15 Bare hand contact with ready to eat foods.
WHITLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	1/25/2012	Routine Inspection	50/76 Missing FWCs, improperly cooling PHF, inaccurate metal stem thermometer, unlabeled chemicals
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	1/25/2012	Routine Inspection	65/83 Missing FWCs, BHC with RTE food, raw meat stored above RTE food, improperly cooling PHF, unlabeled chemicals
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	1/18/2012	Routine Inspection	0/0