

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	3/28/2012	Routine Inspection	20/33 Expired FWC's, handwash in restroom needs to be fixed, improper hot holding of PHF's, improper thawing of raw meats, potential food contamination during storage, no sanitizer available.
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Lounge	5 N. FRONT STREET	YAKIMA	3/14/2012	Follow-Up Inspection	5/5 FWCs were not available
7-ELEVEN # 2362-17080-C	Mini-mart	1512 SUMMITVIEW	YAKIMA	3/23/2012	Compliance Inspection	5/5 FWCs are not available
				3/29/2012	Compliance Inspection	5/5 Missing FWCs
AIR LINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	YAKIMA	3/15/2012	Routine Inspection	10/10 - No hot water in the restroom.
ALLEN'S MARKET	Mini-mart	160 S. WAPATO RD.	WAPATO	3/20/2012	Routine Inspection	25/25 Improperly hot holding PHF
				3/5/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERISTAR # 12	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	3/6/2012	Compliance Inspection	0/0
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	3/19/2012	Routine Inspection	0/0
BERT'S PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	3/19/2012	Follow-Up Inspection	0/0
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	3/1/2012	Routine Inspection	20/35 Missing FWCs, raw meat stored next to ready to eat meat, improperly hot holding PHF, inaccurate metal stem thermometer
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	3/16/2012	Follow-Up Inspection	5/15 Missing FWC
BRUCHI'S CHEESESTEAKS & SUBS	Restaurant	2529 MAIN ST. # 254	UNION GAP	3/8/2012	Routine Inspection	5/5 - Some FWC needed.
BUHRMASTER BAKING CO. - SELAH	Bakery	117 E. 3RD AVENUE	SELAH	3/13/2012	Routine Inspection	35/38 Missing FWCs, hands not washed as required, inaccurate metal stem thermometer, unlabeled chemical, improper chemical storage
CAKES ON THE VINE	Bakery	5208 CREST ACRES LN	YAKIMA	3/30/2012	Follow-Up Inspection	5/10 No metal stem thermometer was available
				3/9/2012	Routine Inspection	0/3 General cleaning needed in front area.
				3/21/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CARNITAS SUPREME	Restaurant	5 N. "A" STREET	TOPPENISH	3/1/2012	Surveillance Inspection	There is a closed sign and the doors are locked.
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	3/30/2012	Routine Inspection	30/48 Missing FWCs, food not in good condition, raw meat stored above RTE food, unlabeled chemicals
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	3/14/2012	Routine Inspection	0/0
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	3/21/2012	Routine Inspection	5/20 Missing FWC
COFFEE AT CREEKSIDE	Espresso Stand	3908 CREEKSIDE LOOP #130	YAKIMA	3/19/2012	Routine Inspection	5/5 Missing FWC
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	3/12/2012	Routine Inspection	45/50 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF, improperly cold holding PHF, inaccurate metal stem thermometers
COWNTRY CAFE	Restaurant	428 S. "G" STREET	TOPPENISH	3/30/2012	Follow-Up Inspection	30/35 Missing FWCs, improperly hot holding PHF
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	3/26/2012	Routine Inspection	25/43 Missing FWC, ice scoop handle contacting ice in ice machine, inoperable metal stem thermometer
CREEKSIDE WEST	Restaurant/Cateri ng	4000 W. CREEKSIDE LOOP	YAKIMA	3/27/2012	Routine Inspection	10/10 Missing FWCs, inaccurate metal stem thermometer
				3/8/2012	Routine Inspection	10/10 Improper cold holding of PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CROSSROAD MARKET	Snack Bar	4641 N. TRACK RD.	WAPATO	3/13/2012	Routine Inspection	0/0 No problems observed.
D.J.'S COFFEE CAFE	Espresso Stand	1001 WASHINGTON AVE.	YAKIMA	3/8/2012	Routine Inspection	0/0 No problems
DOC'S ON THE GREEN PIZZERIA	Restaurant	530 CHERRY HILL RD. - GRANGER	GRANGER	3/23/2012	Routine Inspection	5/5 Missing FWC
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	3/14/2012	Complaint Inspection	Sauces are not covered because the cover has broken. They will repair the cover.
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	3/14/2012	Routine Inspection	40/53 Blocked hand wash sink, RTS of PHF, inaccurate metal stem thermometer
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 #7	SUNNYSIDE	3/21/2012	Follow-Up Inspection	30/35 RTS of PHF, inaccurate metal stem thermometer
				3/7/2012	Routine Inspection	30/30 - Improper cooling
				3/7/2012	Routine Inspection	55/58 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF, improperly cold holding PHF, inaccurate metal stem thermometer
				3/21/2012	Follow-Up Inspection	50/55 Blocked hand wash sink, improperly cooling PHF, improperly cold holding PHF
				3/29/2012	Compliance Inspection	10/10 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FILIPINO AMERICAN COMMUNITY OF THE YAKIMA VALLEY	Snack Bar	211 W. 1ST STREET	WAPATO	3/29/2012	Routine Inspection	0/3
FLUTTER BUZZ	Espresso Stand	1805 S. 1ST STREET	SUNNYSIDE	3/29/2012	Routine Inspection	5/5 Missing FWC
FRATERNAL ORDER OF EAGLES		515 S. DIVISION	TOPPENISH	3/15/2012	Routine Inspection	5/5 Missing FWC's.
FRED MEYER # 486	Grocery Store	1206 N. 40TH AVE.	YAKIMA	3/16/2012	Routine Inspection	10/10 Missing FWCs, raw meat stored above RTE food
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	3/8/2012	Routine Inspection	0/5 Missing sanitizers during food prep
GOLDEN BULL CHINESE RESTAURANT	Restaurant	106 N. 1ST STREET	SELAH	3/15/2012	Routine Inspection	25/30 Improper hot holding of PHF's, no sanitizer made up.
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	3/2/2012	Routine Inspection	5/8 - FWC needed
GOLDEN WHEEL RESTAURANT	Restaurant	11 S. 1ST STREET	YAKIMA	3/8/2012	Follow-Up Inspection	0/0
				3/6/2012	Routine Inspection	55/60 Raw meat stored above ready to eat food, RTS of PHF, improperly cold holding PHF, inaccurate metal stem thermometer, unlabeled chemicals
				3/23/2012	Follow-Up Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	3/16/2012	Routine Inspection	0/0
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	3/16/2012	Routine Inspection	0/0
HAROLD'S GENERAL MERCHANDISE	Grocery Store	4080 HARRAH RD	HARRAH	3/1/2012	Routine Inspection	10/15 Expired FWC's, improper hot holding of PHF's, no sanitizer.
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	3/21/2012	Routine Inspection	10/10 - No hot water at handwash sink in the kitchen.
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	3/13/2012	Compliance Inspection	0/0
JITTER BUG ESPRESSO	Espresso Stand	11 PENCE RD	YAKIMA	3/9/2012	Routine Inspection	15/18 - FWC expired and no hot water in the facility. Temporarily closed until new water heater was installed.
JITTERZ ESPRESSO	Espresso Stand	700 YAKIMA VALLEY HWY.	SUNNYSIDE	3/14/2012	Routine Inspection	0/5
LA BARATA	Meat Market	317 B ST	MABTON	3/9/2012	Routine Inspection	65/91 Missing FWCs, hands not washed as required, raw meat stored next to ready to eat food, RTS of PHF, inadequate metal stem thermometer, improper chemical storage
LA CALIFORNIA	Restaurant	208 1ST AV W	TOPPENISH	3/29/2012	Follow-Up Inspection	55/62 Missing FWC, food not in good condition, raw meat stored next to RTE food, improperly hot holding PHF, improper chemical storage
				3/1/2012	Routine Inspection	10/10 Handwash sink is broken. PIC states it will be fixed by tomorrow.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA GUADALUPANA	Restaurant	3950 HARRAH ROAD	HARRAH	3/6/2012	Routine Inspection	80/90 Missing FWCs, improperly stocked hand wash sink, raw meat stored next ready to eat food, improperly cooling PHF, RTS of PHF, inaccurate metal stem thermometer
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	3/23/2012	Follow-Up Inspection	35/40 Raw meat stored above RTE food, improperly cooling PHF
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	3/29/2012	Follow-Up Inspection	0/0
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	3/20/2012	Routine Inspection	20/25 BHC with RTE food, no metal stem thermometer available
LONGHERIA CAMPOS	Mobile		SUNNYSIDE	3/28/2012	Routine Inspection	5/13 Missing FWCs
MAGIC'S PIZZA SHACK	Restaurant	309 S 1ST ST.	SELAH	3/16/2012	Pre-Opening Inspection	
MAMA J'Z	Restaurant	330 MAIN ST	MABTON	3/1/2012	Routine Inspection	0/0
MANY'S MARKET	Mini-mart	811 W. MEAD	YAKIMA	3/14/2012	Routine Inspection	50/58 Missing FWCs, hands not washed as required, raw meat stored above ready to eat food, improperly cold holding PHF, inaccurate metal stem thermometer, unlabeled chemical
				3/29/2012	Follow-Up Inspection	20/20 Hands not washed as required, inaccurate metal stem thermometer
				3/6/2012	Routine Inspection	35/40 Missing/expired FWC's, improper hot holding of PHF's, no sanitizer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARGARET'S APPLE CART DELI	Deli	220 NACHES AVE.	NACHES	3/5/2012	Routine Inspection	30/35 - Improper cooling
MARISCOS IXTAPA DE CHELY	Mobile	At tire store in Mabton across from Mama JZ	SUNNYSIDE	3/9/2012	Routine Inspection	60/63 BHC with RTE food, improperly stocked hand wash sink, raw meat stored above ready to eat food, improperly hot holding PHF, inaccurate metal stem thermometer
MARISCOS MAR & TIERRA RESTAURANTE	Restaurant	108 W. 3RD. STREET	WAPATO	3/13/2012	Routine Inspection	35/40 Expired FWC's, improper cooling of PHF (foods were cooling in covered containers)
MARTINEZ SPORT BAR	Restaurant/Lounge	116 2ND ST W	WAPATO	3/1/2012	Routine Inspection	60/68 FWC cards were not available, improperly stocked hand wash sink, no receipts for eggs, room temperature storage of PHF, no metal stem thermometer available
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	3/16/2012	Follow-Up Inspection	5/5 Missing FWCs
MICHAEL'S ALL - STAR PUB & EATERY	Tavern	402 S. 11TH AVE.	YAKIMA	3/27/2012	Compliance Inspection	0/0
MICHAEL'S ALL - STAR PUB & EATERY	Tavern	402 S. 11TH AVE.	YAKIMA	3/23/2012	Routine Inspection	30/35 Expired FWC's, improper hot holding of PHF's.
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	3/16/2012	Routine Inspection	5/10 - Only 1 worker has a FWC.
				3/20/2012	Routine Inspection	30/40 Missing FWCs, improperly stocked hand wash sinks, food not in good condition, inaccurate metal stem thermometer



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ON THE GO - SENIOR CAFE (SOUTHEAST COMMUNITY CENTER)	Serving Site	1211 S. 7TH ST.	YAKIMA	3/12/2012	Routine Inspection	40/40 Room temperature storage of PHF's, BHC w/RTE foods. Follow up needed.
OUTBACK ESPRESSO NORTH	Espresso Stand	1212 S. 80TH AVE	YAKIMA	3/27/2012	Routine Inspection	15/20 Missing FWC, improperly stocked hand wash sink
OXFORD INN	Continental Brkfst	1603 TERRACE HTS DR.	YAKIMA	3/2/2012	Routine Inspection	0/0
PANADERIA BAMBI	Bakery	116 S. WAPATO AVE.	WAPATO	3/5/2012	Routine Inspection	5/15 Missing FWCs
PANADERIA EL SOLESITO	Bakery	303 W PINE ST.	YAKIMA	3/4/2012	Routine Inspection	0/0
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	3/14/2012	Routine Inspection	0/0
QUICK - PICK	Mini-mart	401 SELM	TOPPENISH	3/5/2012	Routine Inspection	40/40 Improperly hot holding PHF, inaccurate metal stem thermometer, unlabeled chemical
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	3/16/2012	Follow-Up Inspection	5/5 Improperly hot holding PHF
				3/16/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	3/12/2012	Routine Inspection	0/0
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	3/26/2012	Routine Inspection	0/0
SHARI'S RESTAURANT - UNION GAP	Restaurant	16 E VALLEY MALL BLVD.	UNION GAP	3/2/2012	Routine Inspection	30/35 Missing FWC, improperly stocked hand wash sink, improperly cold holding PHF, inaccurate metal stem thermometer
SHIRLEY'S CAKES	Bakery	10 ECHO CT	YAKIMA	3/12/2012	Routine Inspection	0/5
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	3/21/2012	Routine Inspection	0/0
SMITTY'S CONOCO # 300	Mini-mart	1829 S 1ST STREET	SUNNYSIDE	3/7/2012	Follow-Up Inspection	30/33 PIC was not knowledgeable about food safety, improperly hot holding PHF
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	3/16/2012	Compliance Inspection	0/0
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	3/20/2012	Compliance Inspection	0/0
				3/20/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	3/28/2012	Routine Inspection	0/0
STOP N' GO DRIVE IN	Restaurant	2820 FRUITVALE BLVD.	YAKIMA	3/28/2012	Routine Inspection	45/53 Missing FWCs, BHC with RTE food, improperly stocked hand wash sink, inaccurate metal stem thermometer, unlabeled chemical
SU MERCADITO #2	Grocery Store	108 MAIN ST S	GRANGER	3/7/2012	Routine Inspection	50/58 Missing FWCs, improperly stocked hand wash sinks, raw meat stored above ready to eat food, improperly cooling PHF
				3/23/2012	Follow-Up Inspection	5/23 Missing FWCs
				3/30/2012	Compliance Inspection	20/33 Hands not washed as required, raw meat stored above RTE food
SUBWAY # 4468	Restaurant	2810 E. LINCOLN AVE.	SUNNYSIDE	3/7/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUN COUNTRY INN	Snack Bar	1700 1ST ST N	YAKIMA	3/2/2012	Routine Inspection	10/10 inadequate hand washing facilities
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	3/21/2012	Routine Inspection	0/0
SUNDOME	Snack Bar	1301 S. FAIR AVE.	YAKIMA	3/2/2012	Routine Inspection	10/10 inadequate handwashing facilities
SUNNYSIDE COMMUNITY CENTER/SUNNYSI DE PROMISE	Snack Bar	1521 S. 1ST STREET	SUNNYSIDE	3/29/2012	Routine Inspection	0/0
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	3/21/2012	Follow-Up Inspection	10/10 Missing FWC, inaccurate metal stem thermometer
TACO BORRACHO RESTAURANT	Rest/Lounge/Catering	503 S. FAIR AVE. SUITE # 100	YAKIMA	3/8/2012	Routine Inspection	60/83 Missing FWCs, hands not washed as required, BHC with RTE food, improperly cold holding PHF, inaccurate metal stem thermometer
TACO KING	Mobile	615 YAKIMA VALLEY HWY.	SUNNYSIDE	3/27/2012	Follow-Up Inspection	70/78 Missing FWCs, hands not washed as required, BHC with RTE food, blocked hand wash sink, raw meats stored next to RTE food, improperly cold holding PHF, unlabeled chemical
TACO TIME	Restaurant	2111 S 1ST ST.	YAKIMA	3/29/2012	Routine Inspection	10/15 - No soap in dispenser at handwash sink.
				3/8/2012	Routine Inspection	5/5 Missing FWCs
				3/8/2012	Complaint Inspection	Observed food workers wearing gloves while handling foods.
				3/19/2012	Routine Inspection	30/30 - Improper cooling

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	3/1/2012	Routine Inspection	20/35 Improperly stocked hand wash sink, unlabeled chemical
TACOS ESTRELLA	Mobile		SUNNYSIDE	3/5/2012	Follow-Up Inspection	10/10 Improper chemical storage
TAQUERIA DELICIAS	Mobile	1402 S. 1ST ST.- YAKIMA	SELAH	3/8/2012	Routine Inspection	60/60 Inadequate HW set up, improper hot holding of PHF's, improper re-heating of PHF's, follow up required.
TAQUERIA EL HUARACHASO	Restaurant	512 W. 1ST STREET	TOPPENISH	3/12/2012	Follow-Up Inspection	5/20 Sneeze guard needed, no sanitizer, no access to restrooms.
TARGET STORES T-760	Snack Bar	12 N FAIR AVE. YAKIMA	YAKIMA	3/9/2012	Pre-Opening Inspection	They will be using Taqueria Los Primos in Selah as commissary.
THE ORCHARD INN BED & BREAKFAST	Bed & Breakfast	1207 PECKS CANYON RD	YAKIMA	3/1/2012	Routine Inspection	20/20 BHC w/RTE foods, raw meats stored above RTE foods.
THE RIB SHACK	Restaurant	2511 MAIN ST UNION GAP	UNION GAP	3/28/2012	Routine Inspection	15/15 Missing FWCs, improper chemical storage
				3/30/2012	Routine Inspection	0/0 No problems.
TRIUMPH TREATMENT SERVICES	Catering	3300 ROOSEVELT AVE. YAKIMA	YAKIMA	3/14/2012	Routine Inspection	40/45 Raw meat stored above RTE food, improperly hot holding PHF, unlabeled chemical, improper chemical storage
				3/22/2012	Follow-Up Inspection	5/10 Improperly hot holding PHF
				3/29/2012	Compliance Inspection	5/5 Improperly hot holding PHF
				3/14/2012	Routine Inspection	10/15 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	3/12/2012	Routine Inspection	35/47 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	3/28/2012	Follow-Up Inspection	25/25 Improperly hot holding PHF
WALMART #2269	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	3/9/2012	Routine Inspection	0/5 Bag of onions stored on ground.
WEST VALLEY HIGH SCHOOL CONCESSION STAND	Seasonal Concession	9800 ZIER RD.	YAKIMA	3/26/2012	Routine Inspection	0/0
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	3/20/2012	Routine Inspection	0/10
WHITLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	3/12/2012	Pre-Opening Inspection	Approved to open.
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	3/2/2012	Compliance Inspection	5/5 Missing FWCs
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	3/19/2012	Routine Inspection	0/0
				3/2/2012	Follow-Up Inspection	15/23 BHC with RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA CINEMA	Snack Bar	1305 N. 16TH AVE.	YAKIMA	3/8/2012	Routine Inspection	0/0
YAKIMA MEXICAN AMERICAN RESTAURANT	Restaurant	104 E. CHESTNUT	YAKIMA	3/5/2012	Follow-Up Inspection	15/15 Missing FWC, improperly stocked hand wash sink
YOGURT SHACK	Ice Cream Parlor	110 S. 72ND AVE. SUITE # 100	YAKIMA	3/9/2012	Pre-Opening Inspection	Approved to open.