

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

| Facility Name                         | Facility Type     | Address                    | City   | Inspection Date | Inspection Type       | Notes  |
|---------------------------------------|-------------------|----------------------------|--------|-----------------|-----------------------|--|
| 3RD STREET MARKET                     | Mini-mart         | 604 S. 3RD ST.             | YAKIMA | 5/3/2012        | Routine Inspection    | 35/35 - PIC was not knowledgeable on food safety, PIC did not have a FWC, no paper towels at handwash sinks in restroom or kitchen, spoiled food past expiration dates, and no metal stem thermometer. All 5 items are repeat items. |
| 5 NORTH METROPOLITAN KITCHEN & LOUNGE | Restaurant/Lounge | 5 N. FRONT ST. SUITE # 103 | YAKIMA | 5/23/2012       | Follow-Up Inspection  | 0/0  |
| 7-ELEVEN #2362-19305A                 | Mini-mart         | 120 N. 1ST STREET          | SELAH  | 5/2/2012        | Compliance Inspection | 5/5 Missing FWC  |
|                                       |                   |                            |        | 5/9/2012        | Compliance Inspection | 5/5 Missing FWC  |
| ADAMS ELEMENTARY                      | School            | 723 S. 8TH ST.             | YAKIMA | 5/7/2012        | Routine Inspection    | 5/5 - Expired FWC  |
|                                       |                   |                            |        | 5/15/2012       | Routine Inspection    | 0/0  |

| Facility Name                      | Facility Type     | Address             | City      | Inspection Date | Inspection Type       | Notes   |
|------------------------------------|-------------------|---------------------|-----------|-----------------|-----------------------|---|
| APPLE TREE RESTAURANT              | Restaurant/Lounge | 8804 OCCIDENTAL     | YAKIMA    | 5/16/2012       | Routine Inspection    | 25/35 Missing FWCs, hands not washed as required, metal stem thermometer was not being used |
| ARCO AM/PM                         | Mini-mart         | 1850 WANETA ROAD    | SUNNYSIDE | 5/7/2012        | Routine Inspection    | 5/5 - Expired FWC.  |
| ARTHUR H. SMITH ELEMENTARY SCHOOL  | School            | 205 FIR ST.         | GRANDVIEW | 5/23/2012       | Routine Inspection    | 0/0   |
| ARTY'S BAR & GRILL                 | Tavern            | 1402 FRUITVALE BLVD | YAKIMA    | 5/23/2012       | Routine Inspection    | 0/5   |
| AUNTIE ANNE'S SOFT ROLLED PRETZELS |                   | 2529 MAIN ST. # 183 | UNION GAP | 5/16/2012       | Routine Inspection    | 0/0   |
| BARGE-LINCOLN ELEMENTARY SCHOOL    | School            | 219 E. "I" ST.      | YAKIMA    | 5/15/2012       | Routine Inspection    | 0/0   |
| BRANDING IRON RESTAURANT           | Restaurant        | 61311 HIGHWAY 97    | TOPPENISH | 5/31/2012       | Routine Inspection    | 0/0   |
| BURGER RANCH                       | Restaurant        | 1801 S 1ST STREET   | YAKIMA    | 5/16/2012       | Follow-Up Inspection  | 25/55 Missing FWCs, improperly stocked hand wash sink, unlabeled chemical                   |
|                                    |                   |                     |           | 5/23/2012       | Compliance Inspection | 0/16 Still needs cleaning of floors, floor needs to be repaired                             |

| Facility Name                     | Facility Type    | Address                              | City      | Inspection Date | Inspection Type      | Notes   |
|-----------------------------------|------------------|--------------------------------------|-----------|-----------------|----------------------|---|
| BUSTAMANTE'S PALETERIA & CREAMERY | Ice Cream Parlor | 9-A S. TOPPENISH AVENUE              | TOPPENISH | 5/10/2012       | Routine Inspection   | 0/5   |
| CAFE GRANDE VUE                   | Deli             | 1021 W. WINE COUNTRY RD. - GRANDVIEW | GRANDVIEW | 5/24/2012       | Routine Inspection   | 15/15 Improperly cold holding PHF, inaccurate metal stem thermometer  |
| CARNICERIA LOS AMIGOS             | Meat Market      | 205 WAPATO AV S                      | WAPATO    | 5/14/2012       | Routine Inspection   | 45/68 Improperly stocked hand wash sinks, raw meat stored above RTE food, improperly hot holding PHF, inaccurate metal stem thermometer |
| CATS LITERACY CENTER              | School           | 107 BUENA WAY #10                    | TOPPENISH | 5/23/2012       | Follow-Up Inspection | 10/18 Blocked hand wash sink  |
| CHINA BUFFET                      | Restaurant       | 2600 YAKIMA VALLEY HIGHWAY           | SUNNYSIDE | 5/2/2012        | Routine Inspection   | 0/0   |
| CLARENCE MCCLURE ELEMENTARY       | School           | 811 W. 2ND STREET                    | GRANDVIEW | 5/18/2012       | Routine Inspection   | 35/45 - No paper towels at handwash sink in restroom and meat at room temperature   |
| COCINA ISABEL                     | Restaurant       | 303 S. 13TH STREET                   | SUNNYSIDE | 5/23/2012       | Routine Inspection   | 25/25 - Improper hot holding temperatures.  |
|                                   |                  |                                      |           | 5/17/2012       | Follow-Up Inspection | 25/25 - Eggs on counter at 74 degrees.  |

| Facility Name                 | Facility Type        | Address                        | City      | Inspection Date | Inspection Type        | Notes   |
|-------------------------------|----------------------|--------------------------------|-----------|-----------------|------------------------|---|
| COSTCO WHOLESALE #1013        | Grocery Store        | 2310 LONGFIBER RD. - UNION GAP | UNION GAP | 5/4/2012        | Routine Inspection     | 25/25 Missing FWCs, raw meat stored above RTE food, inaccurate metal stem thermometers, improper chemical storage |
| COTTAGE ESPRESSO              | Espresso Stand       | 1101 W. NOB HILL BLVD.         | YAKIMA    | 5/31/2012       | Routine Inspection     | No problems.  |
| CREAGLE CONCESSIONS           | Mobile/Catering      | 611 S. 74TH AVE.               | YAKIMA    | 5/30/2012       | Pre-Opening Inspection | Approved to use the new trailer.  |
| D D EISENHOWER HIGH SCHOOL    | School               | 702 S. 40TH AVE.               | YAKIMA    | 5/10/2012       | Routine Inspection     | 0/0   |
| DONALD STORE                  | Mini-mart            | 2600 DONALD-WAPATO RD.         | WAPATO    | 5/14/2012       | Routine Inspection     | 10/10 Improperly stocked hand wash sink   |
| EAST VALLEY ELEMENTARY SCHOOL | School               | 1951 BEAUDRY RD                | YAKIMA    | 5/16/2012       | Routine Inspection     | 0/0   |
| EAST VALLEY HIGH SCHOOL       | School               | 1900 BEAUDRY                   | YAKIMA    | 5/16/2012       | Routine Inspection     | 0/0   |
| EAST VALLEY MIDDLE SCHOOL     | School               | 2010 BEAUDRY RD.               | YAKIMA    | 5/16/2012       | Routine Inspection     | 0/0   |
| EAST VALLEY YOUTH BASEBALL    | Snack Bar - Seasonal | 0 EKELMAN RD/SCHOOL            | MOXEE     | 5/9/2012        | Routine Inspection     | 0/0   |

| Facility Name                     | Facility Type  | Address                             | City      | Inspection Date | Inspection Type        | Notes  |
|-----------------------------------|----------------|-------------------------------------|-----------|-----------------|------------------------|--|
| EGLEY'S SPORTS BAR                | Tavern         | 627 E. EDISON AVE.                  | SUNNYSIDE | 5/22/2012       | Pre-Opening Inspection | Remodel Inspection - Several things need to be done before opening. See inspection report.   |
| EL MEJOR TAQUITO (BLDG.)          | Restaurant     | 544 S. 6TH STREET                   | SUNNYSIDE | 5/10/2012       | Routine Inspection     | 5/8 Inaccurate metal stem thermometer  |
| EL TAPATIO #6-A                   | Mobile         | 800 W. Wine Country Road, Grandview | GRANDVIEW | 5/3/2012        | Routine Inspection     | 90/108 Missing FWCs, hands not washed as required, BHC with RTE food, blocked hand wash sink, improperly cooling PHF, improperly cold holding PHF, inaccurate metal stem thermometer |
| ELECTRIC BEACH TANNING & ESPRESSO | Espresso Stand | 318 7TH ST S                        | SUNNYSIDE | 5/18/2012       | Follow-Up Inspection   | 15/35 Missing FWCs, inaccurate metal stem thermometer  |
| FIRING CENTER SUBWAY # 48238      | Restaurant     | 51 FIRING CENTER RD.                | YAKIMA    | 5/25/2012       | Compliance Inspection  | 5/15 Inaccurate metal stem thermometer   |
| FLIGHTLINE CONVENIENCE CENTER     | Mini-mart      | 2805 W. WASHINGTON AVE.             | YAKIMA    | 5/2/2012        | Routine Inspection     | No problems.   |
| FRANKLIN MIDDLE SCHOOL            | School         | 410 S. 19TH AVE                     | YAKIMA    | 5/18/2012       | Routine Inspection     | 30/43 Missing FWCs, hands not washed as required, unlabeled chemical   |
|                                   |                |                                     |           | 5/30/2012       | Routine Inspection     | 35/69 Missing FWC, RTS of PHF, inaccurate metal stem thermometer   |
|                                   |                |                                     |           | 5/30/2012       | Routine Inspection     | 0/0  |

| Facility Name                       | Facility Type | Address              | City      | Inspection Date | Inspection Type    | Notes  |
|-------------------------------------|---------------|----------------------|-----------|-----------------|--------------------|--|
| GARFIELD ELEMENTARY                 | School        | 612 N. 6TH AVE       | YAKIMA    | 5/24/2012       | Routine Inspection | 5/5 inadequate hot holding of PHF  |
| GARFIELD ELEMENTARY SCHOOL          | School        | 505 MADISON AV       | TOPPENISH | 5/9/2012        | Routine Inspection | 0/0  |
| GILBERT ELEMENTARY SCHOOL           | School        | 4400 DOUGLAS DRIVE   | YAKIMA    | 5/14/2012       | Routine Inspection | 0/0  |
| GRANDVIEW HIGH SCHOOL DECA STORE    | Snack Bar     | 1601 W. 5TH ST.      | GRANDVIEW | 5/21/2012       | Routine Inspection | 5/5 Missing FWC  |
| GRANDVIEW MIDDLE SCHOOL             | School        | 1401 W. 2ND ST.      | GRANDVIEW | 5/23/2012       | Routine Inspection | 0/0  |
| GROMORE TRADING                     | Mini-mart     | 14411 WIDE HOLLOW RD | YAKIMA    | 5/23/2012       | Routine Inspection | 40/43 Improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer |
| HARRIETT THOMPSON ELEMENTARY SCHOOL | School        | 1105 W. 2ND ST.      | GRANDVIEW | 5/23/2012       | Routine Inspection | 5/5 - Improper hot holding temperatures.   |
| HIGHLAND HIGH SCHOOL                | School        | 17000 SUMMITVIEW     | COWICHE   | 5/3/2012        | Routine Inspection | 0/0  |

| Facility Name                             | Facility Type  | Address                    | City      | Inspection Date | Inspection Type        | Notes   |
|---|----------------|----------------------------|-----------|-----------------|------------------------|---|
| HILTON<br>ELEMENTARY<br>SCHOOL            | School         | 211 4TH AVE                | ZILLAHA   | 5/4/2012        | Routine Inspection     | 0/0   |
| HOMESTRETCH<br>ESPRESSO &<br>BEVERAGE # 2 | Espresso Stand | 1000 TACOMA<br>AVE         | SUNNYSIDE | 5/10/2012       | Pre-Opening Inspection | Approved to open.   |
| IPANEMA<br>BRAZILIAN GRILL                | Restaurant     | 5110 TIETON<br>DRIVE # 150 | YAKIMA    | 5/17/2012       | Pre-Opening Inspection | Approved to open.   |
| KIRKWOOD<br>ELEMENTARY<br>SCHOOL          | School         | 403 S. JUNIPER             | TOPPENISH | 5/9/2012        | Routine Inspection     | 0/0   |
| LA BARATA                                 | Meat Market    | 317 B ST                   | MABTON    | 5/3/2012        | Compliance Inspection  | 5/5 Missing FWC   |
| LA PETUNIA # 2                            | Meat Market    | 1402 S FAIR AVE.           | YAKIMA    | 5/24/2012       | Compliance Inspection  | 0/0   |
|   |                |                            |           | 5/11/2012       | Routine Inspection     | 40/45 - FWC needed, items stored in handwash sink, and raw chickens stored at room temperature. |
|   |                |                            |           | 5/29/2012       | Follow-Up Inspection   | 30/30 - Eggs and chorizo stored at room temperature. Cheese not labeled.                        |
| LAS PALOMAS                               | Restaurant     | 15 ELM STS                 | TOPPENISH | 5/31/2012       | Routine Inspection     | 55/58 - FWC needed, improper hot holding, and food at room temperature.                         |
| LEWIS & CLARK<br>MIDDLE SCHOOL            | School         | 1114 W. PIERCE<br>ST       | YAKIMA    | 5/16/2012       | Routine Inspection     | 0/0   |

| Facility Name                   | Facility Type            | Address                    | City      | Inspection Date | Inspection Type        | Notes   |
|---------------------------------|--------------------------|----------------------------|-----------|-----------------|------------------------|---|
| LINCOLN<br>ELEMENTARY<br>SCHOOL | School                   | 309 N. ALDER ST.           | TOPPENISH | 5/3/2012        | Routine Inspection     | 0/0   |
| LONCHERIA<br>CAMPOS             | Mobile                   |                            | SUNNYSIDE | 5/23/2012       | Routine Inspection     | 65/65 PIC failure, inadequate handwash facilities, improper hot holding, room temperature storage, follow-up inspection recommended |
| LOS MARIACHIS                   | Rest/Lounge/Cafe<br>ring | 1026 1ST ST N              | YAKIMA    | 5/10/2012       | Routine Inspection     | 0/8   |
| LUCKY FOOD<br>MART              | Mini-mart                | 226 W. WINE<br>COUNTRY RD. | GRANDVIEW | 5/23/2012       | Routine Inspection     | 0/8 Potential food contamination, excessive clutter and uncleanness   |
| M & J TAVERN                    | Tavern                   | 110 W. WINE<br>COUNTRY RD. | GRANDVIEW | 5/24/2012       | Routine Inspection     | 0/10  |
| M & N GROCERY<br>& BAKERY       | Mini-mart                | 309 YAKIMA<br>VALLEY HWY.  | SUNNYSIDE | 5/2/2012        | Pre-Opening Inspection | OK to open once fees have been paid and application turned in.  |
| MAJESTIC GRIND                  | Espresso Stand           | 1221 BAILEY AVE<br>SUITE C | GRANGER   | 5/24/2012       | Routine Inspection     | 0/5   |
| MERCEDES AND<br>FAMILY II       | Restaurant               | 5603 TIETON<br>DRIVE       | YAKIMA    | 5/15/2012       | Routine Inspection     | 0/8   |



| Facility Name                     | Facility Type  | Address                 | City      | Inspection Date | Inspection Type       | Notes   |
|-----------------------------------|----------------|-------------------------|-----------|-----------------|-----------------------|---|
| MONGOLIAN GRILL                   | Restaurant     | 1628 E. WASHINGTON AVE. | UNION GAP | 5/2/2012        | Follow-Up Inspection  | 50/63 Missing FWCs, ice scoop handle contacting the ice, improperly cooling PHF |
| MOULIN BREW                       | Espresso Stand | 2412 S. 1ST STREET      | YAKIMA    | 5/9/2012        | Compliance Inspection | 0/0   |
| MOXEE ELEMENTARY SCHOOL           | School         | 528 E. SEATTLE          | MOXEE     | 5/24/2012       | Routine Inspection    | 0/0   |
| MR. PIZZA                         | Restaurant     | 2019 FRUITVALE BLVD.    | YAKIMA    | 5/16/2012       | Routine Inspection    | 0/0   |
| MY BROTHER'S PLACE                | Mini-mart      | 810 W. 1ST AVE.         | TOPPENISH | 5/1/2012        | Routine Inspection    | 0/3   |
| NACHES VALLEY INTERMEDIATE SCHOOL | School         | 101 SHAFER AVENUE       | NACHES    | 5/17/2012       | Routine Inspection    | 0/0   |
| NACHES VALLEY MIDDLE SCHOOL       | School         | 32 SHAFER AVENUE        | NACHES    | 5/25/2012       | Routine Inspection    | 5/5 Improper hot holding of PHF   |
| NACHES VALLEY PRIMARY SCHOOL      | School         | 2700 OLD NACHES HWY     | YAKIMA    | 5/25/2012       | Routine Inspection    | 0/0   |
|                                   |                |                         |           | 5/25/2012       | Routine Inspection    | 25/25 Improper hot holding of PHF   |

| Facility Name                    | Facility Type           | Address                        | City      | Inspection Date | Inspection Type        | Notes  |
|----------------------------------|-------------------------|--------------------------------|-----------|-----------------|------------------------|--|
| NOB HILL<br>ELEMENTARY<br>SCHOOL | School                  | 801 S. 34TH AVE                | YAKIMA    | 5/10/2012       | Routine Inspection     | 0/0  |
| NORTH PARK<br>LODGE              | Continental Brkfst      | 659 N. WENAS                   | SELAH     | 5/23/2012       | Routine Inspection     | 40/51 Missing FWCs, improperly stocked hand wash sinks, improperly cold holding milk, no metal stem thermometer was available, improper chemical storage |
| OUTLOOK<br>ELEMENTARY<br>SCHOOL  | School                  | 3800 VANBELLE<br>ROAD          | SUNNYSIDE | 5/2/2012        | Routine Inspection     | 0/0  |
| PANADERIA<br>SANTOS              | Bakery                  | 810 WISCONSIN<br>AVE           | TIETON    | 5/31/2012       | Routine Inspection     | 0/3 dirty non-food contact surfaces  |
| PEPP'R MINT<br>STICK DRIVE IN    | Restaurant              | 4002 MAIN ST                   | UNION GAP | 5/1/2012        | Routine Inspection     | 10/18 Missing FWCs, inaccurate metal stem thermometer  |
| PIK-A-POP # 11                   | Mini-mart               | 1524 YAKIMA<br>VALLEY HWY.     | SUNNYSIDE | 5/16/2012       | Follow-Up Inspection   | 0/5  |
| PIZZA HUT #<br>46022             | Restaurant/Cateri<br>ng | 6 N. FAIR AVE. #<br>115        | YAKIMA    | 5/7/2012        | Routine Inspection     | 0/0  |
| RICH SISTERS                     | Catering                | 5808<br>SUMMITVIEW<br>STE. "E" | YAKIMA    | 5/30/2012       | Routine Inspection     | 15/15 Missing FWCs, improperly stocked hand wash sink  |
|                                  |                         |                                |           | 5/21/2012       | Pre-Opening Inspection | Approved to open.  |

| Facility Name                     | Facility Type  | Address                     | City      | Inspection Date | Inspection Type      | Notes  |
|-----------------------------------|----------------|-----------------------------|-----------|-----------------|----------------------|--|
| RIDGEVIEW ELEMENTARY SCHOOL       | School         | 609 W. WASHINGTON AVE       | YAKIMA    | 5/30/2012       | Routine Inspection   | 0/0  |
| ROBERTSON ELEMENTARY SCHOOL       | School         | 2807 W. LINCOLN             | YAKIMA    | 5/24/2012       | Routine Inspection   | 5/5 Improper hot holding of PHF  |
| ROOSEVELT ELEMENTARY              | School         | 120 N. 16TH AVE             | YAKIMA    | 5/24/2012       | Routine Inspection   | 5/5 Inaccurate thermometer   |
| ROSAUERS FOOD AND DRUG CENTER #39 | Grocery Store  | 410 S. 72ND AVENUE          | YAKIMA    | 5/2/2012        | Routine Inspection   | 40/66 Missing FWCs, hands not washed as required, inaccurate metal stem thermometer, unlabeled chemical, improper chemical storage |
| SAFEWAY # 563                     | Grocery Store  | 613 S. 6TH STREET           | SUNNYSIDE | 5/27/2012       | Follow-Up Inspection | 5/5 Missing FWCs   |
| SAKURA TERIYAKI & SUSHI           | Restaurant     | 2000 E. YAKIMA VALLEY HWY.  | SUNNYSIDE | 5/10/2012       | Routine Inspection   | 5/18 Missing FWC   |
| STANTON HIGH SCHOOL               | School         | 901 N. WHITMAN ST.          | YAKIMA    | 5/3/2012        | Routine Inspection   | 40/51 Missing FWCs, improperly cooling PHF, inaccurate metal stem thermometer  |
| STARBUCKS COFFEE CO. # 3407       | Espresso Stand | 1208 N. 40TH AVE. SUITE # A | YAKIMA    | 5/18/2012       | Follow-Up Inspection | 0/0  |
|                                   |                |                             |           | 5/31/2012       | Routine Inspection   | 5/5 inaccurate thermometer   |
|                                   |                |                             |           | 5/14/2012       | Routine Inspection   | 10/10 - No soap at handwash sink   |

| Facility Name           | Facility Type       | Address                      | City      | Inspection Date | Inspection Type             | Notes  |
|-------------------------|---------------------|------------------------------|-----------|-----------------|-----------------------------|--|
| SUB SHOP # 138          | Restaurant          | 2204-E W. NOB HILL BLVD.     | YAKIMA    | 5/4/2012        | Routine Inspection          | 0/18   |
| TACO BELL # 9461        | Restaurant          | 2124 S. 1ST STREET           | YAKIMA    | 5/14/2012       | Routine Inspection          | 0/5  |
| TACOS EL GORDO          | Mobile              | 601 YAKIMA VALLEY HWY. ????? | SUNNYSIDE | 5/2/2012        | Routine Inspection          | 0/5 three compartment sink inoperable during inspection  |
| TAQUERIA CAMINO REAL    | Restaurant/Catering | 1112 1/2 TIETON DR.          | YAKIMA    | 5/21/2012       | Catering Routine Inspection | 25/25 Hot holding issues   |
| TAQUERIA MEXICANA       | Restaurant          | 105 1/2 S ALDER ST           | TOPPENISH | 5/22/2012       | Routine Inspection          | 40/45 BHC with RTE food, improperly stocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage |
| THE COFFEE SHACK 2      | Espresso Stand      | 915 N 4TH ST.                | GRANDVIEW | 5/23/2012       | Routine Inspection          | 0/0  |
| THE PIT B.B.Q.          | Restaurant          | 305 W. CHESTNUT              | YAKIMA    | 5/25/2012       | Routine Inspection          | 25/32 Blocked hand wash sink, no metal stem thermometer was available, unlabeled chemical                                |
| TIENDA LA TAPATIA       | Restaurant          | 802 W. 1ST AVE.              | TOPPENISH | 5/9/2012        | Follow-Up Inspection        | 0/0  |
| TOPPENISH MIDDLE SCHOOL | School              | 104 GOLDEDALE                | TOPPENISH | 5/3/2012        | Routine Inspection          | 0/0  |

| Facility Name                | Facility Type       | Address          | City      | Inspection Date | Inspection Type      | Notes                            |
|------------------------------|---------------------|------------------|-----------|-----------------|----------------------|----------------------------------|
| TOPPENISH SENIOR HIGH SCHOOL | School              | 141 WARD RD      | TOPPENISH | 5/9/2012        | Routine Inspection   | 0/5                              |
| UNION GAP FOOD MART          | Mini-mart           | 3312 MAIN ST     | UNION GAP | 5/1/2012        | Complaint Inspection | 25/30 Improperly hot holding PHF |
|                              |                     |                  |           | 5/14/2012       | Follow-Up Inspection | 0/0                              |
| UPPER VALLEY LITTLE LEAGUE   | Seasonal Concession | 8894 HWY12       | NACHES    | 5/22/2012       | Routine Inspection   | 0/0                              |
| VALLEY VIEW ELEMENTARY       | School              | 515 ZILLAH AVE   | TOPPENISH | 5/3/2012        | Routine Inspection   | 0/0                              |
| WASHINGTON MIDDLE SCHOOL     | School              | 510 S. 9TH ST.   | YAKIMA    | 5/24/2012       | Routine Inspection   | 0/0                              |
| WEST VALLEY FRESHMAN CAMPUS  | School              | 9206 ZIER RD     | YAKIMA    | 5/4/2012        | Routine Inspection   | 0/0                              |
| WEST VALLEY HIGH SCHOOL      | School              | 9800 ZIER RD.    | YAKIMA    | 5/4/2012        | Routine Inspection   | 0/0                              |
| WEST VALLEY JUNIOR HIGH      | School              | 7507 ZIER RD.    | YAKIMA    | 5/4/2012        | Routine Inspection   | 0/0                              |
| WEST VALLEY MIDDLE SCHOOL    | School              | 1500 S. 75TH AVE | YAKIMA    | 5/4/2012        | Routine Inspection   | 0/0                              |

| Facility Name                         | Facility Type    | Address                       | City      | Inspection Date | Inspection Type    | Notes                             |
|---------------------------------------|------------------|-------------------------------|-----------|-----------------|--------------------|-----------------------------------|
| WESTPARK CHRISTIAN ACADEMY            | School           | 3902 SUMMITVIEW AVE           | YAKIMA    | 5/31/2012       | Routine Inspection | 0/0                               |
| WESTSIDE MARKET                       | Mini-mart        | 500 E EUCLID                  | GRANDVIEW | 5/23/2012       | Routine Inspection | 0/5 potential food contamination  |
| WILSON MIDDLE SCHOOL                  | School           | 902 S. 44TH AVE               | YAKIMA    | 5/10/2012       | Routine Inspection | 0/0                               |
| YAKIMA ATHLETIC CLUB                  | Snack Bar        | 2501 RACQUET LANE             | YAKIMA    | 5/24/2012       | Routine Inspection | 0/0                               |
| YAKIMA VALLEY TECHNICAL SKILLS CENTER | Chef's School    | 1120 S. 18TH ST.              | YAKIMA    | 5/21/2012       | Routine Inspection | 0/8                               |
| YO YAKIMA                             | Ice Cream Parlor | 2401 S. 1ST STREET SUITE# 100 | YAKIMA    | 5/23/2012       | Routine Inspection | 0/0                               |
| ZILLAH HIGH SCHOOL                    | School           | 1602 2ND AVE                  | ZILLAH    | 5/4/2012        | Routine Inspection | 0/0                               |
| ZILLAH INTERMEDIATE SCHOOL            | School           | 303 2ND AVE                   | ZILLAH    | 5/4/2012        | Routine Inspection | 25/25 Improper hot holding of PHF |
| ZILLAH MIDDLE SCHOOL                  | School           | 1301 CUTLER WAY               | ZILLAH    | 5/4/2012        | Routine Inspection | 25/25 Improper hot holding of PHF |