

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
1885 BAR & GRILL @ VAN'S	Restaurant/Catering	208 NACHES AVENUE	NACHES	11/19/2012	Follow-Up Inspection	5/5 Missing FWCs
2ND STREET MINI MART & SMOKE SHOP	Mini-mart	201 AVE. "F"	GRANDVIEW			
3RD STREET MARKET ONE STOP MINI MART	Mini-mart	604 S. 3RD ST.	YAKIMA	11/9/2012	Routine Inspection	10/10 - No hot water in whole facility. Cannot prepare food until problem is fixed.
A C DAVIS HIGH SCHOOL	School	212 S. 6TH AVE	YAKIMA	11/19/2012	Routine Inspection	15/18 - No current FWC posted and no paper towels at hand wash sinks in food prep area or restroom.
A MIDSUMMER NIGHT CATERING & EVENT PLANNING	Catering	4813 TIETON DR	YAKIMA	11/29/2012	Routine Inspection	0/5
				11/8/2012	Pre-Opening Inspection	APPROVED TO OPEN

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ABAROTES LA COSTENITA	Grocery Store	1401 WINE COUNTRY ROAD	GRANDVIEW	11/2/2012	Routine Inspection	0/0
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	11/30/2012	Routine Inspection	0/0
AMERICAN LEGION POST 50	Restaurant	13-17 W. 1ST AVE.	TOPPENISH	11/2/2012	Routine Inspection	5/5 No metal stem thermometer was available
AMERISTAR # 12	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	11/27/2012	Routine Inspection	35/50 Food not in good condition, improperly hot holding PHF
ANTOJITOS MEXICANOS RESTAURANT MI TIERRA	Restaurant	3512 SUMMITVIEW AVE	YAKIMA	11/30/2012	Routine Inspection	5/5 inaccurate thermometer
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	11/29/2012	Routine Inspection	10/10 inadequate hand wash facilities
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	11/7/2012	Routine Inspection	0/0
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	11/15/2012	Routine Inspection	105/123 Missing FWCs, hands not washed as required, BHC with RTE food, improperly cooling PHF, RTS of PHF, inaccurate metal stem thermometer, improper chemical storage

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BALLESTERI'S CAFE	Restaurant	4001 SUMMITVIEW AVE. # 3	YAKIMA	11/19/2012	Routine Inspection	100/103 BHC with RTE food, improperly cooling PHF, improperly hot holding PHF, RTS of PHF, metal stem thermometer not used
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	11/14/2012	Routine Inspection	0/0
BARON FARMS		2971 W. WAPATO ROAD	WAPATO	11/19/2012	Routine Inspection	0/0
BASKIN-ROBBINS	Ice Cream Parlor	3802 W. NOB HILL BLVD.	YAKIMA	11/6/2012	Routine Inspection	10/10 - No paper towels at handwash sink in food prep area.
BEEB'S VALLEY NUTRITION	Grocery Store	2415 S 14TH STREET	UNION GAP	11/27/2012	Routine Inspection	0/0
BRANDING IRON RESTAURANT	Restaurant	61311 HIGHWAY 97	TOPPENISH	11/26/2012	Surveillance Inspection	They did not have electricity. They were temporarily closed.
BURGER KING	Restaurant	5905 SUMMITVIEW AVE.	YAKIMA	11/9/2012	Routine Inspection	30/30 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
CARNICERIA LA CABANA	Meat Market	1602 MORGAN RD	SUNNYSIDE	11/2/2012	Routine Inspection	0/0
CARNICERIA LOS AMIGOS	Meat Market	205 WAPATO AV S	WAPATO	11/2/2012	Routine Inspection	10/25 Missing FWC, raw meat stored above RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	11/29/2012	Routine Inspection	0/0
COCINA JALISIENSE	Commissary	709 E. NOB HILL BLVD.	YAKIMA	11/14/2012	Routine Inspection	0/0 No problems, facility very clean.
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	11/29/2012	Routine Inspection	10/10 inadequate hand washing sink
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	11/30/2012	Routine Inspection	0/0
COUNTRYSIDE CATERING & THE FLOUR SHOP CAFE	Bakery	810 W. 2ND STREET	GRANDVIEW	11/9/2012	Routine Inspection	0/0
CRUISIN' BILL'S CONVENIENCE CENTER	Mini-mart	702 W YAKIMA AVE.	YAKIMA	11/13/2012	Routine Inspection	10/10 inadequately stocked hand sink
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	11/16/2012	Routine Inspection	0/0
DOLLAR TREE # 4295	Grocery Store	140 S. 72ND AVE.	YAKIMA	11/30/2012	Routine Inspection	0/0
DOLLAR TREE STORE # 2753	Grocery Store	2660 YAKIMA VALLEY HWY	SUNNYSIDE	11/28/2012	Routine Inspection	10/10 Cold holding PHF's at 47-50F.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DREAMGIRLS ESPRESSO	Espresso Stand	1323 S. 8TH STREET	YAKIMA	11/26/2012	Pre-Opening Inspection	Several things need to be done before opening. See report.
DYKSTRA	Restaurant/Catering	114 BIRCH AVE.	GRANDVIEW	11/30/2012	Routine Inspection	0/0
EAGLE ROCK GROCERY	Grocery Store	8590 HWY 410	NACHES	11/7/2012	Routine Inspection	0/0
EL CAMPESTRE	Restaurant	225 DIVISION ST	GRANDVIEW	11/2/2012	Routine Inspection	10/30 Improper cold holding, thermometers missing, no sanitizer.
EL GRULLENSE RESTAURANT & TAQUERIA #2	Restaurant	1514 S 1ST ST	YAKIMA	11/21/2012	Routine Inspection	45/58 Missing FWCs, inadequate hand washing sink, improper hot holding of PHF, no adequate thermometer, improper food storage, sanitizer not available, unclean surfaces - followup inspection necessary.
EL JALICIENCE	Mobile	608 E. Nob Hill Blvd. Yakima	YAKIMA	11/14/2012	Routine Inspection	15/15 Bare hand contact with RTE foods.
EL PORTAL MEXICAN RESTAURANT	Restaurant/Lounge	601 FRUITVALE BLVD.	YAKIMA	11/14/2012	Routine Inspection	10/20 Raw meats above other foods, missing FWC's.
FAMOUS BURGER & TERIYAKI SANDWICH	Restaurant	401 W. LINCOLN AVE.	YAKIMA	11/7/2012	Routine Inspection	5/10 Inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 #7	SUNNYSIDE	11/14/2012	Routine Inspection	45/68 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer, mislabeled chemical
FRANKLIN MIDDLE SCHOOL	School	410 S. 19TH AVE	YAKIMA	11/5/2012	Routine Inspection	0/3
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	11/14/2012	Routine Inspection	0/0
GARFIELD ELEMENTARY SCHOOL	School	505 MADISON AV	TOPPENISH	11/28/2012	Routine Inspection	0/0
GATEWAY 76 STORE # 180	Mini-mart	1802 E NOB HILL BLVD.	YAKIMA	11/3/2012	Routine Inspection	5/8 Inaccurate metal stem thermometer
GOLD CREEK STATION	Restaurant	18431 STATE RT 410	NACHES	11/7/2012	Routine Inspection	25/38 Improper cold holding of PHF's, dishwasher not registering any sanitizer.
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	11/29/2012	Routine Inspection	
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	11/29/2012	Routine Inspection	0/0
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	11/29/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	11/15/2012	Routine Inspection	0/0
HICKORY FARMS # 40117	Deli	2529 MAIN ST. # 183	UNION GAP	11/30/2012	Routine Inspection	0/0
HIGHLAND QUICK STOP	Mini-mart	16841 SUMMITVIEW RD	COWICHE	11/29/2012	Routine Inspection	10/12 - Improper hot holding temperatures and no metal stem thermometer.
HOKUS POKUS BEER & DELI	Mini-mart	2401-B W. NOB HILL BLVD.	YAKIMA	11/6/2012	Routine Inspection	40/43 - PIC was not knowledgeable on food safety, no FWC, improper hot holding temperatures, and no metal stem thermometer.
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Catering	2710 TERRACE HEIGHTS DRIVE	YAKIMA	11/28/2012	Follow-Up Inspection	10/10 - No paper towels at handwash sink in kitchen.
JENNY MAE'S	Bakery	730 N. 16TH AVE. # 2	YAKIMA	11/29/2012	Routine Inspection	0/18 Entire kitchen needs a thorough cleaning. (see pictures)
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	11/5/2012	Routine Inspection	0/0
KNIGHTS INN	Continental Brkfst	818 N. 1ST STREET	YAKIMA	11/15/2012	Routine Inspection	0/0
LA BARATA	Meat Market	317 B ST	MABTON	11/1/2012	Routine Inspection	5/15 Improper cold holding of PHF's, missing thermometer.
				11/2/2012	Compliance Inspection	5/13 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA BARATA MEAT MARKET	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	11/2/2012	Compliance Inspection	25/25 Improperly hot holding PHF
LA NACIONAL	Grocery Store	506 S. 1ST STREET	YAKIMA	11/26/2012	Routine Inspection	0/0
LA PASADITA ANTOJITOS MEXICANO	Mobile	1450 WINE COUNTRY RD.	GRANDVIEW	11/2/2012	Routine Inspection	They are not using the mobile at this time. The transmission went out on it and it's being parked at the fruit stand off Country Line Road, Grandview.
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	11/29/2012	Routine Inspection	0/5
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	11/28/2012	Routine Inspection	0/0
LONE STAR RANCH HOUSE	Restaurant/Catering	8807 AHTANUM RD	YAKIMA	11/30/2012	Pre-Opening Inspection	Approved to open. See comments in imaging.
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	11/7/2012	Routine Inspection	0/0
MARISCOS MAR & TIERRA # 4	Mobile		WAPATO	11/2/2012	Compliance Inspection	30/30 Missing FWC, improperly hot holding PHF
				11/8/2012	Compliance Inspection	25/25 Improperly hot holding PHF



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MAVERIK # 428	Mini-mart	1601 E. LINCOLN	SUNNYSIDE	11/8/2012	Routine Inspection	0/0
MC DONALD'S	Restaurant	820 ZILLAH WEST ZILLAH RD.		11/20/2012	Routine Inspection	5/10 Missing FWCs
				11/20/2012	Complaint Inspection	Manager said she talked with the customer and explained that second cup was to keep the 1st cup from leaking. Cup might have been damaged during the stirring of the McFlurry.
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	11/26/2012	Routine Inspection	15/15 - Improper storage of serving utensils between uses.
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	11/15/2012	Routine Inspection	0/0
MELISSA'S CATERING	Mobile		TOPPENISH	11/26/2012	Surveillance Inspection	They did not have electricity. The generator was not working. Told Alredo that he would have to close because he did not have electricity available. The mobile unit moved away from the site (839 W 1st Ave, Toppenish)
MOLCAJETES FAMILY MEXICAN RESTAURANT	Restaurant	201 DIVISION STREET	GRANDVIEW	11/9/2012	Routine Inspection	25/28 - Room temperature storage of cooked rice.
MT. ADAMS COUNTRY CLUB SNACK BAR	Deli	1250 ROCKY FORD ROAD	TOPPENISH	11/15/2012	Routine Inspection	0/5
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	11/2/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	11/2/2012	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	11/2/2012	Routine Inspection	0/0
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	11/2/2012	Routine Inspection	0/0
NEW YORK TERIYAKI & BURGERS	Restaurant	822 N 1ST ST.	YAKIMA	11/7/2012	Routine Inspection	30/46 Missing FWCs, hands not washed as required, improperly stocked hand wash sinks
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	11/5/2012	Routine Inspection	0/0
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	11/15/2012	Routine Inspection	40/53 Improper cooling of PHF's, improper cold holding temperatures, dishwasher not reaching adequate sanitizing temperatures.
OLIVE GARDEN ITALIAN RESTAURANT #1352	Restaurant/Catering	222 E YAKIMA AVE.	YAKIMA	11/16/2012	Routine Inspection	0/0
ON THE GO - SENIOR CAFE (UNION GAP)		1000 AHTANUM RD.	UNION GAP	11/8/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ON THE GO - SENIOR CAFE (GRANDVIEW)	Serving Site	812 WALLACE DR.	GRANDVIEW	11/1/2012	Routine Inspection	Improper thawing, no sanitizer, improper hot holding.
ON THE GO - SENIOR CAFE (NACHES LIONS ST. JOHN'S PARISH)	Serving Site	206 MOXEE AVENUE	NACHES	11/7/2012	Routine Inspection	0/0
ON THE GO - SENIOR CAFE (SELAH CIVIC CENTER)	Serving Site	216 S 1ST ST.	SELAH	11/1/2012	Routine Inspection	0/0
PABLITO'S PIZZA	Restaurant	501 W 1ST AVE.	TOPPENISH	11/28/2012	Surveillance Inspection	They do not have electricity available. They closed.
PAPA MURPHY'S	Restaurant	2695 E. LINCOLN	SUNNYSIDE	11/28/2012	Routine Inspection	0/0
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	11/15/2012	Routine Inspection	0/0
PIZZA HUT / WINGSTREET	Restaurant	2680 YAKIMA VALLEY HWY. # 1	SUNNYSIDE	11/28/2012	Routine Inspection	0/0 No problems.
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	11/6/2012	Routine Inspection	40/48 Hands not washed as required, improperly stocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage
				11/21/2012	Follow-Up Inspection	35/35 Improperly cooling PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	11/15/2012	Routine Inspection	0/0
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	11/19/2012	Routine Inspection	0/0
SELAH MINI MART & SMOKE SHOP	Mini-mart	103 S 1ST ST	SELAH	11/15/2012	Pre-Opening Inspection	Approved to open.
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	11/15/2012	Routine Inspection	0/0
SILVER DOLLAR CAFE	Restaurant	30501 HWY 24	SUNNYSIDE	11/27/2012	Routine Inspection	0/0
SKIPPER'S SEAFOOD & CHOWDER HOUSE	Restaurant	2150 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/13/2012	Routine Inspection	0/0
SMITTY'S CONOCO # 300	Mini-mart	1829 S 1ST STREET	SUNNYSIDE	11/2/2012	Routine Inspection	25/25 Missing FWC, improperly hot holding PHF, inaccurate metal stem thermometer, unlabeled chemical
SNIPES MOUNTAIN BREWING, INC.	Restaurant	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/2/2012	Routine Inspection	35/40 Missing FWCs, improper handling of pooled eggs, RTS of PHF
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	11/13/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STANTON ACADEMY	School	802 RIVER RD.	YAKIMA	11/15/2012	Routine Inspection	10/10 - Improper cold holding temperatures.
SUBWAY	Restaurant	631 1ST ST W	WAPATO	11/6/2012	Routine Inspection	0/5 No sanitizer during inspection.
SUBWAY # 27775	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	11/7/2012	Routine Inspection	5/5 Missing FWCs
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	11/15/2012	Routine Inspection	0/0
T.L.C. CAFE	Restaurant	428 S. "G" STREET	TOPPENISH	11/1/2012	Follow-Up Inspection	5/5 Missing FWC
TAMMY'S MEXICAN RESTAURANT	Restaurant	1010 N. 1ST STREET	YAKIMA	11/15/2012	Follow-Up Inspection	115/115 Missing FWCs, hands not washed as required, BHC with RTE foods, surface for raw meat was sanitized, improperly cooling rice, RTS of PHF, improper chemical storage
TAQUERIA EL ESCORPION	Mobile	6th Ave & Walnut at car wash	YAKIMA	11/19/2012	Routine Inspection	45/55 - Missing FWC, BHC with ready to eat food, improper reheating, do not appear to be using commissary, and not keeping receipts for food.
THE LITTLE BAKE SHOP AT JOHNSON ORCHARDS	Bakery	4906 SUMMITVIEW AV	YAKIMA	11/2/2012	Routine Inspection	0/0
TIENDA LA TAPATIA	Restaurant	802 W. 1ST AVE.	TOPPENISH	11/26/2012	Surveillance Inspection	25/25 RTS of chorizo

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TIETON DRIVE BIBLE CHAPEL	Church Kitchen	4305 TIETON DR	YAKIMA	11/28/2012	Routine Inspection	10/10 - FWC and metal stem thermometer not available.
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	11/28/2012	Routine Inspection	0/0
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	11/28/2012	Routine Inspection	0/0
VALLEY VIEW ELEMENTARY	School	515 ZILLAH AVE	TOPPENISH	11/28/2012	Routine Inspection	0/0
VILLAGE CENTER CAFE	Retirement Housing	215 N. 40TH AVE.	YAKIMA	11/28/2012	Routine Inspection	0/0
WALMART #2241	Grocery Store	2675 LINCOLN AVE.	SUNNYSIDE	11/30/2012	Routine Inspection	0/0
WAPATO HIGH SCHOOL CONCESSIONS	Seasonal Concession	1103 S. WASCO	WAPATO	11/8/2012	Routine Inspection	25/30 Improper hot holding of PHF, missing temperature gauges in refrigeration units
WEST VALLEY FRESHMAN CAMPUS	School	9206 ZIER RD	YAKIMA	11/2/2012	Routine Inspection	0/0
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	11/14/2012	Routine Inspection	0/0
				11/13/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	11/14/2012	Routine Inspection	0/0
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	11/10/2012	Routine Inspection	20/33 Missing FW/Cs, BHC with RTE food
YAKIMA GROCERY OUTLET	Grocery Store	2109 S. 1ST STREET	YAKIMA	11/28/2012	Routine Inspection	10/15 Improper cold holding of PHF's, possible contamination during food storage.