

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN # 2362-17080-C	Mini-mart	1512 SUMMITVIEW	YAKIMA	3/15/2013	Routine Inspection	10/10 - Inadequate handwash facilities.
ALBERTSON'S FOOD CENTER # 239	Grocery Store	401 S 40TH AVE.	YAKIMA			
APPLE COUNTRY BED & BREAKFAST	Bed & Breakfast	4561 OLD NACHES HWY	NACHES	3/8/2013	Routine Inspection	45/45 Improper use of time as a control. Cut melons improperly cold held, no handwash set up at outdoor hotdog stand.
BIG CHEESE PIZZA	Restaurant	2204-C W NOB HILL BLVD.	YAKIMA	3/8/2013	Routine Inspection	0/0
BI-MART # 605	Grocery Store	309 S. 5TH AVE. - YAKIMA	YAKIMA	3/11/2013	Routine Inspection	0/5 Sanitizer dispenser not working properly.
BLUE HILLS TAQUERIA	Restaurant	1509-B TIETON DR. - YAKIMA	YAKIMA	3/22/2013	Routine Inspection	0/0
				3/14/2013	Routine Inspection	40/43 Expired FWC, room temperature storage of PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	3/29/2013	Routine Inspection	5/5 - FWC needed.
BUHRMASTER BAKING CO. - SELAH	Bakery	117 E. 3RD AVENUE	SELAH	3/27/2013	Routine Inspection	5/5 Expired FWC.
CARL'S JR.	Restaurant	2208 S. 1ST STREET	YAKIMA	3/8/2013	Routine Inspection	25/25 Missing FWCs, hands not washed as required, raw meat stored above ready to eat food
CHINA BLUE ESPRESSO CAFE	Deli	315 W YAKIMA AVE. - YAKIMA	YAKIMA	3/19/2013	Pre-Opening Inspection	
CLARION HOTEL & SUITES YAKIMA	Restaurant	1507 N 1ST STREET	YAKIMA	3/13/2013	Routine Inspection	5/5 Need copies of food workers FWC's on site.
COCINA ZACATECAS	Mobile	16791 SUMMITVIEW RD. - COWICHE	COWICHE	3/13/2013	Routine Inspection	10/13 inadequate hand washing facilities, uncleaned toilet facilities
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	3/27/2013	Follow-Up Inspection	35/35 Food not in good condition, improperly hot held PHF
COSTCO WHOLESALE #1013	Grocery Store	2310 LONGFIBER RD. - UNION GAP	UNION GAP	3/28/2013	Complaint Inspection	No indications of cockroach infestation during inspection. See report in imaging.
CREEKSIDE WEST	Restaurant/Catering	4000 W. CREEKSIDE LOOP	YAKIMA	3/19/2013	Routine Inspection	15/23 No hot water at handwash sink, raw meats above other foods, improper thawing.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CULTURA WINERY	Winery	3601 HIGHLAND DR.	ZILLAHA	3/22/2013	Routine Inspection	0/0
D.J.'S COFFEE CAFE	Espresso Stand	1001 WASHINGTON AVE.	YAKIMA	3/14/2013	Routine Inspection	0/0 No problems.
DONA LUPES PANADERIA & PASTERLERIA	Bakery	1300 YAKIMA VALLEY HWY.	SUNNYSIDE	3/29/2013	Routine Inspection	0/5 Refrigeration needs cleaning.
EAST VALLEY MARKET	Mini-mart	7208 POSTMA RD.	YAKIMA	3/11/2013	Routine Inspection	5/5 Improper hot holding of PHF's.
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	3/27/2013	Routine Inspection	0/10
GOLDEN BULL CHINESE RESTAURANT	Restaurant	106 N. 1ST STREET	SELAH	3/1/2013	Routine Inspection	60/60 - FWC needed, handwash sink not properly stocked, no metal stem thermometer, and improper hot holding temperatures.
GRANDVIEW MARKET	Mini-mart	100 E. WINE COUNTRY RD.	GRANDVIEW	3/25/2013	Routine Inspection	5/5 - Improper hot holding temperatures.
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	3/27/2013	Routine Inspection	0/0
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	3/27/2013	Routine Inspection	25/25 - Improper hot holding temperatures.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GUESTHOUSE INN - YAKIMA	Continental Brkfst	1010 E. "A" STREET	YAKIMA	3/15/2013	Routine Inspection	15/20 Expired FWC, not using proper sanitizer.
HOWARD JOHNSON PLAZA	Restaurant/Lounge	9 N. 9TH STREET	YAKIMA	3/14/2013	Routine Inspection	10/13 Cooling core used to keep milk cold is not being used properly. In use utensils not properly stored.
IMOGENE'S	Catering	1024 W NOB HILL BLVD	YAKIMA	3/20/2013	Pre-Opening Inspection	Approved to open.
LA CALIFORNIA	Restaurant	208 1ST AV W	TOPPENISH	3/29/2013	Routine Inspection	5/5 Two expired FWC's.
LA MONTANA	Juice Bar	1408 E NOB HILL BLVD	YAKIMA	3/1/2013	Pre-Opening Inspection	Approved to open. Water supplied from fresh water tank and disposed into a waste water tank which is pumped weekly.
LA PACHANGA (MOBILE)	Mobile		TIETON	3/29/2013	Routine Inspection	Temporary closure - no running water.
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	3/22/2013	Routine Inspection	0/0
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	3/19/2013	Follow-Up Inspection	30/30 - Improper cooling
MAGIC'S PIZZA SHACK	Restaurant	309 S 1ST ST.	SELAH	3/12/2013	Routine Inspection	0/0
MANY'S MARKET	Mini-mart	811 W. MEAD	YAKIMA	3/12/2013	Routine Inspection	25/30 Improper hot holding of PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARGARET'S APPLE CART DELI	Deli	220 NACHES AVE.	NACHES	3/22/2013	Routine Inspection	0/0
MARISCOS MAR & TIERRA # 3	Mobile		WAPATO	3/8/2013	Routine Inspection	50/50 Hands not washed as required, improperly stocked hand wash sink, improperly hot holding PHF
MARISCOS MAR & TIERRA RESTAURANTE	Restaurant	108 W. 3RD. STREET	WAPATO	3/29/2013	Routine Inspection	5/5 Missing FWC's.
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	UNION GAP	3/28/2013	Routine Inspection	0/0
MERCADO LATINO II	Meat Market	718 S. 6TH STREET	YAKIMA	3/25/2013	Routine Inspection	55/60 - FWC needed, tamales from an unapproved source, chorizo at 55 degrees, and oysters at 51 degrees.
MINER'S DRIVE IN	Restaurant	2415 S. 15T STREET	UNION GAP	3/1/2013	Routine Inspection	15/15 - BHC with ready-to-eat food.
NACHES CHINOOK CENTER	Mini-mart	10450 HWY 12	NACHES	3/22/2013	Pre-Opening Inspection	Approved to start cooking food once indirect drain for 3-comp sink is installed.
NEW HONG KONG RESTAURANT	Restaurant	918 W. HIGHWAY 12	GRANDVIEW	3/28/2013	Routine Inspection	35/40 Improperly cooling PHF, inaccurate metal stem thermometer
NILE VALLEY GAME PROCESSING	Meat Market	4721 S.R. 410	NACHES	3/15/2013	Routine Inspection	0/10

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH PARK LODGE	Continental Brkfst	659 N. WENAS	SELAH	3/21/2013	Routine Inspection	20/25 PIC was not knowledgeable about cold holding temperature for PHF, missing FWC, improperly cold holding PHF
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	3/7/2013	Follow-Up Inspection	0/5
ON THE GO - SENIOR CAFE (SOUTHEAST COMMUNITY CENTER)	Serving Site	1211 S. 7TH ST.	YAKIMA	3/27/2013	Routine Inspection	0/0
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	3/13/2013	Routine Inspection	0/0
PANADERIA BAMBI	Bakery	116 S. WAPATO AVE.	WAPATO	3/19/2013	Complaint Inspection	Person called that every time her son eat bread from this bakery, he gets a stomach ache.
PORTEUS WINERY	Winery	5201 HIGHLAND DR	ZILLA	3/23/2013	Routine Inspection	0/0
R & J FAMILY PIZZERIA	Restaurant	108 E. MOXEE AVE. # 1	MOXEE	3/22/2013	Pre-Opening Inspection	Slight remodel. Approved to open.
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	3/29/2013	Routine Inspection	15/15 BHC with RTE foods.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	3/27/2013	Routine Inspection	0/0
SELAH EXPRESS	Mini-mart	777 NORTH PARK CENTER	SELAH	3/27/2013	Routine Inspection	0/5 Did not have sanitizer available.
SHAW & SONS FUNERAL DIRECTORS		201 2ND ST N	YAKIMA			
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	3/21/2013	Routine Inspection	0/0 They are no longer doing level 2 activities. They are bumping down to a level 1.
SU MERCADITO	Mini-mart	320 "B" STREET	MABTON	3/13/2013	Routine Inspection	0/0
SU MERCADO	Grocery Store	123 DIVISION ST.	GRANDVIEW	3/27/2013	Complaint Inspection	45/58 Missing FWCs, improperly stocked hand wash sink, RTS of PHF, no metal stem thermometer was available
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	3/25/2013	Routine Inspection	15/20 - FWC needed, handwash sinks not properly stocked, and labels needed for cheese.
SWEET BEEZ CAFE	Restaurant/Catering	204 E. NACHES AVE.	SELAH	3/13/2013	Routine Inspection	0/0
TACO KING	Mobile	615 YAKIMA VALLEY HWY.	SUNNYSIDE	3/13/2013	Routine Inspection	0/13 Onions stored on ground, kitchen needs cleaning.
				3/29/2013	Routine Inspection	15/15 - FWC not available and no paper towels at handwash sink.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS APATZINGAN	Restaurant/Catering	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	3/28/2013	Follow-Up Inspection	5/18 Inaccurate metal stem thermometer
TAQUERIA LA CABANA	Restaurant	1205 N. 1ST STREET	YAKIMA	3/15/2013	Routine Inspection	10/10 Expired FWC, inaccurate thermometer.
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	3/21/2013	Pre-Opening Inspection	Name of business must be printed on sides of new mobile unit.
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	3/27/2013	Routine Inspection	60/60 Improper raw meat storage, improper cooling of PHF's, BHC with RTE foods.
TAQUITOS GALLEGOS	Restaurant	107 W. 3RD	WAPATO	3/29/2013	Routine Inspection	15/15 BHC w/RTE foods.
THE JAMMER	Tavern	2310 RUDKIN RD.	UNION GAP	3/13/2013	Routine Inspection	0/0
THE WAREHOUSE RESTAURANT & LOUNGE	Restaurant/Lounge	705 RAILROAD AVE	ZILLAH	3/15/2013	Routine Inspection	25/30 Room temperature storage of PHF's.
TIENDA LA TAPATIA	Restaurant	802 W. 1ST AVE.	TOPPENISH	3/26/2013	Follow-Up Inspection	5/5 Raw meat stored above RTE food
WILEY CITY MARKET	Mini-mart	2929 S. WILEY RD.	YAKIMA	3/27/2013	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WINE COUNTRY DELI	Mini-mart	940 E. WINE COUNTRY RD. SUITE "C"	GRANDVIEW	3/29/2013	Routine Inspection	0/0
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	3/1/2013	Follow-Up Inspection	45/55 Missing FWC, ice scoop handle contacting the ice, using cup to scoop ice, improperly hot holding corn dogs
YAKIMA CINEMA	Snack Bar	1305 N. 16TH AVE.	YAKIMA	3/13/2013	Routine Inspection	0/0