

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Catering	5 N. FRONT ST. SUITE # 103	YAKIMA	8/1/2013	Compliance Inspection	0/0
7-ELEVEN STORE 2307-27556G	Mini-mart	1601 FRUITVALE BLVD.	YAKIMA	8/6/2013	Complaint Inspection	0/2 No cockroaches visible.
APPLE TREE RESTAURANT	Restaurant/Lounge	8804 OCCIDENTAL	YAKIMA	8/8/2013	Routine Inspection	15/30 Missing FWCs, food not in good condition
ARAMARK CORRECTIONAL SERVICES	Jail	111 N FRONT ST.	YAKIMA	8/8/2013	Routine Inspection	20/43 Missing FWCs, raw meat stored above RTE food, unlabeled chemical
CAFE AMORE	Espresso Stand	14 N. 7TH AVE	YAKIMA	8/22/2013	Routine Inspection	5/15 Missing FWC
				8/29/2013	Routine Inspection	No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CARNICERIA 2 ESTADOS	Meat Market	602 S. 3RD STREET	YAKIMA	8/8/2013	Surveillance Inspection	25/25 Chorizo stored at room temperature.
COMFORT INN	Continental Brkfst	911 VINTAGE VALLEY PARKWAY	ZILLA	8/30/2013	Routine Inspection	0/0
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	8/13/2013	Pre-Opening Inspection	New kitchen. Approved to open.
DOLLAR STORE N MORE	Grocery Store	2010 YAKIMA VALLEY HWY #30	SUNNYSIDE	8/30/2013	Routine Inspection	0/0
DON'S DONUTS & JULIE'S JAVA	Bakery	1024 W. NOB HILL BLVD.	YAKIMA	8/30/2013	Routine Inspection	0/3
DRIFT INN	Restaurant	10450 HWY 12	NACHES	8/26/2013	Routine Inspection	30/40 - Some FWC have expired and a lot of bare hand contact with RTE food.
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	8/24/2013	Catering Routine Inspection	0/2
EL COCINERO BAJA FRESH	Mobile	BORTON'S 8:30-9:00 AM & EVANS 10:00-10:15 AM FRONTERAS DEL NORTE NOON-7:30 PM	YAKIMA	8/16/2013	Opening Inspection	They have hot water for hand washing. Ok to open.
				8/16/2013	Routine Inspection	10/10 They did not have hot water for hand washing. They were preparing foods with gloves. Closed them.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL NUEVO AMANECER	Mobile		YAKIMA	8/1/2013	Routine Inspection	0/0 No problems observed.
EL RINCON	Restaurant	3704 FRUITVALE BLVD.	YAKIMA	8/12/2013	Routine Inspection	25/38 Improperly reheated rice, improperly cold holding PHF with ice
ESPERANZA'S	Restaurant	3207 W NOB HILL BLVD	YAKIMA	8/19/2013	Routine Inspection	0/10
ESPRESSO EXPRESS	Espresso Stand	3706 TIETON DR	YAKIMA	8/12/2013	Routine Inspection	0/0 - Preparing breakfast sandwiches at home which is not allowed.
EVIE'S ON THE BOULEVARD - DBA EVIE'S CATERING INC.	Catering	3402 W NOB HILL	YAKIMA	8/7/2013	Pre-Opening Inspection	Approved to open after licensing fees submitted.
FAMOUS DAVE'S	Rest/Lounge/Catering	1504 E WASHINGTON AVE. - UNION GAP	UNION GAP	8/20/2013	Pre-Opening Inspection	Approved to open.
FATBOY WILLY	Mobile		YAKIMA	8/5/2013	Pre-Opening Inspection	Approved to open.
JERRY'S VALLEY MEATS	Meat Market	2561 SUNNYSIDE MABTON RD	SUNNYSIDE	8/28/2013	Routine Inspection	0/0
KNIGHT HILL WINERY	Winery	5330 LOMBARD LOOP	ZILLAH	8/28/2013	Routine Inspection	15/15 Water from an unapproved source

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
L & I DRIVE IN II	Restaurant	645 E. WINE COUNTRY RD.	GRANDVIEW	8/30/2013	Routine Inspection	10/13 Inadequate hand washing facilities, cleanliness issues (New owner - required to apply and pay by 9/6)
LA OAXAGUENA TAMALES	Deli	326 N. 1ST ST.	YAKIMA	8/19/2013	Pre-Opening Inspection	
MAJOR'S	Restaurant	1902 S. 3RD AVENUE	UNION GAP	8/15/2013	Pre-Opening Inspection	Need air break on food preparation sink, sweep adjustment for back door of kitchen, submit floor plan, pay fees, then ok to open.
MARISCOS MAR Y TIERRA # 12	Mobile		WAPATO	8/28/2013	Routine Inspection	35/35 No hot water available for hand washing, improperly hot holding PHF
MC DONALD'S OF SUNNYSIDE	Restaurant	2200 YAKIMA VLY HWY	SUNNYSIDE	8/30/2013	Routine Inspection	0/0
MEADOWBROOK CONVENIENCE CENTER	Mini-mart	7200 W. NOB HILL BLVD.	YAKIMA	8/2/2013	Routine Inspection	10/18 Food not in good condition
MEADOWBROOK FAMILY FUN CENTER	Snack Bar	7200 W. NOB HILL BLVD	YAKIMA	8/29/2013	Routine Inspection	0/10 No problems.
MERCADO LA PLAZITA & CARNICERIA	Meat Market	715 W. WINE COUNTRY RD.	GRANDVIEW	8/9/2013	Routine Inspection	30/30 - FWC needed and improper hot holding temperatures.
MID VALLEY NAUTILUS	Espresso Stand	1003 VINTAGE VALLEY RD.	ZILLAH	8/14/2013	Routine Inspection	0/6

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MINUTE MART & SMOKE SHOP	Mini-mart	301 S. 13TH STREET	SUNNYSIDE	8/28/2013	Routine Inspection	10/10 - Metal stem thermometer is needed and one worker needs to update his expired food worker card.
NORTH TOWN COFFEEHOUSE	Espresso Stand	28 N 1ST. ST.	YAKIMA	8/5/2013	Routine Inspection	0/0
OLD WESTERN MARKET	Mini-mart	102 E TOPPENISH AVE.	TOPPENISH	8/24/2013	Routine Inspection	10/10 No paper towels available at the hand wash sink
OUR KITCHEN	Catering	28 N 2ND ST.	YAKIMA	8/3/2013	Routine Inspection	0/0
PANADERIA DELICIAS # 2	Bakery	2301 W NOB HILL BLVD	YAKIMA	8/21/2013	Routine Inspection	0/0
PANADERIA LA MORENITA	Bakery	117 E WALNUT	YAKIMA	8/28/2013	Routine Inspection	0/0 No problems.
PEEK-A-BREW ESPRESSO # 2	Espresso Stand	2524 RUDKIN RD.	UNION GAP	8/1/2013	Routine Inspection	5/5 - Several FWC needed.
QUIZNO'S SUB	Restaurant	5603 SUMMITVIEW #102	YAKIMA	8/6/2013	Routine Inspection	5/5 Missing FWCs
QUIZNO'S SUB # 9469	Restaurant	1809 S. 1ST ST.	YAKIMA	8/8/2013	Routine Inspection	15/20 - Some FWC needed and improper cold holding temperatures.
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	8/28/2013	Routine Inspection	5/10 Personal foods being stored in ice machine.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RED LION HOTEL YAKIMA CENTER	Restaurant/Lounge	607 E YAKIMA AVE.	YAKIMA	8/9/2013	Routine Inspection	30/48 Missing FWCs, improperly hot holding PHF
RIVER RIDGE GOLF COURSE	Restaurant/Lounge	295 GOLF COURSE LOOP	SELAH	8/1/2013	Routine Inspection	0/0
ROADRUNNER	Mini-mart	1408 N. 1ST STREET	YAKIMA	8/7/2013	Routine Inspection	0/0
ROCKY MART	Mini-mart	1003 W NOB HILL BLVD	YAKIMA	8/2/2013	Routine Inspection	15/15 Inadequate hand washing facilities, inaccurate thermometer
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	8/5/2013	Routine Inspection	25/30 Missing FWCs, improperly stocked hand wash sink, improper chemical storage
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	8/2/2013	Complaint Inspection	Grease spill has been cleaned, bags of onions stored on the shelf, no rats visible, last month, they caught a few rats, this month they have caught none.
RUSSILLOS PIZZA & GELATO	Restaurant/Catering	32 N. FRONT ST. SUITE # 102 - YAKIMA	YAKIMA	8/22/2013	Routine Inspection	60/78 Missing FWC, improperly stocked hand wash sink, blocked hand wash sink, raw meat stored above ready to eat food, improperly hot holding PHF, improperly cold holding PHF, metal stem thermometer is not being used to evaluate food temperatures
				8/22/2013	Pre-Opening Inspection	Food prep sink needs to be installed and room with freezer needs smooth and easy to clean walls and ceiling.
				8/23/2013	Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SANTIAGOS	Restaurant/Catering	111 E YAKIMA AVE.	YAKIMA	8/8/2013	Routine Inspection	35/40 - RTS of raw chicken and refrigerator at 50 degrees.
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	8/30/2013	Routine Inspection	25/28 Missing FWCs, improperly stocked hand wash sinks, improperly cold holding PHF
SPUDAWGY	Restaurant	1215 E. WASHINGTON	UNION GAP	8/22/2013	Routine Inspection	10/30 Improper cold holding of PHF's, pest problem, no sanitizer available.
ST. JOE'S SNACKBAR	Deli	3112 MAIN ST ^{NE}	UNION GAP	8/9/2013	Routine Inspection	25/41 Hands not washed as required, improperly stocked hand wash sink
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	8/9/2013	Complaint Inspection	No mouse droppings seen. Floors need to be cleaned.
SU MERCADITO #2	Grocery Store	108 MAIN ST S	GRANGER	8/9/2013	Routine Inspection	0/0
SUBWAY # 4468	Restaurant	2810 E. LINCOLN AVE.	SUNNYSIDE	8/29/2013	Routine Inspection	45/55 Improperly stocked hand wash sink, blocked hand wash sink, raw meat stored next to RTE food, PHF stored at room temperature, metal stem thermometer is not used to evaluate food temperatures
SUN - TIDES RESTAURANT	Restaurant	231 PENCE RD.	YAKIMA	8/30/2013	Routine Inspection	5/5 Missing FWC
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	8/14/2013	Routine Inspection	5/10 - Several FWC needed.
				8/29/2013	Routine Inspection	35/40 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE CITY JAIL	Jail	401 HOMER ST.	SUNNYSIDE	8/30/2013	Routine Inspection	0/0
SUNNYSIDE RODEWAY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE	8/30/2013	Routine Inspection	0/0
SUPER TACOS (Mobile)	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	8/28/2013	Routine Inspection	0/0
SUPERMEX OF YAKIMA	Grocery Store	316 3RD ST S	YAKIMA	8/1/2013	Compliance Inspection	60/63 Blocked hand wash sink, food not in good condition, RTS of PHF, improperly cold holding PHF, metal stem thermometer was not used to evaluate temperatures of PHF
TACO BORRACHO RESTAURANT	Rest/Lounge/Catering	503 S. FAIR AVE. SUITE # 100	YAKIMA	8/22/2013	Routine Inspection	40/55 Missing FWCs, ice scoop handle contacting the ice, blocked hand wash sink, improperly stocked hand wash sink, improperly cold holding PHF
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	8/5/2013	Follow-Up Inspection	50/59 BHC with RTE food, improperly hot holding PHF, improperly cold holding PHF
TAQUERIA DIANA	Mobile	330 NORTH STREET - MABTON	MABTON	8/16/2013	Routine Inspection	40/45 BHC with foods, improper re-heating, improper cold holding, no sanitizer available.
				8/30/2013	Follow-Up Inspection	They have corrected all the problems from the previous inspection.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA EL ESCORPION	Mobile	6th Ave & Walnut at car wash	YAKIMA	8/30/2013	Routine Inspection	15/15 - FWC needed and both refrigerators at 64 degrees.
TAQUERIA EL RINCONSIITO	Restaurant	1101 S 3RD AVE.	YAKIMA	8/12/2013	Routine Inspection	10/25 Potential food contamination during food prep. Pest problem.
THE BEER SHOPPE		302 W. YAKIMA AVE. # 107	YAKIMA	8/21/2013	Routine Inspection	0/0
THE CHERRY PATCH	Restaurant	101 W. 1ST AVE.	ZILLA	8/14/2013	Routine Inspection	30/46 Improperly stocked hand wash sink, food not in good condition, improperly cold holding PHF
THE CITY MIX	Restaurant	101 S. RIVARD #B	MOXEE	8/28/2013	Follow-Up Inspection	5/5 Missing FWC
TOWN PUMP FOOD MART	Mini-mart	8101 WIDE HOLLOW RD	YAKIMA	8/19/2013	Routine Inspection	0/0
VILLASENOR'S MEXICAN RESTAURANT	Restaurant	225 STOPPENISH AVE.	TOPPENISH	8/16/2013	Follow-Up Inspection	35/35 Missing FWC, improperly hot holding PHF, inaccurate metal stem thermometer
ZESTA CUCINA	Restaurant/Catering	5110 TIETON DRIVE # 210	YAKIMA	8/28/2013	Routine Inspection	35/45 Missing FWCs, BHC with RTE food, raw meat stored above RTE food, improper chemical storage
				8/8/2013	Routine Inspection	55/73 Missing FWCs, hands not washed as required, BHC with RTE food, improperly stocked hand wash sink, blocked hand wash sink, improper chemical storage
				8/23/2013	Follow-Up Inspection	5/20 Missing FWCs