

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BEST WESTERN AHTANUM INN	Continental Brkfst	2408 RUDKIN RD.	UNION GAP	9/16/2013	Routine Inspection	0/3
BIG RED'S DINER	Restaurant	110 S. HOLLY DR.	MOXEE	9/10/2013	Routine Inspection	0/10
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	9/19/2013	Routine Inspection	5/15 Missing FWCs
CAKES ON THE VINE	Bakery	5208 CREST ACRES LN	YAKIMA	9/4/2013	Routine Inspection	0/0
CASCADE CATERING	Catering	13321 U.S. HWY. 12	NACHES	9/20/2013	Routine Inspection	0/0
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	9/25/2013	Routine Inspection	0/0
CLAAR CELLARS	Winery	1001 VINTAGE VALLEY PARKWAY	ZILLAH	9/13/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COCINA ZACATECAS	Mobile	16791 SUMMITVIEW RD. - COWICHE	COWICHE	9/30/2013	Routine Inspection	15/30 Missing FWCs, no hot water available in the mobile unit
COFFEE AT TIFFANY'S	Espresso Stand	402 S 1ST ST.	SELAH	9/4/2013	Routine Inspection	0/0
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	9/4/2013	Routine Inspection	0/0
COOL BEANS	Espresso Stand	910 W. NOB HILL BLVD	YAKIMA	9/25/2013	Routine Inspection	5/5 - No FWC available.
COWICHE HARVEST FOODS	Grocery Store	16850 SUMMITVIEW RD	COWICHE	9/11/2013	Routine Inspection	35/50 Missing FWCs, raw meat stored next to ready to eat food, improperly cold holding PHF, inaccurate metal stem thermometer, improper chemical storage
DOC'S ON THE GREEN PIZZERIA	Restaurant	530 CHERRY HILL RD. - GRANGER	GRANGER	9/30/2013	Follow-Up Inspection	20/20 Improperly stocked hand wash sink, improper chemical storage
DUTCH BROS. COFFEE	Espresso Stand	2630 YAKIMA VALLEY HWY. - SUNNYSIDE	SUNNYSIDE	9/4/2013	Routine Inspection	10/10 Missing FWC, inaccurate metal stem thermometer
EL COCINERO BAJA FRESH	Mobile	BORTON'S 8:30-9:00 AM & EVANS 10:00-10:15 AM FRONTAS DEL NORTHE NOON-7:30 PM	YAKIMA	9/26/2013	Pre-Opening Inspection	Approved to open.
				9/13/2013	Follow-Up Inspection	10/10 No hot water available for hand washing

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL DOS DE ORO	Tavern	5 RANCH RITE RD.	YAKIMA	9/21/2013	Routine Inspection	20/20 Missing FWCs, handle of ice scoop is contacting the ice
EL PORTON	Restaurant	905-A VINTAGE VALLEY PARKWAY	ZILLA	9/4/2013	Routine Inspection	15/30 Missing FWC, improperly stocked hand wash sink
ELECTRIC BEACH TANNING & ESPRESSO	Espresso Stand	318 7TH ST S	SUNNYSIDE	9/5/2013	Routine Inspection	0/0 No problems.
FINCA MARGARITAS ESPRESSO	Espresso Stand	519 6TH ST S	SUNNYSIDE	9/13/2013	Pre-Opening Inspection	
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	9/10/2013	Routine Inspection	20/28 Missing FWC, raw meat stored above ready to eat food
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	9/19/2013	Routine Inspection	25/25 Improper hot holding of PHF's
GEORGE'S WOK & GRILL	Restaurant	1210 S. 80TH AVE.	YAKIMA	9/4/2013	Routine Inspection	0/0 No problems.
GLACIER'S FROZEN YOGURT, L.L.C.	Ice Cream Parlor	4040 TERRACE HEIGHTS DR. # 140	YAKIMA	9/5/2013	Routine Inspection	0/0
GREEN OLIVE CAFE & ESPRESSO	Restaurant/Catering	2926 COVEY LANE	SUNNYSIDE	9/5/2013	Routine Inspection	10/15 Improper cold holding of PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HIGHLAND HIGH SCHOOL CONCESSIONS	Seasonal Concession	17000 SUMMITVIEW	COWICHE	9/20/2013	Routine Inspection	Hot dogs improperly hot held, no metal stem thermometer was available
HOMESTRETCH ESPRESSO & BEVERAGE	Espresso Stand	2890 ALLEN RD.	SUNNYSIDE	9/5/2013	Routine Inspection	0/0 No problems.
JACK-SON'S SPORTS BAR	Restaurant/Catering	432 S 48TH AVE.	YAKIMA	9/10/2013	Routine Inspection	20/20 inadequate hand washing facilities, improper storage of chemicals
JITTER BUG ESPRESSO	Espresso Stand	11 PENCE RD	YAKIMA	9/5/2013	Routine Inspection	0/0
LA CABANA RESTAURANT	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	9/17/2013	Routine Inspection	0/0 No problems.
LA CARRETA MEXICAN RESTAURANT & LOUNGE	Restaurant/Lounge	1006 S. 3RD AVENUE	YAKIMA	9/21/2013	Routine Inspection	20/20 Improperly stocked hand wash sink, food not in good condition
LA GUADALUPANA EXPRESS # 2	Mobile		HARRAH	9/25/2013	Routine Inspection	45/47 PIC did not answer correctly, missing FWC, improperly hot holding PHF, improperly stocked hand wash sink
LAMONARCA	Mobile		YAKIMA	9/6/2013	Routine Inspection	0/0 No problems.
				9/19/2013	Routine Inspection	10/10 No hot water available for hand washing - They were closed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LARA'S BAKERY	Bakery	7 WASHINGTON AV	TOPPENISH	9/19/2013	Routine Inspection	40/40 Missing FWC's, BHC with RTE foods, no paper towels at HW sink, no sanitizer. Follow-up required.
MABTON HIGH SCHOOL - CONCESSION STAND	Seasonal Concession	500 E B STREET, MABTON	MABTON	9/30/2013	Routine Inspection	15/15 No hand wash set up available in the booth - limited their menu to prepackaged foods, no metal stem thermometer was available
MAISON DE PADGETT WINERY	Winery	2231 ROZA DR	ZILLAHA	9/13/2013	Routine Inspection	5/5 - No current FWC available.
MARISCOS MAR & TIERRA # 10	Mobile		WAPATO	9/23/2013	Routine Inspection	40/42 - No FWC available, no hot water for handwashing, improper hot holding temperatures, and name of business needs to be on the mobile unit.
MARISCOS MAR & TIERRA # 11	Mobile		WAPATO	9/12/2013	Routine Inspection	10/10 inadequate hand washing facilities
MARISCOS MAR & TIERRA # 4	Mobile		WAPATO	9/4/2013	Routine Inspection	30/30 Missing FWC, improperly hot holding PHF
MEXICAN FRUIT # 3	Mobile		GRANDVIEW	9/18/2013	Follow-Up Inspection	30/30 Missing FWC, improperly hot holding PHF
				9/19/2013	Routine Inspection	15/20 Missing FWCs, cut lettuce cold held improperly

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MI PUEBLITO #1 LLC	Restaurant	419 TOPPENISH AV E	TOPPENISH	9/19/2013	Pre-Opening Inspection	
NINO'S MEXICAN GRILL	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	9/26/2013	Pre-Opening Inspection	Ok to open.
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	9/25/2013	Routine Inspection	30/30 Missing FWC's, improper cooling.
PAPA MURPHY'S PIZZA	Restaurant	205 S. 1ST	SELAH	9/12/2013	Routine Inspection	10/15 Lettuce in salad bar at 51F, dirty racks for clean dishes.
PASTA PRONTO BISTRO	Restaurant	420 S. 72ND AVE. # 160 YAKIMA	YAKIMA	9/6/2013	Routine Inspection	0/0
PASTIME	Tavern	125 E. NACHES	SELAH	9/19/2013	Routine Inspection	30/33 - No FWC available and bare hand contact with RTE food
PEPE'S BAKERY OF YAKIMA	Bakery	605 E. NOB HILL BLVD.	YAKIMA	9/4/2013	Routine Inspection	0/0 No problems.
PIETY FLATS WINERY	Winery	2560 DONALD/WAPATO ROAD	WAPATO	9/4/2013	Routine Inspection	0/0
PIZZA HUT # 46022	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	9/18/2013	Routine Inspection	0/0
				9/21/2013	Catering Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SILVER BEACH RESORT	Rest - Seasonal	40350 HWY 12	NACHES	9/20/2013	Routine Inspection	15/20 Improper cold holding of PHF, no metal stemmed thermometer, Dishwasher not sanitizing properly
SILVER DOLLAR INN	Tavern	324 B ST.	MABTON	9/11/2013	Routine Inspection	0/5 dirty surfaces, inadequate lighting in walk-in
STACI'S CATERING	Catering	3108 W WASHINGTON AVE	YAKIMA	9/23/2013	Routine Inspection	0/0
STONEHENGE TAVERN	Tavern	603 1ST AVE ZILLAH	ZILLAH	9/4/2013	Routine Inspection	30/30 Missing FWC, BHC with RTE food, improperly stocked hand wash sink
SU MERCADITO	Mini-mart	320 "B" STREET	MABTON	9/11/2013	Compliance Inspection	35/40 Inadequate hand washing facilities, room temperature storage of PHF, sewage not draining adequately
SU MERCADITO #2	Grocery Store	108 MAIN ST S	GRANGER	9/13/2013	Compliance Inspection	Sewage issue better, no repeated issues observed
SUNDANCE ESPRESSO	Espresso Stand	202 S 1ST ST.	SELAH	9/4/2013	Follow-Up Inspection	15/20 Improperly stocked hand wash sink, blocked hand wash sink, metal stem thermometer was not readily available
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	9/4/2013	Routine Inspection	10/18 Improper cold holding, ice scoop stored on dirty surface, general cleaning needed.
				9/19/2013	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS DON CHAYO	Mobile			9/23/2013	Routine Inspection	5/5 - FWC needed
TACOS ISABEL	Mobile	303 S. 13th St - SUNNYSIDE	SUNNYSIDE	9/12/2013	Routine Inspection	10/10 inadequate hand washing facilities
TACOS TORRES	Mobile		SUNNYSIDE	9/13/2013	Routine Inspection	0/0
TANJULI WINERY	Winery	209 N. BONAIR RD	ZILLAH	9/13/2013	Routine Inspection	0/0
TAQUERIA EL TAPATIO (MOBILE)	Mobile		MABTON	9/5/2013	Follow-Up Inspection	Refrigerator in the mobile is at 61F. He is using the refrigerator in his commissary located 5 feet from his mobile. TJ's Refrigeration has ordered a part for the unit.
TAQUERIA GUERRERO # 1	Mobile			9/27/2013	Follow-Up Inspection	The unit has been fixed and was cold holding at 41F.
TAQUERIA MANZANILLO	Restaurant	2500 YAKIMA VALLEY HWY	SUNNYSIDE	9/12/2013	Routine Inspection	55/57 No FWC's, no paper towels at HW, improper cold holding, room temperature storage.
TAQUERIA URUAPAN	Mobile		YAKIMA	9/5/2013	Routine Inspection	20/28 Improper cold holding of PHF's, personal medication in food prep area, improper thawing, potential food contamination during storage.
				9/10/2013	Routine Inspection	15/15 Missing FWC, improperly cold holding PHF, inaccurate metal stem thermometer



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAZZAH	Restaurant	1502-B SUMMITVIEW	YAKIMA	9/26/2013	Follow-Up Inspection	0/0
TIETON SPORTS & COUNTRY STORE	Grocery Store	27160 HWY 12	NACHES	9/20/2013	Routine Inspection	0/0
TOWN PUMP FOOD MART	Mini-mart	8101 WIDE HOLLOW RD	YAKIMA	9/4/2013	Routine Inspection	5/5 Inaccurate metal stem thermometer
WEST VALLEY DAIRY QUEEN	Restaurant	7410 W. NOB HILL BLVD.	YAKIMA	9/30/2013	Routine Inspection	15/15 - No paper towels at handwash sink and improper hot holding temperatures.
WEST VALLEY HIGH SCHOOL CONCESSION STAND	Seasonal Concession	9800 ZIER RD.	YAKIMA	9/27/2013	Routine Inspection	5/5 Inaccurate metal stem thermometer
WHITE HOUSE CAFE	Restaurant	3602 KERN ROAD	YAKIMA	9/10/2013	Routine Inspection	10/10 Improper cold holding, accurate thermometer needed.
ZILLAH HIGH SCHOOL A.S.B. (ATHLETIC EVENTS)	Seasonal Concession	1602 2ND AVE	ZILLAHA	9/27/2013	Routine Inspection	35/38 Hands not washed as required, improperly stocked hand wash sink, inaccurate metal stem thermometer