

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN #2362-14435E	Mini-mart	3908 TERRACE HGTS DR	YAKIMA	1/22/2015	Routine Inspection	0/0
7-ELEVEN STORE 2307-27556G	Mini-mart	1601 FRUITVALE BLVD.	YAKIMA	1/26/2015	Routine Inspection	0/0
A. C. DAVIS HIGH SCHOOL - P.T.A./BOOSTER CLUBS	Seasonal Concession	212 S. 6TH AVE	YAKIMA	1/23/2015	Routine Inspection	55/55 Hands not washed as required, improperly hot holding hot dogs, no metal stem thermometer was available
ANTOJITOS LUCY	Restaurant/Catering	1205 N. 1ST STREET	YAKIMA	1/29/2015	Surveillance Inspection	Building appears closed. No signs of use. Facility may only be used during famers market season. Next inspection scheduled for May 2015.
ANTOJITOS MICHOACAN	Snack Bar	416 6TH ST S	SUNNYSIDE	1/6/2015	Routine Inspection	0/0
BARREL HOUSE	Restaurant	22 N 1ST ST.	YAKIMA	1/2/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BLUE MOON BAR & GRILL	Tavern	624 E EDISON AVE.	SUNNYSIDE	1/30/2015	Routine Inspection	5/5 Inaccurate metal stem thermometer
BOB'S BURGERS & BREW	Restaurant/Lounge	121 N. FAIR AVE	YAKIMA	1/26/2015	Routine Inspection	0/0
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	1/28/2015	Routine Inspection	0/3 Many kitchen surfaces in disrepair
CARNICERIA 2 ESTADOS	Meat Market	602 S. 3RD STREET	YAKIMA	1/26/2015	Routine Inspection	15/20 Missing paper towels at HW sinks, food prep area very dirty.
CENADURIA Y TAQUERIA EL GORDO	Restaurant	809 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/22/2015	Routine Inspection	13/5 Missing FWCs, improper thawing of PHF, no sanitizer available
CENTERPLATE	Catering	10 N. 8TH STREET	YAKIMA	1/15/2015	Routine Inspection	5/5 Missing/expired FWCs
CENTRO BOTANERO EL PARIAN	Restaurant	1214 6TH ST S	YAKIMA	1/13/2015	Routine Inspection	10/10 - No FWC or thermometer available to check temperatures.
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	1/22/2015	Routine Inspection	30/35 Improper hot holding of PHFs, foods were disposed of, expired FWC's.
CHINA TOWN CAFE	Restaurant	14 S SGT PENDLETON WAY	YAKIMA	1/21/2015	Routine Inspection	10/18 Missing FWCs, pooling eggs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CLUB 2103 ON LINCOLN	Tavern	2103 W LINCOLN AVE.	YAKIMA	1/12/2015	Routine Inspection	0/5 Light bulb in produce walk in needs cover.
COCA COLA BOTTLING - YAKIMA & TRI-CITIES		607 E. "R" STREET	YAKIMA	1/26/2015	Routine Inspection	0/0
COCINA ZACATECAS	Mobile	16791 SUMMITVIEW RD. - COWICHE	COWICHE	1/29/2015	Routine Inspection	5/10 Missing FWC's, improper waste water contained.
COUNTRY ROCK CAFE	Restaurant	216 NACHES AVE.	NACHES	1/15/2015	Routine Inspection	30/33 - Expired FWC, BHC with tomatoes, and improper thawing.
DAYS INN	Continental Brkfst	1504 N. 1ST STREET	YAKIMA	1/15/2015	Routine Inspection	0/0
DEVIN'S SHELL	Mini-mart	900 VINTAGE VALLEY PARKWAY	ZILLAH	1/1/2015	Follow-Up Inspection	0/0 They corrected problems from previous inspection.
DOCTOR DELICIOUS Y MAS	Restaurant/Lounge	1102 W NOB HILL BLVD.	YAKIMA	1/5/2015	Pre-Opening Inspection	Need name of business on building
DYKSTRA	Restaurant	114 BIRCH AVE.	GRANDVIEW	1/9/2015	Routine Inspection	0/0
EAGLE LANES SNACK BAR	Snack Bar	307 1/2 W. CHESTNUT	YAKIMA	1/20/2015	Routine Inspection	5/5 - All 4 workers need FWC.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EDDY'S BISTRO	Espresso Stand/Deli	5906 SUMMITVIEW AVE.	YAKIMA	1/23/2015	Routine Inspection	30/30 - Cook needs FWC, BHC with tomatoes.
EL FARO MARISCOS & CANTINA	Restaurant/Lounge	1402 S 1ST ST.	YAKIMA	1/29/2015	Routine Inspection	15/20 Kitchen missing HW sink, not keeping shellfish tags.
EL NOA NOA	Restaurant	4671 N TRACK ROAD	WAPATO	1/7/2015	Routine Inspection	60/66 Missing FWC, hand wash sink was not accessible, improperly hot holding PHF, improperly cold holding PHF
EL PORTON DE PEPE	Restaurant	15 S 5TH AVENUE	YAKIMA	1/29/2015	Routine Inspection	23/15 Inadequate hand washing facilities, improper hot holding of PHF, dishwasher not sanitizing properly, dirty non-food contact surfaces
EL RANCHITO	Restaurant	1319 E. 1ST AVENUE	ZILLAH	1/27/2015	Routine Inspection	5/5 Missing FWCs
EL TACO LOCO	Restaurant	19 W YAKIMA AVE.	YAKIMA	1/14/2015	Routine Inspection	0/3
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	1/6/2015	Routine Inspection	55/60 Expired FWC's, BHC with RTE foods, room temperature storage.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	1/6/2015	Complaint Inspection	Received complaint that there were mice chewing through food packages. Bags of chips and pudding cups, mice feces everywhere. Went to do inspection and all mentioned foods had been removed and surface areas has been cleaned and sanitized. Fiesta foods showed me their extermination reports.(see imaging)
FRIO, FROZEN YOGURT & ESPRESSO	Deli	525 S 6TH ST	SUNNYSIDE	1/30/2015	Routine Inspection	10/10 Unlabeled chemical
GARCIA'S DRIVE THRU # 2	Cafeteria	546 WOODALL RD.	GRANDVIEW	1/12/2015	Routine Inspection	0/0
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	1/12/2015	Routine Inspection	0/0
GRINDER'S ESPRESSO	Espresso Stand	903-A VINTAGE VALLEY PARKWAY	ZILLAH	1/27/2015	Routine Inspection	0/0
HAROLD'S GENERAL MERCHANDISE	Grocery Store	4080 HARRAH RD	HARRAH	1/23/2015	Routine Inspection	5/5 One expired FWC.
HERITAGE UNIVERSITY	Cafeteria	3240 FORT	TOPPENISH	1/15/2015	Routine Inspection	15/15 Improperly reheating PHF
HIGHLAND HIGH SCHOOL CONCESSIONS	Seasonal Concession	17000 SUMMITVIEW	COWICHE	1/13/2015	Routine Inspection	30/30 Hands not washed as required, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 STAFF SGT PENDLETON WAY	YAKIMA	1/23/2015	Routine Inspection	10/10 Improper cold holding of PHF's.
IN N OUT MARKET & DELI	Mini-mart	1513 TIETON DR	YAKIMA	1/9/2015	Compliance Inspection	5/10 Missing FWCs
JACK-SON'S SPORTS BAR	Restaurant/Catering	432 S 48TH AVE.	YAKIMA	1/30/2015	Routine Inspection	10/15 Missing FWCs, inaccurate metal stem thermometer
JIMMY JOHN'S	Restaurant	2550 W. NOB HILL BLVD. STE. # 102 - YAKIMA	YAKIMA	1/26/2015	Routine Inspection	50/50 Missing FWC, hands not washed as required, improperly stocked hand wash sink, improperly cold hold holding PHF, no metal stem thermometer was available
JUGOS NUTRICIONALES	Juice Bar	502 S. 1ST STR. SUITE # 2 - YAKIMA	YAKIMA	1/7/2015	Routine Inspection	0/0
JULIANA'S BOUTIQUE	Fruit Stand	716 1ST ST N	YAKIMA	1/15/2015	Routine Inspection	Currently not operating. Owner will contact when operation resumed.
KENTUCKY FRIED CHICKEN	Restaurant	108 & 110 40TH AV N	YAKIMA	1/15/2015	Routine Inspection	5/15 Missing FWC
KERRI'S CAKES	Bakery	301 KAIL RD	TIETON	1/29/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LEP-RE-KON HARVEST FOODS #6	Grocery Store	145 1ST AVE.	ZILLAH	1/22/2015	Routine Inspection	0/0
MC DONALD'S	Restaurant	3907 RIVER ROAD	YAKIMA	1/5/2015	Complaint Inspection	Facility has water to all sinks. They do not have water to the pop machine area.
MC DONALD'S OF SUNNYSIDE	Restaurant	2200 YAKIMA VLY HWY	SUNNYSIDE	1/22/2015	Routine Inspection	10/10 Public restroom handsinks without hot water.
MC GUIRE'S IRISH RESTAURANT & PUB	Tavern	4807 TIETON DR	YAKIMA	1/14/2015	Routine Inspection	0/5
MELISSA'S CATERING	Mobile	839 W 1st St, Toppenish	TOPPENISH	1/12/2015	Routine Inspection	20/20 Missing FWCs, improperly stocked hand wash sink, no metal stem thermometer was available
				1/22/2015	Surveillance Inspection	Mobile unit was parked at home at 8:30 AM. Commissary kitchen is not being used.
MOCHA TREE ESPRESSO	Espresso Stand	1018 S. 11TH AVE. - YAKIMA	YAKIMA	1/26/2015	Routine Inspection	0/0
MONARCAS RESTAURANTE	Restaurant	210 WAPATO AVE.	WAPATO	1/22/2015	Routine Inspection	50/55 Missing FWC, hands not washed as required, improperly stocked hand wash sink, unlabeled chemical
NACHES VALLEY H.S. BOOSTER CLUBS	Seasonal Concession	101 5TH ST W	NACHES	1/27/2015	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
OLD WESTERN MARKET	Mini-mart	102 E TOPPENISH AVE.	TOPPENISH	1/22/2015	Routine Inspection	10/10 Restroom HW sink missing soap, paper towels.
OZEKI RESTAURANT	Restaurant	1527 SUMMITVIEW AVE.	YAKIMA	1/29/2015	Routine Inspection	30/33 Hands not washed as required, raw meat stored above RTE food
PANADERIA SANTOS	Bakery	810 WISCONSIN AVE	TIETON	1/26/2015	Routine Inspection	5/5 - 2 workers need FWC.
PANDA GARDEN RESTAURANT	Restaurant	3210 PICARD PLACE	SUNNYSIDE	1/27/2015	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	211 S. CHESTNUT ST.	TOPPENISH	1/22/2015	Routine Inspection	0/0
PASTIME	Tavern	125 E. NACHES	SELAH	1/26/2015	Routine Inspection	20/25 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food
PEOPLE FOR PEOPLE - MEALS-ON-WHEELS (SELAH CIVIC CENTER)	Serving Site	216 S 1ST ST.	SELAH	1/9/2015	Routine Inspection	5/5 Dishwasher was not properly sanitizing
PHO KING CRAB	Restaurant	1601 E. WASHINGTON AVE # 104	UNION GAP	1/30/2015	Opening Inspection	Need to install barrier between clean dishes and food preparation sink. Bare wood needs to be sealed. OK to open.



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PUERTO ESCONDIDO	Restaurant/Lounge	811 N 1ST STREET	YAKIMA	1/7/2015	Routine Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
QUICK - PICK	Mini-mart	401 S ELM	TOPPENISH	1/29/2015	Routine Inspection	0/0
QUIZNO'S SUB	Restaurant	5603 SUMMITVIEW #102	YAKIMA	1/9/2015	Routine Inspection	0/15
RAY'S RETAIL MEATS	Meat Market	2109 S 3RD AVE.	UNION GAP	1/21/2015	Routine Inspection	20/20 inadequate handwashing facilities, ROPing w/o variance
RESTAURANT JANITZIO	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	1/9/2015	Follow-Up Inspection	15/18 Missing FWC's, using HW sink to thaw meats.
RIVERSIDE CHRISTIAN SCHOOL	Snack Bar	721 KEYS RD.	YAKIMA	1/16/2015	Routine Inspection	5/5 Missing FWCs
ROCKY MART	Mini-mart	1003 W NOB HILL BLVD	YAKIMA	1/9/2015	Routine Inspection	15/15 - No paper towels at handwash sink in kitchen and no thermometer to monitor food temperatures.
ROSEDELL BED & BREAKFAST	Bed & Breakfast	1811 W. YAKIMA AVE.	YAKIMA	1/23/2015	Routine Inspection	5/5 - Need to update FWC.
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	1/21/2015	Routine Inspection	60/60 Missing FWCs, pooling eggs, improperly cooling PHF, improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFEWAY # 584	Grocery Store	711 W. 1ST AVENUE	TOPPENISH	1/22/2015	Routine Inspection	0/5 Deli cold case missing thermometers.
SILVER DOLLAR INN	Tavern	324 B ST.	MABTON	1/27/2015	Routine Inspection	0/0
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	1/5/2015	Routine Inspection	50/55 PIC was not knowledgeable about food safety practices, food worker cards were not available, hands not washed as required, improperly stocked hand wash sink, no metal stem thermometer was available
				1/12/2015	Follow-Up Inspection	5/10 Missing FWCs
STARBUCKS COFFEE COMPANY # 3220	Espresso Stand	5621 SUMMITVIEW AVE.	YAKIMA	1/8/2015	Routine Inspection	5/5 Missing FWC
STIR CRAZY COFFEE SHOP	Espresso Stand	915 N 4TH ST.	GRANDVIEW	1/23/2015	Routine Inspection	0/0
STONEHENGE TAVERN	Tavern	603 1ST AVE ZILLAH	ZILLAH	1/6/2015	Routine Inspection	0/0
SU MERCADITO	Mini-mart	320 "B" STREET	MABTON	1/27/2015	Routine Inspection	10/10 Missing FWC, missing thermometers
SU MERCADITO # 3	Grocery Store	110 ASH - GRANDVIEW	GRANDVIEW	1/23/2015	Routine Inspection	60/60 Inadequate hand washing facilities, improper hot holding of PHF, Room temp storage of PHF (carne seca & chorizo)
SUBWAY # 4468	Restaurant	2810 E. LINCOLN AVE.	SUNNYSIDE	1/28/2015	Routine Inspection	0/10 Ice scoop stored on ice.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNDANCE ESPRESSO	Espresso Stand	202 S 1ST ST.	SELAH	1/15/2015	Routine Inspection	8/5 Missing FWCs, dirty surfaces
SUNNYSIDE CITY JAIL	Jail	401 HOMER ST.	SUNNYSIDE	1/8/2015	Routine Inspection	0/0
SUNNYSIDE QUALITY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE	1/8/2015	Routine Inspection	0/0
TACO BELL # 30508	Restaurant	1602 W. NOB HILL BLVD	YAKIMA	1/8/2015	Routine Inspection	0/0
TACOS APATZINGAN	Restaurant/Catering	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/22/2015	Routine Inspection	5/0 Missing sanitizer
TACOS LA REYNA	Mobile	1402 Fruitvale Blvd.	YAKIMA	1/20/2015	Routine Inspection	0/0
TAQUERIA CAMARENA	Restaurant/Lounge	1003 W NOB HILL BLVD	YAKIMA	1/9/2015	Routine Inspection	15/15 - No paper towels at handwash sink in kitchen and no thermometer to monitor food temperatures.
TAQUERIA CAMPOS	Restaurant	117 S. WAPATO AVE.	WAPATO	1/28/2015	Routine Inspection	0/0
TAYON'S MARKET	Grocery Store	810 W. WINE COUNTRY RD.	GRANDVIEW	1/9/2015	Routine Inspection	10/10 Restroom sink needs paper towel, soap.
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA	1/16/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE ICE RINK	Snack Bar	1700 E. BEECH	YAKIMA	1/23/2015	Routine Inspection	0/0
UNION GAP CARNICERIA	Meat Market	909 LOWER AHTANUM RD	UNION GAP	1/5/2015	Routine Inspection	40/40 Missing FWCs, blocked hand wash sink, RTS of PHF
VALLEY VIEW MARKET II	Mini-mart	618 E. TOPPENISH AVE.	TOPPENISH	1/22/2015	Routine Inspection	15/20 PIC was not knowledgeable about food safety temperatures, improperly stocked hand wash sink
V'S FROYO BISTRO & BAKERY	Deli	907 A VINTAGE VALLEY PKWY. - ZILLAH	ZILLAH	1/7/2015	Routine Inspection	20/30 - There were no FWC, handwash sink not accessible and no paper towels at handwash sink, and no thermometer to check temperatures of hot held food, need to install food prep sink.
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	1/12/2015	Follow-Up Inspection	0/3
WALMART # 5078-01 (NOB HILL BLVD.)	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	1/30/2015	Routine Inspection	10/15 Improperly stocked hand wash sink
WAPATO DAIRY QUEEN	Restaurant	318 S. WAPATO AVE.	WAPATO	1/28/2015	Routine Inspection	5/5 - Some FWC needed.
WAPATO XPRESS MART	Mini-mart	631 1ST ST W	WAPATO	1/28/2015	Routine Inspection	30/30 - FWC needed, improper hot holding temperatures, need thermometer to check temperatures of hot held food.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WHEELER'S SMOKE & GAS	Mini-mart	7453 SUNNYSIDE MABTON RD	MABTON	1/16/2015	Pre-Opening Inspection	Need copies of lab reports for well, need hot water, soap and paper towel, need air gap for dipper well. See inspection report regarding temporary use of well and septic system until they get approval from County to hook up to city sewer and water.
				1/21/2015	Opening Inspection	Still need test results for bacteria and nitrate for well. Approved to open and sell only prepackaged items until we have bacteria results.
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	1/30/2015	Routine Inspection	15/18 - Improper reheating and thawing.
X-MART	Mini-mart	761 BUENA RD	BUENA	1/21/2015	Routine Inspection	5/5 - Improper hot holding temperatures.
YAKIMA ELK'S LODGE # 318		GOLF COURSE RD.	SELAH	1/30/2015	Routine Inspection	5/5 Missing FWCs, improperly stocked hand wash sink
ZINGIS MONGOLIAN B.B.Q.	Restaurant	2810-B E. LINCOLN AVE. - SUNNYSIDE	SUNNYSIDE	1/30/2015	Routine Inspection	20/20 Improperly cold holding PHF, unlabeled chemical