

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AUNTIE ANNE'S SOFT ROLLED PRETZELS		2529 MAIN ST. # 183	UNION GAP	2/11/2015	Routine Inspection	5/5 Expired FWC's.
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	2/17/2015	Routine Inspection	15/20 Raw meat stored above RTE food, improperly cold holding PHF
BLUE SKY MARKET #2	Grocery Store	330 NORTH STREET	MABTON	2/13/2015	Routine Inspection	35/35 BHC with RTE foods, blocked hand wash.
CARNICERIA LOS AMIGOS	Meat Market	205 WAPATO AV S	WAPATO	2/4/2015	Routine Inspection	20/25 Improperly stocked hand wash sink, raw meat stored next to RTE food, no metal stem thermometer was available
CASCADE CATERING	Catering	13321 U.S. HWY. 12	NACHES	2/13/2015	Routine Inspection	0/0
CENTRAL BISTRO CAFE	Restaurant/Lounge	608 MAPLE STREET	TIETON	2/25/2015	Routine Inspection	15/20 Improperly stocked hand wash sink, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/18/2015	Routine Inspection	50/55 Missing FWC, hands not washed as required, raw meat stored above RTE foods, improper handling of pooled eggs
				2/23/2015	Complaint Inspection	0/3 Liquid and garbage on the ground by the dumpster, no food in bowls on the floor were observed.
CHRISTIE'S CAKES	Bakery	1624 S. 27TH AVE.	YAKIMA	2/20/2015	Routine Inspection	0/0
COFFEE CORRAL	Espresso Stand	802 W. 1ST AVE.	TOPPENISH	2/13/2015	Routine Inspection	5/5 Missing FWC
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	2/23/2015	Routine Inspection	0/0
COWICHE CANYON KITCHEN & ICE HOUSE BAR	Restaurant/Lounge	202 E. YAKIMA AVENUE - YAKIMA	YAKIMA	2/12/2015	Compliance Inspection	
DAIRY QUEEN BRAZIER	Restaurant	403 W MAIN	GRANDVIEW	2/23/2015	Routine Inspection	10/18 Improperly stocked hand wash sink
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	2/17/2015	Routine Inspection	25/44 Improper hot holding, improper thawing, children present in the food prep area.
EAST VALLEY HIGH SCHOOL CONCESSIONS	Seasonal Concession	1900 BEAUDRY ROAD	YAKIMA	2/6/2015	Routine Inspection	10/10 No hand wash setup available
				2/6/2015	Routine Inspection	10/10 No hand wash setup available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL COMPADRE SPORTS BAR & FAMILY RESTAURANT	Restaurant	220 S. WAPATO AVE.	WAPATO	2/17/2015	Routine Inspection	15/25 Missing FWC, improperly stocked hand wash sink
EL DOS DE ORO	Tavern	5 RANCH RITE RD.	YAKIMA	2/2/2015	Routine Inspection	20/20 Missing FWCs, improperly stocked hand wash sink, no metal stem thermometer was available
EL FOGON	Restaurant	1300 YAKIMA VALLEY HWY.	SUNNYSIDE	2/5/2015	Pre-Opening Inspection	Approved to open. Still need a menu submitted.
EL NOA NOA	Restaurant	4671 N TRACK ROAD	WAPATO	2/3/2015	Follow-Up Inspection	25/30 RTS of PHF
EL PORTON	Restaurant	905-A VINTAGE VALLEY PARKWAY	ZILLAH	2/12/2015	Pre-Opening Inspection	Approved to open. Awaiting a floor plan.
EL TAPATIO MEXICAN & AMERICAN RESTAURANT	Restaurant	704 1/2 WISCONSIN AVE..	TIETON	2/3/2015	Routine Inspection	Have gone by many times. There is a sign on window that says they are temporarily closed. Calls have not been returned.
FRATERNAL ORDER OF EAGLES		515 S. DIVISION	TOPPENISH	2/12/2015	Routine Inspection	0/0
GUERRA'S DELI & CAFE	Deli/Catering	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	2/2/2015	Routine Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HIGHWAY ESPRESSO	Espresso Stand	10118 U.S. HIGHWAY 12	NACHES	2/19/2015	Routine Inspection	5/5 Missing FWC
HOLY CROSS ORTHODOX CHURCH	Bakery	706 STEWART ST	YAKIMA	2/6/2015	Routine Inspection	0/0
IN N OUT MARKET & DELI	Mini-mart	1513 TIETON DR	YAKIMA	2/4/2015	Compliance Inspection	0/5
KRACKER BARRELL	Mini-mart	48851 U.S. HWY. 12	NACHES	2/13/2015	Routine Inspection	0/0
LA PACHANGA (MOBILE)	Mobile	Hiland Road & Summitview Road, Cowiche	TIETON	2/9/2015	Routine Inspection	37/30 Missing FWC, Room temp storage of PHF, no sanitizer available, name still needed on side of mobile unit.
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	2/11/2015	Routine Inspection	25/30 Inadequate HW, raw meat above other foods, improper cold holding of PHF's.
LIGHT DELIGHT		1405 36TH AVE, S	YAKIMA	2/5/2015	Routine Inspection	0/0
MC DONALD'S - WAL-MART	Restaurant	1600 E. CHESTNUT	YAKIMA	2/17/2015	Routine Inspection	15/20 Missing FWC's, blocked HW sink.
MERCADO GUADALAJARA 2	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	2/5/2015	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MI PUEBLITO #1	Restaurant	419 TOPPENISH AV E	TOPPENISH	2/12/2015	Routine Inspection	0/0
MILLER'S DAIRY QUEEN	Restaurant	401 W. 1ST AVENUE	TOPPENISH	2/11/2015	Routine Inspection	0/0
MOD SUPERFAST PIZZA	Restaurant	2550 W. NOB HILL BLVD. STE. # 102 - YAKIMA	YAKIMA	2/17/2015	Pre-Opening Inspection	Approved to open
MONARCAS RESTAURANTE	Restaurant	210 WAPATO AVE.	WAPATO	2/4/2015	Follow-Up Inspection	5/5 Missing FWC
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	Restaurant	206 E. WINE COUNTRY RD.	GRANDVIEW	2/20/2015	Routine Inspection	25/30 Missing FWC, blocked hand wash sink, food not in good condition
PIZZA HUT	Restaurant	304 S. 1ST STREET SUITE # 1	SELAH	2/27/2015	Routine Inspection	5/10 Missing FWC
PIZZA HUT / WINGSTREET	Restaurant	2680 YAKIMA VALLEY HWY. # 1	SUNNYSIDE	2/6/2015	Routine Inspection	0/8
POLLO LOCO LOS PANDAS	Restaurant	1314 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/11/2015	Routine Inspection	70/60 Inadequate hand washing facilities, improper cooling of PHF, improper hot holding of PHF, no sanitizer present, inadequate hot water tank for hot water demand

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PUPUSERIA RESTAURANT	Restaurant	2695 E. LINCOLN AVE # E	SUNNYSIDE	2/13/2015	Routine Inspection	20/25 HW sink had dirty dishes, no sanitizer.
RIVERSIDE CHRISTIAN SCHOOL	School	721 KEYS RD.	YAKIMA	2/2/2015	Pre-Opening Inspection	Approved to open.
ROSAUERS FOOD AND DRUG CENTER #39	Grocery Store	410 S. 72ND AVENUE	YAKIMA	2/25/2015	Routine Inspection	15/15 Missing FWC, improperly stocked hand wash sink
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	2/4/2015	Follow-Up Inspection	35/35 Missing FWC, raw meat stored above RTE food, improperly cooling PHF
				2/25/2015	Follow-Up Inspection	5/5 Missing FWC
				2/25/2015	Complaint Inspection	Restrooms are clean. Floors of restrooms are clean. No employees were cutting the vegetables in the dining area. There were employees cutting vegetables in the back kitchen area.
SAKURA TERIYAKI & SUSHI	Restaurant	2000 E. YAKIMA VALLEY HWY.	SUNNYSIDE	2/18/2015	Routine Inspection	25/28 Improperly handling pooled eggs, improperly cooling PHF
SELAH CONOCO FOOD MART	Mini-mart	301 S. 1ST STREET	SELAH	2/9/2015	Routine Inspection	5/5 Missing FWC
SKIPPER'S SEAFOOD & CHOWDER HOUSE	Restaurant	2150 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/13/2015	Routine Inspection	10/15 Missing FWCs, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STICKY FINGERS BAKERY & CAFE	Restaurant	217 NACHES AVE.	NACHES	2/19/2015	Routine Inspection	10/20 Missing FWC, no metal stem thermometer was available
SU MERCADITO # 3	Grocery Store	110 ASH - GRANDVIEW	GRANDVIEW	2/11/2015	Follow-Up Inspection	Inspection passed
SUBWAY # 13437	Restaurant	501 1ST. ST. - SELAH	SELAH	2/5/2015	Pre-Opening Inspection	Approved to open.
SUBWAY # 33723	Restaurant	425 S. ELM	TOPPENISH	2/13/2015	Routine Inspection	5/18 Missing FWCs
SWEET BEES	Restaurant	1510 SUMMITVIEW	YAKIMA	2/23/2015	Routine Inspection	25/25 Hands not washed as required
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	2/18/2015	Routine Inspection	20/20 Improperly stocked hand wash sinks, food not in good condition
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	2/23/2015	Follow-Up Inspection	0/0
TAPROOM ON THE AVE.	Restaurant/Lounge	120 E. YAKIMA AVENUE	YAKIMA	2/3/2015	Routine Inspection	0/0
THE CHERRY PATCH MINI MART	Mini-mart	101 W. 1ST AVE.	ZILLAH	2/27/2015	Routine Inspection	25/25 Improperly cooling PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE ORION CINEMA AND MICKEY'S PUB	Restaurant/Lounge	202 E CHESTNUT STR	YAKIMA	2/3/2015	Routine Inspection	10/10 Inadequate hand washing facilities
TOM TOM ESPRESSO ON 11TH AVE.	Espresso Stand	111 S 11TH AVENUE #120	YAKIMA	2/6/2015	Pre-Opening Inspection	Approved to open after espresso machine is plumbed into floor sink.
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	2/20/2015	Complaint Inspection	No signs of infestation during inspection. Several measures are in place to prevent cockroaches. YGM currently contracts with an exterminator who visits regularly. YGM management states that because of the population they serve, they are constantly managing these issues. Management is competent and informed regarding insect infestations and appears to be taking appropriate control measures.
WAFFLES CAFFE	Restaurant	7200 W. NOB HILL BLVD.	YAKIMA	2/25/2015	Routine Inspection	5/5 Inaccurate metal stem thermometer
WALGREENS # 12053	Grocery Store	6400 W. NOB HILL BLVD.	YAKIMA	2/4/2015	Routine Inspection	0/0
WHISTLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	2/26/2015	Routine Inspection	20/23 Missing FWC, improperly cold holding PHF, need consumer advisory for raw or undercooked foods
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	2/25/2015	Routine Inspection	30/35 Missing FWC, hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Cateri ng	2304 W. NOB HILL BLVD.	YAKIMA	2/12/2015	Routine Inspection	0/10
YAKIMA POLICE DEPARTMENT JAIL	Jail	200 3RD ST S	YAKIMA	2/22/2015	Routine Inspection	10/10 Missing FWCs, no metal stem thermometer was available