

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION.
35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact
 DOH: Washington State Department of Health
 FDA: Food and Drug Administration
 FWC: Food Worker Card
 HACCP: Hazard Analysis Critical Control Point
 PHF: Potentially Hazardous Food
 PIC: Person in Charge
 ROP: Reduced Oxygen Packaging
 RTE: Ready to Eat
 RTS: Room Temperature Storage
 USDA: United States Department of Agriculture
 WAC: Washington Administrative Code
 WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN #2362- 14435E	Mini-mart	3908 TERRACE HGTS DR	YAKIMA	3/17/2016	Routine Inspection	0/0
7-ELEVEN STORE 2307-27556G	Mini-mart	1601 FRUITVALE BLVD.	YAKIMA	3/17/2016	Routine Inspection	0/0
ANTOJITOS MICHOCAN	Snack Bar	418 S. 6TH ST - SUNNYSIDE	SUNNYSIDE	3/10/2016	Routine Inspection	0/5 Missing and inaccurate thermometers in refrigerators
APPLE BIN SHELL	Mini-mart	3707 W. NOB HILL BLVD.	YAKIMA	3/24/2016	Routine Inspection	0/5 No thermometer in refrigerator containing PHF
BAMBOO THAI CUISINE	Restaurant/Cateri ng	306 S. 1ST ST.	YAKIMA	3/2/2016	Pre-Opening Inspection	Approved to open.
BLUE MOON BAR & GRILL	Tavern	624 E EDISON AVE.	SUNNYSIDE	3/10/2016	Routine Inspection	5/11 Expired FWC's, water bottle stored in ice supply, no handwash signs in restrooms

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BOB'S BURGERS & BREW	Restaurant/Lounge	121 N. FAIR AVE	YAKIMA	3/10/2016	Routine Inspection	30/40 Hands not washed as required, metal stem thermometer was not used to evaluate temperature of PHFs, potential food contamination not prevented during preparation, deli slicer had not been cleaned thoroughly
BONZI'S	Deli	615 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	3/10/2016	Pre-Opening Inspection	Facility is approved to open
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	3/30/2016	Routine Inspection	0/0
BUFFALO WILD WINGS	Restaurant/Lounge	2551 MAIN ST. (BUFALO WILD WINGS)	UNION GAP	3/9/2016	Routine Inspection	0/0
BURGER RANCH OF SELAH	Restaurant	9 1ST ST S	SELAH	3/5/2016	Routine Inspection	25/25 BHC with RTE foods.
CENADURIA Y TAQUERIA EL GORDO	Restaurant	809 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	3/18/2016	Routine Inspection	0/0
CENTERPLATE	Catering	10 N. 8TH STREET	YAKIMA	3/17/2016	Routine Inspection	10/20 Handwash facilities improperly stocked, temperature guage for hot holding case is not functioning
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	3/8/2016	Routine Inspection	0/0
CIRCLE INN	Tavern	310 S. MAIN ST.	GRANGER	3/17/2016	Routine Inspection	35/35 PIC was not knowledgeable about food safety practices, no FWCS were available, improperly stocked hand wash sink, improperly cooling PHF, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CIRCLE K STORE #2706042	Mini-mart	10171 HWY 12	NACHES	3/28/2016	Routine Inspection	0/0
CLUB 2103 ON LINCOLN	Tavern	2103 W LINCOLN AVE.	YAKIMA	3/29/2016	Routine Inspection	30/40 Missing FWCs, improperly cooling PHF, surfaces in kitchen are not smooth and easily cleanable, need test strips for sanitizer for dishwasher
COCA COLA BOTTLING - YAKIMA & TRI-CITIES		607 E. "R" STREET	YAKIMA	3/15/2016	Routine Inspection	0/0
COCINA ZACATECAS	Mobile	16791 SUMMITVIEW RD. - COWICHE	COWICHE	3/24/2016	Routine Inspection	35/40 Improperly stocked hand wash sink, improperly cooling PHF, wastewater improperly disposed
COLLEGE MART	Mini-mart	1106 W NOB HILL BLVD	YAKIMA	3/17/2016	Routine Inspection	5/5 Expired FWC's
CROSSMARK - WALMART # 2241	Grocery Store	2675 E. LINCOLN AVE.	SUNNYSIDE	3/1/2016	Routine Inspection	Several inspections have been attempted. Sampling service operates randomly and for short periods of time.
CROSSMARK - WALMART # 2269	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	3/1/2016	Routine Inspection	Several inspections have been attempted. Sampling service operates randomly and for short periods of time.
CROSSMARK - WALMART # 5078	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	3/1/2016	Routine Inspection	Several inspections have been attempted. Sampling service operates randomly and for short periods of time.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DAIRY QUEEN BRAZIER	Restaurant	403 W MAIN	GRANDVIEW			
				3/7/2016	Routine Inspection	0/0
DAYS INN	Continental Brkfst	1504 N. 1ST STREET	YAKIMA			
				3/23/2016	Routine Inspection	10/10 Milk, eggs, and yogurt at 45 degrees in small refrigerator, no thermometer to monitor temperature
DUTCH BROS. COFFEE	Espresso Stand	6520 W. NOB HILL BLVD	YAKIMA			
				3/24/2016	Routine Inspection	15/15 Missing FWCS, improperly stocked hand wash sink
DYKSTRA	Restaurant	114 BIRCH AVE.	GRANDVIEW			
				3/30/2016	Routine Inspection	0/0
EAGLE LANES SNACK BAR	Snack Bar	307 1/2 W. CHESTNUT	YAKIMA			
				3/30/2016	Routine Inspection	0/0
EL MERCADO GRANDVIEW	Grocery Store	206 N EUCLID	GRANDVIEW			
				3/2/2016	Routine Inspection	5/5 Raw meat stored above RTE food
EL TACO LOCO	Restaurant	19 W YAKIMA AVE.	YAKIMA			
				3/17/2016	Routine Inspection	25/25 BHC with RTE food
EL TAPATIO MEXICAN & AMERICAN RESTAURANT	Restaurant	704 1/2 WISCONSIN AVE..	TIETON			
				3/28/2016	Routine Inspection	Several inspections have been attempted. Owner operates establishment rarely and randomly. Next inspection has been rescheduled.
ELI & KATHY'S FAMILY RESTAURANT	Restaurant	813 WINE COUNTRY ROAD	GRANDVIEW			
				3/7/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FRIO	Deli	525 S 6TH ST	SUNNYSIDE		3/18/2016 Routine Inspection	0/0
GAP COFFEE COMPANY	Espresso Stand	2630 MAIN ST	UNION GAP		3/8/2016 Pre-Opening Inspection	Need corrections, see inspection form
					3/10/2016 Pre-Opening Inspection	Ok to open once fees are paid. Check crevices on floor to left of espresso machine at first routine inspection.
					3/29/2016 Routine Inspection	15/31 Handwash sinks improperly stocked, raw meat stored above RTE food, refrigerator missing thermometer, improper storage of ice-scoop, dishwasher not dispensing sanitizer, no handwash signs in restrooms
GIGI'S ESPRESSO	Espresso Stand	208 N 5TH AVE	YAKIMA		3/17/2016 Routine Inspection	Attempted inspection. Facility closed and locked. Next inspection rescheduled.
GRANDVIEW CHURCH OF THE NAZARENE	Rest - Seasonal	500 N. ELM STREET	GRANDVIEW		3/2/2016 Routine Inspection	5/5 Metal stem thermometer was not available
GRINDER'S ESPRESSO	Espresso Stand	903-A VINTAGE VALLEY PARKWAY	ZILLAH		3/24/2016 Routine Inspection	10/10 FWC, milk at 45 degrees in refrigerator.
GRIZZLY ESPRESSO	Espresso Stand	3602 FRUITVALE BLVD	YAKIMA		3/2/2016 Routine Inspection	0/0
GUERRA'S DELI & CAFE	Deli/Catering	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE		3/19/2016 Catering Routine Inspection	15/17 Improperly stocked hand wash sink, no metal stem thermometer was available, no valid food license posted at site

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HAROLD'S GENERAL MERCHANDISE	Grocery Store	4080 HARRAH RD	HARRAH	3/31/2016	Routine Inspection	0/0
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 STAFF SGT PENDLETON WAY	YAKIMA	3/31/2016	Routine Inspection	35/40 Improper hot holding of PHF, improper cold holding of PHF, dishwashing without sanitizer
HORIZON'S EDGE WINERY	Winery	4530 E. ZILLAH DR.	ZILLAH	3/18/2016	Routine Inspection	Inspection attempted. Hours of operation have changed. Next inspection has been rescheduled accordingly.
HOTEL MAISON	Continental Brkfst	321 E. YAKIMA AVENUE	YAKIMA	3/31/2016	Routine Inspection	0/0
JACK-SON'S SPORTS BAR	Restaurant/Cateri ng	432 S 48TH AVE.	YAKIMA	3/17/2016	Routine Inspection	50/68 Kitchen hand wash sink was blocked, wings were cooling improperly, no metal stem thermometer was available for cooking thin meats, some bare wood that needs to be sealed, need test strips for the sanitizing solution, deli slicer has not been cleaned thoroughly, need hand wash sign in the restrooms.
JIMMY JOHN'S	Restaurant	2550 W. NOB HILL BLVD STE# 106 - YAKIMA	YAKIMA	3/17/2016	Routine Inspection	0/0
JUGOS NUTRICIONALES	Juice Bar	502 S. 1ST STR. SUITE # 2 - YAKIMA	YAKIMA	3/21/2016	Routine Inspection	25/30 Milk at room temperature outside refrigerator, uncovered cut fruit in refrigerator at 40 degrees.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KRACKER BARRELL	Mini-mart	48851 U.S. HWY. 12	NACHES	3/17/2016	Routine Inspection	0/0
KYOTO STEAKHOUSE	Restaurant	2405 W WASHINGTON AVE 150	YAKIMA	3/15/2016	Follow-Up Inspection	0/0 All problems from previous inspection have been fixed.
MC DONALD'S OF SUNNYSIDE	Restaurant	2200 YAKIMA VLY HWY	SUNNYSIDE	3/18/2016	Routine Inspection	0/0
MC GUIRE'S IRISH RESTAURANT & PUB	Tavern	4807 TIETON DR	YAKIMA	3/24/2016	Routine Inspection	5/8 Raw meat stored above RTE food, need to post hand wash sign in restroom
MERCADO LATINO II	Meat Market	718 S. 6TH STREET	YAKIMA	3/15/2016	Follow-Up Inspection	0/0
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	3/1/2016	Routine Inspection	65/75 PIC is not knowledgeable about food safety practices, missing FWCs, hands not washed as required, blocked hand wash sink, improperly stocked hand wash sink, RTS of PHF
MOCHA TREE ESPRESSO	Espresso Stand	1018 S. 11TH AVE. - YAKIMA	YAKIMA	3/9/2016	Routine Inspection	0/0
MONARCAS RESTAURANTE	Restaurant	210 WAPATO AVE.	WAPATO	3/2/2016	Routine Inspection	5/5 Shellfish tags were not being kept.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NANCY'S DINER	Restaurant	313 EAST WINE COUNTRY ROAD	GRANDVIEW			
				3/7/2016	Routine Inspection	35/40 Improperly stocked hand wash sink, PHF improperly hot held, no sanitizer solution was prepared
OLD TOWN CAFE	Espresso Stand	2 ASOTIN AVE	TOPPENISH			
				3/9/2016	Routine Inspection	0/0
OZEKI RESTAURANT	Restaurant	1527 SUMMITVIEW AVE.	YAKIMA			
				3/17/2016	Routine Inspection	40/40 Improperly hot held PHF, inaccurate metal stem thermometer, unlabeled chemical
PANADERIA SANTOS	Bakery	810 WISCONSIN AVE	TIETON			
				3/24/2016	Routine Inspection	0/8 Dirty surfaces and excess clutter in food preparation areas, plugged sink
PANDA GARDEN RESTAURANT	Restaurant	3210 PICARD PLACE	SUNNYSIDE			
				3/30/2016	Routine Inspection	5/5 Inaccurate thermometer.
PAPA MURPHY'S PIZZA	Restaurant	211 S. CHESTNUT ST.	TOPPENISH			
				3/9/2016	Routine Inspection	0/0
PASTIME	Tavern	125 E. NACHES	SELAH			
				3/21/2016	Routine Inspection	15/25 Missing FWCS, improperly stocked hand wash sink, wall behind kitchen wash sink needs to be painted or sealed, dishes are not being sanitized by the mechanical dishwasher
PEPE'S BAKERY	Bakery	636 DECATUR AVE.	SUNNYSIDE			
				3/14/2016	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT # 11	Restaurant	2002 W. NOB HILL BLVD.	YAKIMA	3/24/2016	Routine Inspection	0/0
					Routine Inspection	10/10 Improperly cold holding PHF
PRONTO MARKET	Grocery Store	103 S. MAIN	GRANGER	3/24/2016	Routine Inspection	5/10 No FWC, cheese not labeled
					Routine Inspection	5/5 Missing FWCs
QUICK - PICK	Mini-mart	401 S ELM	TOPPENISH	3/28/2016	Routine Inspection	
R.C.'S	Restaurant/Lounge	31 A RAY RD.	SUNNYSIDE	3/17/2016	Routine Inspection	15/15 Improper reheating of PHF's.
RASPADOS DONA CHELITO #2	Restaurant	1006 S 3RD AVE	YAKIMA	3/7/2016	Pre-Opening Inspection	Approved to open.
RAY'S RETAIL MEATS	Meat Market	2109 S 3RD AVE.	UNION GAP	3/31/2016	Routine Inspection	15/15 Expired FWC's, ROPing without a variance, improper labeling of vacuum packaged meats
RESTAURANTE LAS ISLAS	Restaurant	633 EDISON	SUNNYSIDE	3/10/2016	Routine Inspection	25/38 Blocked handwash sinks, no shellstock ID tags for oysters, improper storage of toxic substances, many rodent droppings observed in storage area, improper storage of ice-scoop, no sanitizer available for dishwashing
ROCKING M RANCH CAFE	Mobile		NACHES	3/3/2016	Routine Inspection	Routine inspection was attempted but facility is not operating at this time. Inspection was rescheduled.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROCKY MART	Mini-mart	1003 W NOB HILL BLVD	YAKIMA		3/7/2016 Routine Inspection	5/10 Thermometer missing, potential food contamination during storage.
ROSEDELL BED & BREAKFAST	Bed & Breakfast	1811 W. YAKIMA AVE.	YAKIMA		3/31/2016 Routine Inspection	0/0
SILVER DOLLAR INN	Tavern	324 B ST.	MABTON		3/14/2016 Routine Inspection	5/5 Inadequate thermometer.
SKY BAR & LOUNGE	Restaurant/Lounge	13 S. 1ST ST. e	YAKIMA		3/11/2016 Routine Inspection	10/10 Missing FWC's, no consumer advisory on menu for raw or undercooked foods
STARBUCKS COFFEE # 9680	Espresso Stand	2409 S 1ST ST	YAKIMA		3/11/2016 Routine Inspection	0/0
STARBUCKS COFFEE COMPANY # 3220	Espresso Stand	5621 SUMMITVIEW AVE.	YAKIMA		3/9/2016 Routine Inspection	0/0
STICKY FINGERS BAKERY & CAFE	Restaurant	217 NACHES AVE.	NACHES		3/17/2016 Routine Inspection	0/0
STIR CRAZY COFFEE SHOP	Espresso Stand	915 N 4TH ST.	GRANDVIEW		3/14/2016 Routine Inspection	0/0
STOP N' GO DRIVE IN	Restaurant	2820 FRUITVALE BLVD.	YAKIMA		3/18/2016 Routine Inspection	15/15 Improperly stocked hand wash sink, raw meat stored next to RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SU MERCADITO	Mini-mart	320 "B" STREET	MABTON	3/14/2016	Routine Inspection	45/50 Expired FWC's, inadequate HW sink, improper cooling of PHF's, no metal stem thermometer, foods not labeled. Follow up inspection required.
SU MERCADITO # 3	Mult Food Service	110 ASH - GRANDVIEW	GRANDVIEW	3/7/2016	Routine Inspection	65/73 Food contact surfaces used for raw meat not properly cleaned or sanitized, PHF improperly hot held, RTS of PHF, no thermometer in refrigerator, restroom improperly stocked. Follow up inspection is required.
				3/30/2016	Follow-Up Inspection	40/43 Meat slicer is not cleaned and sanitized after use, RTS of PHF, improper thawing methods. Compliance inspection is required.
SUBWAY	Restaurant	905 -B VINTAGE VALLEY PARKWAY	ZILLAH	3/24/2016	Routine Inspection	0/0
SUBWAY # 18869	Restaurant	1300 N. 40TH AVE. # 117	YAKIMA	3/21/2016	Routine Inspection	5/5 No FWC
SUBWAY # 4468	Restaurant	2810 E. LINCOLN AVE.	SUNNYSIDE	3/24/2016	Routine Inspection	0/0
SUNDANCE ESPRESSO	Espresso Stand	202 S 1ST ST.	SELAH	3/31/2016	Routine Inspection	35/38 Broken handwash sink, RTS of PHF, floor has not been cleaned thoroughly
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	3/7/2016	Routine Inspection	10/10 Missing FWCs, inaccurate metal stem thermometer
SUNNYSIDE CITY JAIL	Jail	401 HOMER ST.	SUNNYSIDE	3/10/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE QUALITY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE			
				3/24/2016	Routine Inspection	40/45 No FWC, PHF improperly cold held, PHF improperly hot held, sanitizer not being used. Follow up inspection is required.
TACO BELL # 30508	Restaurant	1602 W. NOB HILL BLVD	YAKIMA			
				3/9/2016	Routine Inspection	0/5
TACO BELL #30515	Restaurant	230 S. 72ND AVE.	YAKIMA			
				3/17/2016	Routine Inspection	0/0
TACOS APATZINGAN	Restaurant/Cateri ng	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE			
				3/14/2016	Routine Inspection	5/5 Inadequate thermometer.
TACOS EL REY II	Restaurant	6712 TIETON DR	YAKIMA			
				3/23/2016	Routine Inspection	45/50 Hands not washed as required, improperly stocked hand wash sink, unlabeled chemical, some bare wood needs to be sealed in the kitchen
TACOS LA REYNA	Mobile	1402 Fruitvale Blvd.	YAKIMA			
				3/29/2016	Routine Inspection	40/40 Missing FWC, no hot water available in mobile unit, no receipts available for meat, improperly cold holding PHF. Facility was closed and allowed to re-open when items had been corrected.
TACOS MI PUEBLO	Mobile	Wyckoff and Olson	GRANDVIEW			
				3/9/2016	Pre-Opening Inspection	Name of business must be permanently posted on mobile unit. Unit is currently posting name with cardboard sign.
TAYON'S MARKET	Grocery Store	810 W. WINE COUNTRY RD.	GRANDVIEW			
				3/7/2016	Routine Inspection	35/43 Restroom handwash sink has no hot water, PHF improperly hot held, no thermometer in refrigerator, improper thawing methods

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA		3/17/2016 Routine Inspection	0/0
THE ELMS BED & BREAKFAST	Bed & Breakfast	1000 BLAINE AVE.	SUNNYSIDE		3/28/2016 Routine Inspection	Attempted routine inspection but facility was not operating at the time.
THE ICE RINK	Snack Bar	1700 E. BEECH	YAKIMA		3/19/2016 Routine Inspection	0/0
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE		3/8/2016 Routine Inspection	25/28 Missing FWCs, blocked hand wash sink, unlabeled chemical, need hand wash sign in restroom
THE SPICY QUESADILLA	Restaurant	227 S TOPPENISH AVE.	TOPPENISH		3/30/2016 Routine Inspection	10/10 Inadequate hand wash sink, potential contamination of ice.
THE WAREHOUSE RESTAURANT & LOUNGE	Restaurant/Lounge	705 RAILROAD AVE	ZILLAH		3/15/2016 Routine Inspection	5/5 Improper handling of pooled eggs
TIETON CIDER WORKS	Winery	619 W "J" STREET	YAKIMA		3/7/2016 Routine Inspection	0/0
TUCKER CELLARS	Winery	70 RAY RD.	SUNNYSIDE		3/1/2016 Routine Inspection	0/0
TWO MOUNTAIN WINERY	Winery	2151 CHEYNE RD	ZILLAH		3/17/2016 Routine Inspection	5/5 Expired FWC's

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
VALLEY VIEW MARKET II	Mini-mart	618 E. TOPPENISH AVE.	TOPPENISH	3/23/2016	Routine Inspection	25/25 Improperly hot holding PHF
WALGREENS # 09911	Grocery Store	4001 SUMMITVIEW AVE. # 3	YAKIMA	3/24/2016	Routine Inspection	0/5 No thermometer in refrigerator containing PHF
WAPATO XPRESS MART	Mini-mart	631 1ST ST W	WAPATO	3/2/2016	Routine Inspection	5/5 Various employees missing FWC's.
WHIPS	Espresso Stand	622 2ND AVE	ZILLAH	3/22/2016	Routine Inspection	20/20 No FWC's present, inadequate HW sink, missing thermometer.
WHISTLIN' JACK LODGE	Mult Food Service	20800 HWY 410	NACHES	3/9/2016	Routine Inspection	35/43 Improper handling of pooled eggs, improper cooling methods, improper cold holding of PHF, ice scoop stored on dirty surface, dirty cutting board and meat slicer
WOODSHED RESTAURANT & LOUNGE	Restaurant/Loung	8590 HWY 410 e	NACHES	3/2/2016	Routine Inspection	5/16 Expired FWC, inaccurate refrigerator thermometers, improper storage of ice-scoop, meat refrigerator needs cleaning
X-MART	Mini-mart	761 BUENA RD	BUENA	3/30/2016	Routine Inspection	3/0 Dirty non-food contact surfaces
YUMMY MEATS	Mobile			3/29/2016	Complaint Inspection	Facility was closed after they were found operating without a Yakima County food license.