

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
40TH AVE. ESPRESSO	Espresso Stand	1207 N 40TH AVE	YAKIMA	5/31/2016	Routine Inspection	0/0
7-ELEVEN #2307- 27470C	Mini-mart	810 YAKIMA AV E	YAKIMA	5/6/2016	Routine Inspection	0/0
ADAMS ELEMENTARY SCHOOL	School	1309 S. CAMAS	WAPATO	5/18/2016	Routine Inspection	0/0
AM/PM	Mini-mart	1601 W WASHINGTON AVE.	YAKIMA	5/23/2016	Routine Inspection	0/5 PHF in freezer not covered.
AMERISTAR #19	Mini-mart	3602 TIETON DR	YAKIMA	5/5/2016	Routine Inspection	5/5 Food out of temperature in warmer - corrected while on site.
ANTOJITOS LUCY	Restaurant/Cateri ng	1205 N. 1ST STREET	YAKIMA	5/7/2016	Catering Routine Inspection	15/20 Missing FWCs, improperly use of chemical, corn stored on the ground

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ANTOJITOS MEXICANOS RESTAURANT MI TIERRA	Restaurant	3512 SUMMITVIEW AVE	YAKIMA	5/24/2016	Routine Inspection	25/28 Improperly cooling PHF, need to post a hand wash sign in restroom
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Lounge	1505 E. WASHINGTON AVE.	UNION GAP	5/2/2016	Routine Inspection	5/10 Missing FWCs, cooled food was uncovered
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	5/23/2016	Routine Inspection	0/0
BELLA BREW	Deli	220 W. 1ST STREET - WAPATO	WAPATO	5/13/2016	Routine Inspection	0/0
BIG WOLF MINI MARKET	Mini-mart	67831 HIGHWAY 97	WAPATO	5/13/2016	Routine Inspection	0/0
BI-MART # 626	Grocery Store	1207 N. 40TH AVE. - YAKIMA	YAKIMA	5/24/2016	Routine Inspection	0/5 Missing pull dates on PHF in refrigerator
BLUE HILLS TAQUERIA	Restaurant	1112 1/2 TIETON DR.	YAKIMA	5/6/2016	Routine Inspection	10/10 Need refrigeration unit for condiments (no ice around them either).
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	5/16/2016	Routine Inspection	5/10 Inaccurate thermometer, dishwasher not sanitizing.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BONZI'S	Deli	615 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	5/16/2016	Routine Inspection	0/0
BURGER KING - SO. 1ST # 8029678	Restaurant	2113 S. 1ST STREET	YAKIMA	5/31/2016	Other Inspection	A fire occurred in fryer area on 5/30. All exposed foods and single-service items have been discarded. All surfaces have been cleaned and sanitized. HVAC system is running and filters changed. ABC Fire has serviced and cleaned affected areas and all fire control systems have been re-activated. Approved to re-open.
BURGER KING # 8029677	Restaurant	2611 W NOB HILL	YAKIMA	5/6/2016	Routine Inspection	0/0
BURGER RANCH OF SELAH	Restaurant	9 1ST ST S	SELAH	5/24/2016	Follow-Up Inspection	25/25 Hands not washed as required
CAMAS ELEMENTARY SCHOOL	School	910 S. CAMAS	WAPATO	5/18/2016	Routine Inspection	0/0
CARL'S JR.	Restaurant	2500 YAKIMA VALLEY HWY	SUNNYSIDE	5/12/2016	Routine Inspection	25/25 Room temperature storage of PHF, improper use of time as a control
CASH & CARRY SMART FOODSERVICE# 574	Grocery Store	1406 E. MEAD AVENUE	UNION GAP	5/31/2016	Routine Inspection	0/0.
CENTRAL BISTRO CAFE	Restaurant	3202 MAIN ST. - UNION GAP	UNION GAP	5/10/2016	Routine Inspection	Food service is not currently operating at this site.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	5/16/2016	Routine Inspection	0/0
CHRONIC FOODS	Mobile		YAKIMA	5/12/2016	Routine Inspection	0/5 No sanitizer available.
COCO'S AHTANUM	Mini-mart	1504 LOWER AHTANUM RD.	UNION GAP	5/6/2016	Routine Inspection	0/0
CONQUISTADOR	Restaurant/Catering	214 S. 6TH ST. UNIT # 7	SUNNYSIDE	5/12/2016	Routine Inspection	30/33 Raw chicken stored above other meat, improper cooling procedures, no handwash signs in employee restrooms
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	5/26/2016	Routine Inspection	10/10 Improperly stocked hand wash sink
CROSSROADS MARKET	Grocery Store	4641 N. TRACK RD.	WAPATO	5/26/2016	Follow-Up Inspection	0/0
DOLLAR TREE # 2387	Grocery Store	703 W. NOB HILL BLVD. - YAKIMA	YAKIMA	5/6/2016	Routine Inspection	0/0
DOLLAR TREE # 4295	Grocery Store	140 S. 72ND AVE.	YAKIMA	5/18/2016	Routine Inspection	0/0
EAST VALLEY MARKET	Mini-mart	7208 POSTMA RD.	YAKIMA	5/19/2016	Routine Inspection	5/0 Hot holding at 130 degrees F.
EAST VALLEY YOUTH BASEBALL	Snack Bar - Seasonal	0 EKELMAN RD/SCHOOL	MOXEE	5/25/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EGLEY'S SPORTS BAR	Tavern	627 E. EDISON AVE.	SUNNYSIDE	5/26/2016	Routine Inspection	10/23 Missing FWC, inaccurate metal stem thermometers, missing thermometer in refrigerator, no sanitizer for dishwashing, no handwash signs in employee restrooms
EL CHARRO TORTILLAS	Grocery Store	15 ALDER	TOPPENISH	5/11/2016	Routine Inspection	5/10 Sour cream not labeled, milk at 45 degrees.
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	5/18/2016	Routine Inspection	50/53 Hands not washed as required, BHC with RTE food, unlabeled chemicals, improperly thawing PHF
FERNANDO'S MEXICAN FOOD	Restaurant/Lounge	802 WISCONSIN AVENUE	TIETON	5/2/2016	Routine Inspection	10/20 Improper refrigeration equipment, no thermometer available in kitchen, no sanitizer available
FIESTA FOODS	Mult Food Service	1008 E. NOB HILL BLVD.	YAKIMA	5/20/2016	Routine Inspection	35/45 Missing FWC's, inaccessible and improperly stocked handwash stations, improper record keeping of shellfish tags, improper hot holding of PHF, improper cold holding of PHF, missing and inaccurate thermometers in refrigeration units throughout facility, dishes are being washed in food prep sink
GALAXY TAQUERIA	Mobile		SUNNYSIDE	5/31/2016	Routine Inspection	30/30 No gloves available to prevent BHC with RTE food, no FWC's available for inspection
GARFIELD ELEMENTARY SCHOOL	School	505 MADISON AV	TOPPENISH	5/18/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GLEED MART AND TERIYAKI	Grocery Store	3361 MAPLEWAY	YAKIMA	5/6/2016	Routine Inspection	10/23 Thermometers needed in refrigeration units. Need general cleaning, both food/non-food surfaces.
GOLD CREEK STATION	Restaurant	18431 STATE RT 410	NACHES	5/11/2016	Routine Inspection	5/5 Expired FWC's
GRANGER HIGH SCHOOL CONCESSIONS	Seasonal Concession	315 MENTZER AVE	GRANGER	5/2/2016	Routine Inspection	Routine inspection was attempted but facility is not being used for the rest of the school year. Routine inspection has been rescheduled.
GREATER YAKIMA GIRLS SOFTBALL ASSOCIATION	Snack Bar - Seasonal	CARLON PK - GOODLANDER RD.	SELAH	5/24/2016	Routine Inspection	0/0
HIGHLAND QUICK STOP	Mini-mart	16841 SUMMITVIEW RD	COWICHE	5/4/2016	Routine Inspection	5/10 No FWC's available for inspection, wiping cloths are not properly stored in sanitizer
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	5/12/2016	Routine Inspection	5/13 No consumer advisory for raw or undercooked food, no thermometer in refrigerator, many nonfood contact surfaces need cleaning
JNT CONCESSIONS WINEY DOGS	Deli/Catering	3 N. 6TH AVE. - YAKIMA	YAKIMA	5/31/2016	Pre-Opening Inspection	Food prep sink must be indirectly drained and fees paid.
KENTUCKY FRIED CHICKEN	Restaurant	415 S ELM	TOPPENISH	5/19/2016	Routine Inspection	5/0 Three foodworker cards need to be renewed including Mgr.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KIM'S GOT SMOKE B.B.Q.	Mobile		UNION GAP	5/12/2016	Routine Inspection	0/0
LA GUADALUPANA EXPRESS # 2	Mobile		HARRAH	5/12/2016	Routine Inspection	0/0
LA MILPA MARKET	Mini-mart	602 1/2 W NOB HILL BLVD.	YAKIMA	5/23/2016	Routine Inspection	0/0
LA NACIONAL	Grocery Store	506 S. 1ST STREET	YAKIMA	5/23/2016	Follow-Up Inspection	0/0
LA PLACITA DE DON MAX	Grocery Store	205 S. WAPATO AVE.	WAPATO	5/13/2016	Routine Inspection	10/15 No soap at hand wash sink. No sanitizer.
LAREDO DRIVE-IN	Restaurant	9921 HWY. 12	NACHES	5/5/2016	Routine Inspection	5/5 Condiments fridge slightly warm.
LAS PALMAS NIGHTCLUB	Restaurant	109 S. WAPATO AVE.	WAPATO	5/26/2016	Routine Inspection	0/0
LIMBA'S KITCHEN	Mobile		SUNNYSIDE	5/24/2016	Routine Inspection	20/27 Expired FWC, inaccurate metal stem thermometer, improper storage of a toxic substance, dirty eating utensils, name of establishment was not present on mobile unit
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	5/3/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LONE STAR RANCH HOUSE	Restaurant/Catering	8807 AHTANUM RD	YAKIMA	5/25/2016	Routine Inspection	65/70 Missing FWC, BHC with RTE food, hands not washed as required, improperly cold holding PHF, thermometer was not in cook's refrigerator
LOS NARANJOS BAKERY	Bakery	100 E. 3RD ST.	GRANGER	5/26/2016	Routine Inspection	10/15 Improperly stocked hand wash sink, no thermometer in the refrigerator
LUCKY FOOD MART	Mini-mart	226 W. WINE COUNTRY RD.	GRANDVIEW	5/6/2016	Routine Inspection	0/0
LULU'S LUNCHBOX	Deli	106 3RD ST S	YAKIMA	5/25/2016	Pre-Opening Inspection	Approved to open.
LUPE'S KITCHEN	Restaurant/Catering	9-A S. TOPPENISH AVENUE	TOPPENISH	5/7/2016	Catering Routine Inspection	25/25 Improperly stocked hand wash sink, improperly reheated PHF
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	5/23/2016	Routine Inspection	10/10 No running water (A pump had failed and was being replaced. Kitchen was allowed to operate under temporary FS rules. Pump was fixed same day)
MANHATTAN STATION ESPRESSO	Espresso Stand	416 S. 1ST STREET	SELAH	5/6/2016	Routine Inspection	0/0



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARCUS WHITMAN COWICHE ELEMENTARY SCHOOL	School	1181 THOMPSON RD	COWICHE	5/19/2016	Routine Inspection	0/0
MC DONALD'S RESTAURANT	Restaurant	1601 W LINCOLN	YAKIMA	5/12/2016	Routine Inspection	30/30 BHC with RTE foods, expired FWC's.
MEXICAN FRUIT # 3	Mobile		GRANDVIEW	5/7/2016	Routine Inspection	10/15 Cut fruit at 62 degrees, uncovered ice cream in freezer.
MILLER'S DAIRY QUEEN	Restaurant	401 W. 1ST AVENUE	TOPPENISH	5/19/2016	Routine Inspection	0/0
MOLCAJETES FAMILY MEXICAN RESTAURANT	Restaurant	201 DIVISION STREET	GRANDVIEW	5/20/2016	Routine Inspection	0/5 One refrigerator missing thermometers.
MT. CLEMANS CHEVRON	Mini-mart	9881 U.S. HWY. 12	NACHES	5/6/2016	Routine Inspection	5/5 Need food handler cards for all employees.
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	5/2/2016	Routine Inspection	0/0
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	5/17/2016	Routine Inspection	25/25 Corndogs left out at room temperature.
RASPADOS DONA CHELITO #2	Restaurant	1006 S 3RD AVE	YAKIMA	5/12/2016	Routine Inspection	0/5 No sanitizer available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RIMROCK LAKE RESORT	Deli	37590 US HWY 12	NACHES	5/6/2016	Routine Inspection	0/0
RIMROCK STORE	Grocery Store	34090 HWY 12	NACHES	5/27/2016	Routine Inspection	0/5 Need thermometer for refrigerator
RITE AID # 5298	Grocery Store	5606 SUMMITVIEW AVE.	YAKIMA	5/6/2016	Routine Inspection	5/5 Refer above 42 degrees F.
SALVATION ARMY	Restaurant	310 N 16TH AVE.	YAKIMA	5/16/2016	Routine Inspection	0/0
SILVER DOLLAR CAFE	Restaurant	30501 HWY 24	SUNNYSIDE	5/12/2016	Routine Inspection	0/3 Need to post a hand wash sign in restroom
SPUR TAVERN	Tavern	3980 HARRAH RD.	HARRAH	5/12/2016	Routine Inspection	30/35 Missing FWC, improper cooling procedures, no thermometer in refrigerator
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	5/31/2016	Routine Inspection	0/0
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	5/17/2016	Routine Inspection	0/0
STACI'S CATERING	Catering	3108 W WASHINGTON AVE SUITE #100	YAKIMA	5/27/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SU MERCADITO #2	Multi Food Service	108 MAIN ST S	GRANGER	5/5/2016	Follow-Up Inspection	5/7 Raw meat stored next to RTE meat
SUNNYSIDE FOOD MART	Mini-mart	600 YAKIMA VALLEY HWY	SUNNYSIDE	5/6/2016	Routine Inspection	35/35 PHF at 120 degrees, plastic bottle in hand washing sink.
				5/19/2016	Follow-Up Inspection	0/0
SUNNYSIDE QUALITY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE	5/26/2016	Follow-Up Inspection	5/5 No FWC
SUNTIDES MARKET & GAS	Mini-mart	11 PENCE RD	YAKIMA	5/6/2016	Routine Inspection	10/20 Need 2 FHC, need accurate thermometer provided to evaluate temperature of PHFs.
SUPER BAKERY (SUNNYSIDE)	Bakery	111 N. 6TH ST. # B	SUNNYSIDE	5/6/2016	Routine Inspection	0/0
TACO SHACK	Restaurant	130 E NACHES	SELAH	5/31/2016	Routine Inspection	Inspection attempted. Establishment was not open yet for seasonal operation. Inspection rescheduled.
TACOS LAS BRASAS	Mobile		WAPATO	5/11/2016	Routine Inspection	5/5 No FWC
TAQUERIA DIANA	Mobile	330 NORTH STREET - MABTON	MABTON	5/20/2016	Routine Inspection	10/10 Improper cold holding of PHF's
TAQUERIA LOS PRIMOS #1	Mobile	10615 Gilbert Rd. Yakima, WA	YAKIMA	5/5/2016	Pre-Opening Inspection	Approved as a level 3 mobile

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THOMPSON'S FARM MARKET	Ice Cream Parlor	9950 US HWY 12	NACHES	5/31/2016	Routine Inspection	5/5 Need current food handler card.
TIETON DRIVE BIBLE CHAPEL	Church Kitchen	4305 TIETON DR	YAKIMA	5/6/2016	Routine Inspection	5/5 Expired food handler card.
TIETON MIDDLE SCHOOL	School	711 FRANKLIN RD	TIETON	5/19/2016	Routine Inspection	0/0
TOP THAI CUISINE	Restaurant	13 E TOPPENISH AVE	TOPPENISH	5/26/2016	Routine Inspection	40/40 Missing FWC, need hand wash sink in the kitchen area, RTS of PHF
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	5/3/2016	Routine Inspection	0/0
TOPPENISH PRE-SCHOOL	School	407 S. JUNIPER	TOPPENISH	5/18/2016	Routine Inspection	
TREE TOP STORE & VISITOR'S CENTER	Espresso Stand/Deli	202 E 2ND AVE	SELAH	5/6/2016	Routine Inspection	0/0
TROUT LODGE	Restaurant	27090 HWY. 12	NACHES	5/27/2016	Routine Inspection	0/0
TWIGS BISTRO AND MARTINI BAR	Restaurant/Catering	2529 MAIN ST. SUITE # D-24 - UNION GAP	UNION GAP	5/23/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
UNION GAP DISTRICT# 2 SCHOOL	School	3201 S. 4TH ST.	UNION GAP	5/31/2016	Routine Inspection	0/0
VITAMIX ROAD SHOW % COSTCO STORE #1013	Serving Site	2310 LONGFIBER RD. - UNION GAP	UNION GAP	5/21/2016	Routine Inspection	0/0
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	5/19/2016	Routine Inspection	0/0
WHEELER'S SMOKE & GAS	Mini-mart	7453 SUNNYSIDE MABTON RD	MABTON	5/20/2016	Routine Inspection	10/10 Handwash sink blocked.
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	5/18/2016	Follow-Up Inspection	25/30 Improperly cold holding PHF, improperly thawing PHF
YAKIMA NATIONAL LITTLE LEAGUE	Seasonal Concession	1101 HATHAWAY ST.	YAKIMA	5/24/2016	Routine Inspection	5/10 No FWC's, no sanitizer.