

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN #19305B	Mini-mart	120 N. 1ST STREET	SELAH	8/25/2016	Routine Inspection	55/55 Several expired or missing FWC's, inadequate handwash facility, no hot water at handwash sink behind front counter, improper hot holding of PHF's, improper cold holding of PHF's, chemicals stored above clean dishes. Second inspection required.
AHOY FISH & CHIPS	Restaurant	913 W. YAKIMA AVE.	YAKIMA	8/31/2016	Routine Inspection	0/5 No test strips available
AIRLINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	UNION GAP	8/25/2016	Routine Inspection	35/43 Items blocking handwash sink, improper cooling of PHF's, PHF's thawing at room temperature on counter, not using proper dishwashing procedures
AM/PM UNION GAP	Mini-mart	20 E. VALLEY MALL BLVD.	UNION GAP	8/4/2016	Routine Inspection	0/0
BASKIN-ROBBINS	Ice Cream Parlor	816 SUMMITVIEW AVE.	YAKIMA	8/8/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BIG CHEESE PIZZA	Restaurant	2204-C W NOB HILL BLVD.	YAKIMA	8/8/2016	Routine Inspection	0/0
BLUE BARN FARM	Grocery Store	1791 ROZA DRIVE	ZILLAH	8/15/2016	Routine Inspection	0/0
BLUE BARN FARM (MOBILE)	Mobile	VARIES, YAKIMA FARMER'S MARKET	ZILLAH	8/14/2016	Routine Inspection	0/0
CARNICERIA COALCOMAN	Meat Market	229 DIVISION ST.	GRANDVIEW	8/31/2016	Follow-Up Inspection	0/0
CITY OF TOPPENISH SWIM POOL	Seasonal Concession	0 A ST N/LINCOLN AV	TOPPENISH	8/11/2016	Routine Inspection	0/5 Dishwashing without sanitizer
COCINA ZACATECAS	Mobile	16791 SUMMITVIEW RD. - COWICHE	COWICHE	8/26/2016	Routine Inspection	40/53 No food worker cards were available, hands not washed as required, no hot water was available, floor has not been cleaned thoroughly, waste water plumbing under the mobile unit is leaking, sewage is leaking onto the ground. Closed them and reopened them once hot water was available
CORNER GROCERY & HARDWARE / WILD FIRED PIZZA	Grocery Store	8501 AHTANUM RD	YAKIMA	8/30/2016	Routine Inspection	0/0
CREEKSIDE WEST BAR & GRILLE	Restaurant/Lounge	4000 W. CREEKSIDE LOOP	YAKIMA	8/16/2016	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOLLAR TREE # 5342	Grocery Store	120 N. FAIR AVE. # 102	YAKIMA	8/4/2016	Routine Inspection	0/0
DOMINO'S PIZZA # 7164	Restaurant	1903 S 3RD AVE.	YAKIMA	8/23/2016	Routine Inspection	0/8 Several refrigeration units missing thermometers, single-use article improperly stored on dirty surface
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST	YAKIMA	8/11/2016	Complaint Inspection	The establishment has a severe cockroach infestation. An inspection report was left requiring a thorough cleaning of the food service area. Additionally all food item are required to be covered at all times. Owners are required to submit exterminator reports weekly to the health district. These reports will be monitored for progress. A follow-up inspection will occur in a month to confirm infestation is under control.
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	8/26/2016	Routine Inspection	25/44 PHF's being stored and thawed at room temperature, No thermometer in refrigeration units containing PHF's, No sanitizing cloths available, In-use utensils stored on a dirty surface, Non-food contact surfaces not cleaned or maintained, No handwash sign posted in the restroom NOTE: Thawing and storing PHF's at room temperature has been a reaccuring problem at this establishment.
JAMES GANG BAR & GRILL	Tavern	2101 S 3RD AVE	YAKIMA	8/30/2016	Routine Inspection	5/15 Improper cold-holding of PHF's (43.7 F), No thermometer in cold-holding unit containing PHF's, No test strips for sanitizing solution
KRISPY KREME #1246	Bakery	2329 S 1ST STREET	YAKIMA	8/23/2016	Pre-Opening Inspection	Facility is approved to open when handwash signs are installed.
LA CANASTA MEAT MARKET	Meat Market	802 1ST AVE.	ZILLAH	8/19/2016	Pre-Opening Inspection	Approved to open

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA MICHOACANA ICE-CREAM	Ice Cream Parlor	1112 E NOB HILL BLVD 108	YAKIMA	8/1/2016	Pre-Opening Inspection	Facility is approved as a level 1 food service establishment.
MAJOR'S	Restaurant	1705 W. LINCOLN AVE.	YAKIMA	8/24/2016	Routine Inspection	5/5 Improper hot holding of PHF's
				8/26/2016	Routine Inspection	30/43 Bare hand contact with ready to eat food, Improper cold-holding of PHF's on refrigeration table, Improper thawing of PHF's, Improper storage of sanitizing towels, No test strips available to test sanitizing solution and dishwashing sanitizing solution.
MC DONALD'S	Restaurant	499 S 1ST STREET	SELAH	8/8/2016	Pre-Opening Inspection	New facilities comply with health code. Awaiting remodeled floor plans.
				8/29/2016	Routine Inspection	25/35 Improper use of time as a control storing PHF's, Sanitizing solution for wiping cloths at too low of concentration, Improper sanitizing concentration for dishwasher
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	8/29/2016	Compliance Inspection	0/5 Grates in walk in cooler need to be cleaned.
MOJO'S ESPRESSO	Espresso Stand	1003 W YAKIMA AVE	YAKIMA	8/8/2016	Routine Inspection	5/5 - need thermometer in the small refrigerator.
OUTBACK ESPRESSO NORTH	Espresso Stand	1212 S. 80TH AVE	YAKIMA	8/31/2016	Routine Inspection	20/20 FWC expired, No handwash sign on handwash sink (Corrected During Inspection), Improper cold-holding of PHF's (44.8F)
PAPA MURPHY'S PIZZA	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	8/1/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	8/1/2016	Follow-Up Inspection	50/55 Improperly cooling PHF, cooked food at room temperature.
				8/31/2016	Follow-Up Inspection	25/25 Improperly cooling PHF
RESTAURANTE EL FARO	Restaurant	111 N. 6TH STREET # C	SUNNYSIDE	8/31/2016	Routine Inspection	10/10 Missing FWC's, inaccurate thermometers.
ROAD RUNNER DELI MART	Mini-mart	1419 S 3RD AVE.	YAKIMA	8/30/2016	Routine Inspection	5/5 Improper hot-holding of PHF's (133.4 F)
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	8/24/2016	Routine Inspection	40/48 Some FWC expired, bare hand contact with cooked bread , raw meats over ready to eat food,
SAFEWAY # 1235	Mult Food Service	2204-A W. NOB HILL BLVD.	YAKIMA	8/2/2016	Pre-Opening Inspection	Need south edge of 3 compartment sink to be smooth and easily cleanable.
				8/24/2016	Pre-Opening Inspection	New 3 compartment sink has been installed. Approved to open produce preparation area.
SAFEWAY # 1660	Mult Food Service	905 E. MEAD	YAKIMA	8/2/2016	Pre-Opening Inspection	Approved to open the produce preparation area.
SAFEWAY # 502	Mult Food Service	5702 SUMMITVIEW AVE.	YAKIMA	8/5/2016	Pre-Opening Inspection	The produce preparation area is approved to open.
SELAH CHEVRON	Mini-mart	313 S. 1ST STREET	SELAH	8/30/2016	Routine Inspection	0/8 Inaccurate thermometers in cold-holding units containing PHF's, Improper storage of in-use utensils

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	8/23/2016	Routine Inspection	5/10 Inaccurate thermometer, general cleaning needed throughout kitchen.
TACO BELL # 30510	Restaurant	2550 YAKIMA VLY HWY	SUNNYSIDE	8/31/2016	Routine Inspection	0/7 Food contact surfaces not easily cleanable, general cleaning needed.
TACOS EL REY II	Restaurant	6712 TIETON DR	YAKIMA	8/16/2016	Follow-Up Inspection	0/8 Non-food contact surfaces are not smooth and easily cleanable, improperly thawing PHF
TACOS ISABEL	Mobile	303 S. 13th St - SUNNYSIDE	SUNNYSIDE	8/5/2016	Routine Inspection	15/15 No hot water was available, no metal stem thermometer was available
TAILGATERS BAR AND GRILL	Restaurant/Lounge	110 E 3RD AVE	SELAH	8/22/2016	Pre-Opening Inspection	Second Pre-Opening Required. See initial pre-opening inspection report in imaging.
				8/24/2016	Pre-Opening Inspection	Approved to open.
THE DINOSTORE	Snack Bar - Seasonal	505 MAIN STREET	GRANGER	8/19/2016	Routine Inspection	0/0
THE ELMS BED & BREAKFAST	Bed & Breakfast	1000 BLAINE AVE.	SUNNYSIDE	8/12/2016	Routine Inspection	PC on 8-8-16 & 8-12-16 to 509-837-7406 to schedule routine inspection for 2016. Could not leave message. Phone number may not be in service anymore

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE RANCH TAVERN	Tavern	515 FRUITVALE BLVD.	YAKIMA	8/29/2016	Routine Inspection	5/8 Two workers with expired FWC's, Two handwash sinks without handwash signs
THE WAREHOUSE SPORTSBAR AND GRILL	Restaurant/Lounge	402 S. 11TH AVE.	YAKIMA	8/31/2016	Routine Inspection	0/3 In-use utensils improperly stored
WENDY'S	Restaurant	2708 W. NOB HILL BLVD	YAKIMA	8/11/2016	Pre-Opening Inspection	Approved to open.
WIENER SHACK	Mobile	6TH ST AND EDISON AVE, SUNNYSIDE 1400 YAKIMA VALLEY HWY, SUNNYSIDE	SUNNYSIDE	8/1/2016	Pre-Opening Inspection	Approved for level 1 mobile
XPRESS MART	Mini-mart	503 FAIR AV	YAKIMA	8/23/2016	Routine Inspection	20/31 Missing and expired FWC's, blocked handwash sink and missing handwash sign, improper hot-holding of PHF, food serving tongs and ice scoop stored on dirty surface, improper dish washing procedure, restrooms missing handwash signs
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	8/22/2016	Follow-Up Inspection	30/30 Cooked potatoes at 104 degrees, milk at 45 degrees.
YAKIMA SPEEDWAY	Snack Bar - Seasonal	1600 PACIFIC AVE.	YAKIMA	8/6/2016	Routine Inspection	0/0
YAKIMA VALLEY PIPPINS BASEBALL	Seasonal Concession	1301 S. FAIR AVE. - YAKIMA	YAKIMA	8/4/2016	Routine Inspection	30/30 Cooked pizza at 115 degrees, expired FWC.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ZAGELOW BEEFALO RANCH	Mobile		WAPATO	8/11/2016	Routine Inspection	0/0
ZINGIS MONGOLIAN B.B.Q.	Restaurant	2810-B E. LINCOLN AVE. - SUNNYSIDE	SUNNYSIDE	8/31/2016	Routine Inspection	10/15 Expired FWC's, improper cold holding of PHF's, no dishwasher sanitizer detected