

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
2 BUSY 2 COOK/CATERING CREATIONS BY TONI	Catering	6002 SUMMITVIEW	YAKIMA	10/3/2016	Routine Inspection	0/0
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Cateri ng	5 N. FRONT ST. SUITE # 103	YAKIMA	10/27/2016	Routine Inspection	10/15 Missing FWC, improper recordkeeping of shellstock ID, missing thermometer in refrigerator
7-ELEVEN STORE #2362-25128D	Mini-mart	611 W. 1ST	TOPPENISH	10/11/2016	Routine Inspection	10/10 Inadequate handwash facilities, no hot water at one handwash sink
A. C. DAVIS HIGH SCHOOL - P.T.A./BOOSTER CLUBS	Seasonal Concession	212 S. 6TH AVE	YAKIMA	10/7/2016	Routine Inspection	0/2 Need to post food license in food concession stand
AHTANUM FOOD MART (2)	Mini-mart	207 AHTANUM RD.	UNION GAP	10/12/2016	Routine Inspection	10/10 Expired FWC, improper cold holding of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ANTOLIN CELLARS	Winery	14 N. FRONT ST.	YAKIMA	10/5/2016	Routine Inspection	0/0
BASKIN-ROBBINS # 4314 - SO. 1ST STR.	Ice Cream Parlor	1505 S. 1ST STREET	YAKIMA	10/26/2016	Routine Inspection	0/5 No wiping cloths available for sanitizing surfaces
BERCHMAN'S BREWING COMPANY	Tavern	25 N. FRONT STREET	YAKIMA	10/20/2016	Routine Inspection	0/0
BI-MART # 605	Grocery Store	309 S. 5TH AVE. - YAKIMA	YAKIMA	10/13/2016	Routine Inspection	0/0
BONAIR WINERY	Winery	500 BONAIR RD.	ZILLAH	10/6/2016	Routine Inspection	0/0
BONNEVILLE SMOKED PRODUCTS	Mobile		YAKIMA	10/1/2016	Routine Inspection	0/0
BRANDING IRON RESTAURANT	Restaurant	61311 HIGHWAY 97	TOPPENISH	10/10/2016	Routine Inspection	5/5 Missing FWCs
BUENA VISTA MINI MARKET	Mini-mart	701 S. 6TH	SUNNYSIDE	10/19/2016	Routine Inspection	25/25 Improper hot holding of PHF's
CARNITAS SUPREME	Restaurant/Cateri ng	5 N. "A" STREET	TOPPENISH	10/23/2016	Routine Inspection	0/5 No thermometer in refrigerator

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CAROUSEL FRENCH CUISINE	Restaurant/Catering	25 N. FRONT STREET	YAKIMA	10/27/2016	Routine Inspection	0/8 Thermometer missing from refrigerator, no paper towels at handwash sink
CASA VITTORE	Deli	212 YAKIMA AVE	YAKIMA	10/27/2016	Routine Inspection	0/0
CASTRO'S CAFE	Espresso Stand/Deli	503 W. 1ST.	WAPATO	10/14/2016	Routine Inspection	25/33 Improper cooling procedures, improper dishwashing procedures, entire facility needs thorough cleaning
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	10/14/2016	Routine Inspection	20/25 Several expired FWC's, inoperable soap dispenser in men's restroom, improper hot holding of PHF, inoperable thermometer in walk-in refrigerator
CHRONIC FOODS	Mobile		YAKIMA	10/1/2016	Routine Inspection	0/0
CLASSIC EVENTS CATERING	Catering	5453 ASHUE RD	WAPATO	10/16/2016	Catering Routine Inspection	0/0
COCINA MELISSA'S	Commissary	215 BUENA WAY	TOPPENISH	10/24/2016	Routine Inspection	25/25 Improper cooling procedures
COTTAGE ESPRESSO	Espresso Stand	1101 W. NOB HILL BLVD.	YAKIMA	10/27/2016	Routine Inspection	0/0
DINEEN FAMILY VINEYARDS	Winery	2980 GILBERT RD. - ZILLAH	ZILLAH	10/14/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOLLAR STRETCHER	Grocery Store	501 LINCOLN AV W	YAKIMA	10/26/2016	Routine Inspection	0/5 Racks in cooler need to be cleaned
DOMINO'S PIZZA	Restaurant	506 S 1ST ST SUITE A	SELAH	10/13/2016	Routine Inspection	5/5 Missing FWC's
DOWNTOWN SUPER FOODS	Grocery Store	316 3RD ST S	YAKIMA	10/26/2016	Routine Inspection	0/0
EAST VALLEY HIGH SCHOOL CONCESSIONS	Seasonal Concession	1900 BEAUDRY ROAD	YAKIMA	10/7/2016	Routine Inspection	0/5 Missing thermometer in refrigerator
EL GRULLENSE RESTAURANT & TAQUERIA #2	Restaurant	1514 S 1ST ST	YAKIMA	10/8/2016	Other Inspection	A fire occurred in the kitchen stove overnight. See cleanup requirements in imaging. Facility is approved to open after confirmation of cleanup.
				10/21/2016	Routine Inspection	50/53 Improper cooling procedures, improper hot holding of PHF
EL HABANERO	Mobile	1402 S. 1ST ST.- YAKIMA	YAKIMA	10/18/2016	Routine Inspection	0/0
EL PORVENIR	Bakery	209 S. TOPPENISH AVE.	TOPPENISH	10/10/2016	Routine Inspection	15/20 Expired FWCs, food not in good condition, possible risk of contamination, no thermometers in refrigeration units
ELECTRIC BEACH TANNING & ESPRESSO	Espresso Stand	318 7TH ST S	SUNNYSIDE	10/19/2016	Routine Inspection	0/5 No thermometer in cold-holding unit containing PHF's

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FRATERNAL ORDER OF EAGLES #289	Restaurant/Lounge	307 W. CHESTNUT	YAKIMA	10/14/2016	Routine Inspection	0/0
GRANDVIEW HIGH SCHOOL BOOSTER CLUB	Seasonal Concession	1601 W. 5TH ST.	GRANDVIEW	10/14/2016	Routine Inspection	0/0
GRANGER HIGH SCHOOL CONCESSIONS	Seasonal Concession	315 MENTZER AVE	GRANGER	10/14/2016	Routine Inspection	0/0
GYRO HOUSE	Restaurant	3609 W. NOB HILL BLVD	YAKIMA	10/19/2016	Opening Inspection	Not ready to open
				10/21/2016	Pre-Opening Inspection	Ready to open
HIGHLAND HIGH SCHOOL CONCESSIONS	Seasonal Concession	17000 SUMMITVIEW	COWICHE	10/7/2016	Routine Inspection	15/15 No hot water available for hand washing, no metal stem thermometer was available
HOKUS POKUS BEER & DELI	Mini-mart	2401-B W. NOB HILL BLVD.	YAKIMA	10/3/2016	Routine Inspection	0/5 Inadequate equipment for temperature control
JACK IN THE BOX # 8494	Restaurant	3907 TIETON DRIVE	YAKIMA	10/7/2016	Compliance Inspection	5/5 Missing FWC
JACK-SON'S SPORTS BAR	Restaurant/Catering	432 S 48TH AVE.	YAKIMA	10/3/2016	Routine Inspection	5/10 Expired FWC's, inadequate equipment for temperature control

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JNT CONCESSIONS WINEY DOGS	Deli/Catering	3 N. 6TH AVE. - YAKIMA	YAKIMA	10/1/2016	Catering Routine Inspectio	0/0
KINGS ROW	Restaurant	210 S. 1ST STREET	SELAH	10/13/2016	Routine Inspection	0/10 No thermometer in cold-holding unit containing PHF's, improper storage of sanitizing cloths
KYOTO STEAKHOUSE	Restaurant	2405 W WASHINGTON AVE 150	YAKIMA	10/18/2016	Routine Inspection	40/56 Expired FWC's, improper storage of raw meat, room temperature storage of PHF, improper cold-holding of PHF, no thermometer in cold-holding units containing PHF, food worker consumption of food in food prep areas, in-use utensils improperly stored. Follow-up inspection required.
LA GUADALUPANA	Restaurant	3990 HARRAH ROAD	HARRAH	10/17/2016	Routine Inspection	30/38 Raw meat stored above RTE food, improper cooling, no thermometers in refrigerators, missing paper towels in restroom
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	10/20/2016	Routine Inspection	80/90 Improper hot holding of PHF, RTS of PHF, improper storage of raw meat, improper cooling
LA OAXAQUENA	Mobile		YAKIMA	10/26/2016	Routine Inspection	0/0
MABTON HIGH SCHOOL - CONCESSION STAND	Seasonal Concession	500 E B STREET, MABTON	MABTON	10/14/2016	Routine Inspection	0/0
MAISON DE PADGETT WINERY	Winery	2231 ROZA DR	ZILLAH	10/14/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MANHATTAN STATION ESPRESSO	Espresso Stand	416 S. 1ST STREET	SELAH	10/14/2016	Pre-Opening Inspection	Need indirect drain for ice machine installed
MARGARET'S APPLE CART DELI	Deli	220 NACHES AVE.	NACHES	10/26/2016	Routine Inspection	0/0
MARISCOS ENCENADA # 9 B88475U	Mobile		MOXEE	10/26/2016	Routine Inspection	Mobile is not operating at this time. Mobile will begin operating again next year. Routine inspection has been rescheduled.
MC DONALD'S	Restaurant	3907 RIVER ROAD	YAKIMA	10/13/2016	Routine Inspection	0/3 Improper storage of in-use utensils
MEL'S DINER	Restaurant	314 N. 1ST STREET	YAKIMA	10/19/2016	Routine Inspection	30/30 Improper storage of raw meat above RTE foods, improper cooling methods
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	10/24/2016	Routine Inspection	0/8 Potential food contamination during storage
MIDTOWN ESPRESSO	Espresso Stand/Deli	402 E YAKIMA AVE. #100	YAKIMA	10/3/2016	Routine Inspection	0/0
MINDA LANES CAFE	Restaurant	701 S. 2ND STREET	YAKIMA	10/17/2016	Routine Inspection	0/5 Nonfood contact surface improperly constructed, not cleanable
MOCHA TREE ESPRESSO	Espresso Stand	1018 S. 11TH AVE. - YAKIMA	YAKIMA	10/26/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MOULIN BREW	Espresso Stand	2412 S. 1ST STREET	YAKIMA	10/27/2016	Routine Inspection	0/0
MT. ADAMS COUNTRY CLUB SNACK BAR	Deli	1250 ROCKY FORD ROAD	TOPPENISH	10/11/2016	Routine Inspection	0/0
NACHES CHINOOK CENTER	Mini-mart	10450 HWY 12	NACHES	10/4/2016	Routine Inspection	0/5 No thermometer in cold-holding unit containing PHF's
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	10/19/2016	Routine Inspection	30/33 Hands not washed as required, raw meat stored above RTE food, improper thawing
NILE VALLEY GAME PROCESSING	Meat Market	4721 S.R. 410	NACHES	10/4/2016	Routine Inspection	0/0
				10/4/2016	Routine Inspection	0/0
NORTH TOWN COFFEEHOUSE SELAH	Espresso Stand	406 S 1ST ST	SELAH	10/6/2016	Routine Inspection	0/3 Missing handwash sign in women's restroom.
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	10/13/2016	Routine Inspection	0/0
PANADERIA DELICIAS # 2	Bakery	2301 W NOB HILL BLVD	YAKIMA	10/24/2016	Routine Inspection	5/10 No FWC, potential food contamination during storage



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PANADERIA ILUSION	Bakery	511 N. 1ST ST.	YAKIMA	10/4/2016	Pre-Opening Inspection	APPROVED TO OPEN
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS. DR.	YAKIMA	10/14/2016	Routine Inspection	5/5 Improper cold holding of PHF
PEOPLE FOR PEOPLE - MEALS-ON-WHEELS (SOUTHEAST COMM CTR)	Serving Site	1211 S. 7TH ST.	YAKIMA	10/4/2016	Routine Inspection	0/0
PIT STOP MARKET		508 NOB HILL BLVD	YAKIMA	10/20/2016	Complaint Inspection	0/3 Improper disposal of garbage
Pita Pit & Eaton Ice Cream	Deli	121 E YAKIMA AVE	YAKIMA	10/25/2016	Pre-Opening Inspection	Approved to open as level 2 food establishment.
PUERTO ESCONDIDO	Restaurant/Lounge	811 N 1ST STREET	YAKIMA	10/17/2016	Routine Inspection	5/10 Expired FWC's, No thermometer in cold-holding units containing PHF's
QUESERIA BENDITA		512 S 3RD ST	YAKIMA	10/14/2016	Routine Inspection	15/20 Expired FWC, missing labels on foods, no handwash sign in restroom
REXFORD MANOR RETIREMENT COMMUNITY	Retirement Housing	1010 N. 34TH AVENUE	YAKIMA	10/26/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROBERT'S MARKET	Mini-mart	602 MAPLE STREET	TIETON	10/26/2016	Routine Inspection	5/5 Missing FWC's
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	10/21/2016	Follow-Up Inspection	0/0
SAFEWAY # 1660	Mult Food Service	905 E. MEAD	YAKIMA	10/20/2016	Routine Inspection	30/48 Expired FWC's, blocked handwash sink, handwash sink water does not get hot within 15 seconds, food contact surfaces for raw meat improperly cleaned, food improperly labeled, non-food contact surface improperly constructed and not cleanable, improper sanitizer concentration due to failing automatic mixer, no handwash sign in men's restroom, improperly cleaned toilet facilities
SENIOR NUTRITION PROGRAM - RESPITE ADULT DAY CENTER		1604 W YAKIMA AVE	YAKIMA	10/13/2016	Routine Inspection	0/2 No license on site
SEOUL TERI - HOUSE	Restaurant	8 N 7TH AVE.	YAKIMA	10/3/2016	Routine Inspection	15/15 Expired FWC's, inadequate handwash facilities
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	10/13/2016	Routine Inspection	10/15 Improper cold-holding of PHF's, no thermometers in cold holding units
STARBUCKS COFFEE CO. # 3407	Espresso Stand	1208 N. 40TH AVE. SUITE # A	YAKIMA	10/11/2016	Routine Inspection	0/0
STONEHENGE TAVERN	Tavern	603 1ST AVE ZILLAH	ZILLAH	10/6/2016	Routine Inspection	5/5 Missing metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUBWAY # 27775	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	10/14/2016	Routine Inspection	10/10 Several missing FWC's, improper hot holding of PHF
SUN COUNTRY INN	Continental Brkfst	1700 1ST ST N	YAKIMA	10/26/2016	Routine Inspection	0/0
SUNNYSIDE CHRISTIAN SCHOOL CONCESSIONS	Seasonal Concession	1820 SHELLER ROAD	SUNNYSIDE	10/14/2016	Routine Inspection	0/0
SUNNYSIDE HIGH SCHOOL CONCESSIONS	Seasonal Concession	1110 S. 6TH ST.	SUNNYSIDE	10/28/2016	Routine Inspection	5/5 Metal stem thermometer not readily available
TACOS ARIEL	Mobile	809 W Nob Hill BLVD	YAKIMA	10/21/2016	Routine Inspection	90/97 BHC with RTE food, food contact surfaces not cleaned, improper cooling, improper hot holding of PHF
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	10/14/2016	Surveillance Inspection	40/42 No handwash sink available at cart, improperly hot holding PHF, not using metal stem thermometer, no food license posted
TAILGATERS BAR AND GRILL	Restaurant/Lounge	110 E 3RD AVE	SELAH	10/13/2016	Routine Inspection	0/0
TAMMY'S MEXICAN RESTAURANT	Restaurant	1010 N. 1ST STREET	YAKIMA	10/17/2016	Routine Inspection	25/30 Improper cooling procedures, no thermometers in refrigerators

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA EL RINCONSITO	Restaurant	1101 S 3RD AVE.	YAKIMA	10/18/2016	Routine Inspection	0/8 Refrigerators missing thermometers, no handwash sign in restrooms
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	10/17/2016	Routine Inspection	30/40 Missing FWC's, improper cooling procedures, no thermometers in refrigerators, onions and rice stored on the floor
TAQUERIA URUAPAN	Restaurant	1324 S FAIR AVENUE	YAKIMA	10/18/2016	Routine Inspection	0/0
THE COFFEE SHACK	Espresso Stand	7111 POSTMARD	MOXEE	10/27/2016	Routine Inspection	0/0
THE COFFEE STATION	Espresso Stand	402 N NACHES AVE	TIETON	10/26/2016	Routine Inspection	5/5 Missing FWC's
THE CREEK ROADHOUSE GRILL AND BAR	Tavern	108 ILLER ST.	MOXEE	10/20/2016	Routine Inspection	5/26 Expired FWC's, no thermometer in cold-holding unit containing PHF's, improper storage of wiping cloths, improper storage of ice-scoop in ice, utensils improperly stored, food contact surface not cleanable
TIENDA LA TAPATIA	Restaurant	802 W. 1ST AVE.	TOPPENISH	10/10/2016	Routine Inspection	5/15 Missing FWCs, no thermometers in refrigeration units, crate of limes on the ground in walk-in
TIENDITA LOS AMIGOS	Restaurant	302 MAIN STREET	GRANGER	10/26/2016	Follow-Up Inspection	45/55 Raw meat contact surfaces have not been cleaned and sanitized, raw meat stored next to RTE food, improperly hot holding PHF, insects observed in kitchen, need to post handwash sign in restroom. Compliance inspection is required.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TIETON FARM & CREAMERY	Mobile		TIETON	10/23/2016	Routine Inspection	0/0
TOM TOM ESPRESSO ON WASHINGTON	Espresso/Catering	1001 WASHINGTON AVE.	YAKIMA	10/27/2016	Routine Inspection	0/0
TONG THAI FOOD CATERING	Catering	432 N. RIVARD RD. - MOXEE	MOXEE	10/1/2016	Catering Routine Inspectio	5/5 No metal stem thermometer
TOPPENISH COMMUNITY CHEST	Serving Site	4 N. "B" STREET	TOPPENISH	10/10/2016	Routine Inspection	0/0
TOPPENISH SCHOOL DISTRICT CONCESSIONS	Seasonal Concession	141 WARD RD	TOPPENISH	10/21/2016	Routine Inspection	30/30 No FWC, improper cooking temperature of hamburgers
TREVERI CELLARS WAPATO	Winery	71 GANGLE RD.	WAPATO	10/19/2016	Routine Inspection	0/5 Nonfood contact surface improperly constructed, not cleanable
VFW (WILLIAM WHARTON POST 379)	Restaurant	118 S 5TH AVE.	YAKIMA	10/17/2016	Routine Inspection	0/0
VIBRANT HEALTH	Grocery Store	508 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	10/13/2016	Routine Inspection	0/0
WAPATO HIGH SCHOOL CONCESSIONS	Seasonal Concession	1202 S CAMAS AVE. - WAPATO	WAPATO	10/14/2016	Routine Inspection	10/10 Improperly stocked handwash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WENDY'S	Restaurant	2708 W. NOB HILL BLVD	YAKIMA	10/3/2016	Routine Inspection	0/0
WEST VALLEY HIGH SCHOOL CONCESSION STAND	Seasonal Concession	9800 ZIER RD.	YAKIMA	10/14/2016	Routine Inspection	25/25 Hands not washed as required
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	10/23/2016	Routine Inspection	0/0
Y.V.C. DINING SERVICES (HUB)	Restaurant	1015 S. 16TH AVENUE	YAKIMA	10/18/2016	Routine Inspection	30/35 Improper hot holding of PHF, improper cold holding of PHF, wiping cloths need to be stored in bucket with sanitizer solution
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	10/24/2016	Follow-Up Inspection	0/0
YO YAKIMA	Ice Cream Parlor	2401 S. 1ST STREET SUITE# 100	YAKIMA	10/13/2016	Routine Inspection	10/10 Improper cold holding of PHF
ZILLAH HIGH SCHOOL A.S.B. (ATHLETIC EVENTS)	Seasonal Concession	1602 2ND AVE	ZILLAH	10/21/2016	Routine Inspection	0/0