

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE	12/20/2016	Routine Inspection	
				12/21/2016	Routine Inspection	115/138 Barehand contact PHF, handwash facilities no soap or handtowels, room temperature holding PHF, no thermometer, no sanitizing warewashing, facility needs to be thoroughly cleaned, sanitized and organized - all repeat violations. Follow-up required
7-ELEVEN #2307-22714J	Mini-mart	1711 E. NOB HILL BLVD.	YAKIMA	12/5/2016	Routine Inspection	0/0
AGUILILLA BAKERY	Bakery	3206 MAIN ST.	UNION GAP	12/28/2016	Routine Inspection	0/0
APPLE BARREL	Mini-mart	2021 FRUITVALE BLVD.	YAKIMA	12/14/2016	Routine Inspection	0/5 No temperature guage in hot hold
ARBY'S RESTAURANT	Restaurant	4002 SUMMITVIEW AVE.	YAKIMA	12/29/2016	Routine Inspection	0/3 In-use utensils not stored properly

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BASKIN-ROBBINS # 4314 - SO. 1ST STR.	Ice Cream Parlor	1505 S. 1ST STREET	YAKIMA	12/27/2016	Routine Inspection	0/0
BILL'S PLACE	Tavern	206 S 3RD AVE.	YAKIMA	12/21/2016	Routine Inspection	35/37 Inadequate hot holding temperature for chili and soups, three compartment sink needed to compensate range of menu and expired permit
				12/31/2016	Routine Inspection	25/27 Improper hot holding of PHF, 3 compartment sink needed (construction underway with plans for 3-comp sink)
BURGER KING # 9876	Restaurant	3201 PICARD PLACE	SUNNYSIDE	12/21/2016	Routine Inspection	0/0
C & D MARKET	Grocery Store	426 S MAIN STREET	MABTON	12/9/2016	Follow-Up Inspection	5/5 No FWC's available, all other issues have been corrected
C.J.'S CUSTOM MEATS	Meat Market	671 JONES ROAD	WAPATO	12/29/2016	Routine Inspection	0/0
CABIN ESPRESSO	Espresso Stand	6301 AHTANUM RD	YAKIMA	12/28/2016	Routine Inspection	5/5 Expired food worker cards
CAFE AMORE	Espresso Stand	14 N. 7TH AVE	YAKIMA	12/21/2016	Routine Inspection	0/0
CAFFE CAPRI	Espresso Stand/Deli	412 S 48TH	YAKIMA	12/5/2016	Opening Inspection	Ready to open

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CARNICERIA LA CABANA	Meat Market	1602 MORGAN RD	SUNNYSIDE	12/21/2016	Routine Inspection	55/65 FWC out of date, room temp storage beef (CDI), food not properly labeled for sale (CDI), food contact surfaces and prep tables need thorough cleaning
CI MART CHEVRON	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	12/20/2016	Routine Inspection	15/15 Food worker cards not present and inadequate handwashing facilities
CLASSY COFFEE #2	Espresso Stand	1201-A BAILEY AVENUE	GRANGER	12/10/2016	Routine Inspection	5/5 FWC's not available/lost
COSTCO WHOLESALE #1013	Mult Food Service	2310 LONGFIBER RD. - UNION GAP	UNION GAP	12/28/2016	Routine Inspection	0/0
COUNTRYSIDE CATERING & THE FLOUR SHOP CAFE	Bakery	810 W. 2ND STREET	GRANDVIEW	12/10/2016	Routine Inspection	0/0
				12/22/2016	Routine Inspection	facility is vacant. PIC now retired. Caters on special events only
COWICHE CANYON KITCHEN & ICE HOUSE BAR	Restaurant/Lounge	202 E. YAKIMA AVENUE - YAKIMA	YAKIMA	12/27/2016	Routine Inspection	5/5 FWC expired for 2 employees
CURLEY'S BAR & GRILL	Tavern	111 N. GLEED RD.	GLEED	12/21/2016	Routine Inspection	5/5 Improper cold holding temperature
DAILY BUZZ	Espresso Stand/Deli	610 S 6TH ST.	SUNNYSIDE	12/21/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	12/12/2016	Routine Inspection	0/0
DRIFT INN	Restaurant	10450 HWY 12	NACHES	12/22/2016	Routine Inspection	10/15 Raw meat not below or away from ready to eat food, inadequate cold holding temperature and test strips not available for sanitizing solution
EL COMPADRE	Restaurant	1012 E. LINCOLN AVE.	SUNNYSIDE	12/16/2016	Routine Inspection	5/5 Raw meat stored above RTE foods
EL FARO MARISCOS & CANTINA	Rest/Lounge/Catering	1402 S 1ST ST.	YAKIMA	12/8/2016	Routine Inspection	10/21 Improper records for shellstock ID, improper cold-holding of PHF's, in-use utensils improperly stored, no test strips available, no handwash sign in restrooms
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	12/12/2016	Routine Inspection	0/13 Broken thermometer for walk-in fridge, guacamole improperly labeled, mold in ice machine
EL NUEVO AMANECER RESTAURANT	Restaurant	314 S 3RD STREET	YAKIMA	12/15/2016	Follow-Up Inspection	All high risk items corrected
EL PARRILLON LOCO de TOM AND GERRY	Restaurant	511 N. 1ST STREET # 12	YAKIMA	12/19/2016	Routine Inspection	5/10 Missing FWCs, onions stored on floor
EL PATRON MARISCOS	Restaurant/Lounge	1026 1ST ST N	YAKIMA	12/8/2016	Routine Inspection	10/13 No FWC's available, improper recording of shellstock ID, no handwash signs in restrooms

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ESPRESSO EXPRESS	Espresso Stand	3706 TIETON DR	YAKIMA	12/21/2016	Routine Inspection	0/0
FAMOUS BURGER & TERIYAKI SANDWICH	Restaurant	401 W. LINCOLN AVE.	YAKIMA	12/19/2016	Routine Inspection	0/0
GARCIA'S DRIVE - THRU	Restaurant/Catering	1027 W WINE COUNTRY RD.	GRANDVIEW	12/9/2016	Routine Inspection	10/18 Improper cold-holding of PHF's, food contact surfaces not cleanable, no handwash sign in restroom
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	12/5/2016	Routine Inspection	0/0
GAS MAX	Mini-mart	608 WINE COUNTRY ROAD	GRANDVIEW	12/9/2016	Routine Inspection	0/0
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST	YAKIMA	12/28/2016	Routine Inspection	5/5 One expired food card, no other observed problems. Cockroach problem has been taken care of, facility was very clean.
GRAND CINEMAS - YAKIMA VALLEY	Snack Bar	3400 PICARD PLACE	SUNNYSIDE	12/29/2016	Routine Inspection	5/5 Improper hot holding temperature
GRANDVIEW MARKET	Mini-mart	100 E. WINE COUNTRY RD.	GRANDVIEW	12/21/2016	Routine Inspection	35/45 FWC out of date, PIC no FWC, reach in cooler no thermometer, no sanitizing warewashing

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANGER TRAVEL PLAZA	Mini-mart	1221 BAILEY AVE	GRANGER	12/10/2016	Routine Inspection	10/18 Improper cold-holding of PHF's, no thermometer in refrigerator containing PHF's, improper thawing of PHF's
GREEN OLIVE CAFE' & ESPRESSO	Restaurant/Catering	2926 COVEY LANE	SUNNYSIDE	12/16/2016	Routine Inspection	25/25 Very clean establishment. Minor PHF cooling incident observed.
HICKORY FARMS # 40117	Deli	2529 MAIN ST. # 183	UNION GAP	12/13/2016	Routine Inspection	10/10 Improper cold holding
HIWAY FRUIT	Fruit Stand	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/21/2016	Routine Inspection	15/23 Unlabeled food for resale in ziploc bags. Voluntarily removed by PIC. No sanitizing solution.
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AVE	YAKIMA	12/29/2016	Routine Inspection	5/5 FWCs missing
HOLY TRINITY EPISCOPAL CHURCH		327 E EDISON AVE	SUNNYSIDE	12/29/2016	Routine Inspection	0/0
HOMESTRETCH ESPRESSO & BEVERAGE	Espresso Stand	2890 ALLEN RD.	SUNNYSIDE	12/10/2016	Routine Inspection	5/5 Expired FWC's
JACK IN THE BOX # 8300	Restaurant	2317 S 1ST STREET	YAKIMA	12/13/2016	Routine Inspection	0/2 Permit not on site

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JACK IN THE BOX # 8362	Restaurant	100 W. SOUTH HILL RD.	SUNNYSIDE	12/21/2016	Routine Inspection	0/5 Employee drink cups on food prep table
KENTUCKY FRIED CHICKEN	Restaurant	108 & 110 40TH AV N	YAKIMA	12/19/2016	Routine Inspection	0/5 Condenser drain in raw meat cold storage is not draining properly. PIC acknowledged problem and assured it would be fixed soon
				12/21/2016	Routine Inspection	0/3 Nonfood contact surfaces not clean, overall cleanliness of establishment was very low
KENTUCKY FRIED CHICKEN/A&W	Restaurant	1928 YAKIMA VALLEY HWY.	SUNNYSIDE	12/10/2016	Routine Inspection	5/5 Expired FWC's
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	12/16/2016	Follow-Up Inspection	25/25 Improper hot holding. Compliance required.
LA MAZORCA	Grocery Store	118 WAPATO AV S	WAPATO	12/16/2016	Follow-Up Inspection	Reinspection of 11/16. No previous concerns corrected. Next inspection will be a compliance visit.
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	12/21/2016	Routine Inspection	120/148 PIC not knowledgeable, FWC out of date, bare hand contact - handwashing as required, X contamination - butchery and chili pod cleaning on same prep table, proper cooling procedures not followed, pooling of eggs. Follow up required.
				12/28/2016	Follow-Up Inspection	PIC/owner completed an in-depth facility cleaning and reorganization. All concerns were corrected. Excellent response by management.
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	12/12/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	12/13/2016	Routine Inspection	30/45 PIC not knowledgeable, missing FWC's, spoiled and expired foods found in kitchen, improper cold holding temperature, no temp guage in prep fridge, no sanitizer in kitchen, very dirty surfaces, insufficient number of sinks in establishment
LIBERTY MART	Mini-mart	1803 FRUITVALE BLVD	YAKIMA	12/12/2016	Pre-Opening Inspection	If few items are corrected, they are approved to open.
LITTLE CAESARS # 205	Restaurant	2010 YAKIMA VALLEY HWY. # A-2	SUNNYSIDE	12/21/2016	Routine Inspection	0/0
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	UNION GAP	12/12/2016	Routine Inspection	0/0
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	12/12/2016	Routine Inspection	0/0
MONGOLIAN GRILL	Restaurant	1628 E. WASHINGTON AVE.	UNION GAP	12/12/2016	Routine Inspection	0/0
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	12/5/2016	Routine Inspection	0/0
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	12/5/2016	Routine Inspection	5/8 Improper cold holding of PHF's, no handwash sign in restroom

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH TOWN COFFEEHOUSE	Espresso Stand	32 N. FRONT ST. # 101 - YAKIMA	YAKIMA	12/27/2016	Routine Inspection	0/0
OASIS 100% NATURAL	Juice Bar	1704 MEAD AV E	UNION GAP	12/28/2016	Routine Inspection	0/0
OLD TOWN PUMP SALOON	Restaurant/Lounge	3716 MAIN STREET	UNION GAP	12/27/2016	Routine Inspection	0/0
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	12/27/2016	Routine Inspection	5/10 Not all food worker cards current and inadequate equipment for temperature control
ORCHARD PARK	Retirement Housing	620 N. 34TH AVENUE	YAKIMA	12/15/2016	Routine Inspection	0/3 Boxed deliveries stored on bare freezer floor
PARADISOS DEL SOL	Winery	3230 HIGHLAND DR	ZILLAH	12/20/2016	Routine Inspection	0/0
PEACH TREE RETIREMENT	Retirement Housing	2800 W. VIOLA - YAKIMA	YAKIMA	12/15/2016	Routine Inspection	0/0
PEOPLE FOR PEOPLE - MEALS-ON-WHEELS (UNION GAP)		1000 AHTANUM RD.	UNION GAP	12/19/2016	Routine Inspection	0/0
PEPP'R MINT STICK DRIVE IN	Restaurant	4002 MAIN ST	UNION GAP	12/15/2016	Routine Inspection	10/21 Toxic substances improperly stored, sanitizing cloths not properly stored, utensils not properly handled, ice cream station needing cleaning

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PORTSIDE CONOCO	Mini-mart	1829 S 1ST STREET	SUNNYSIDE	12/16/2016	Routine Inspection	20/20 Repeat violation-broken employee handwash sink, need to post HFW cards, no stem thermometer to check food temps, PIC to forward photos of corrected handwash sinks.
POWERHOUSE GRILL	Restaurant	3807 RIVER RD.	YAKIMA	12/14/2016	Routine Inspection	0/0
PRIMO MINI MART	Mini-mart	516 W. LINCOLN AVE	YAKIMA	12/7/2016	Pre-Opening Inspection	Still has some bare wood that needs to be sanded and painted, to add trim where floor meets the plastic liner around the floor of the meat cutting counter, crevices need to be caulked at the meat display refrigerator, need smooth covers for meat display refrigerator, remove screws at the hand wash sink, add a taller trim to cover the glue on the wall.
				12/19/2016	Pre-Opening Inspection	Additional items needed - preopening inspection required. See notes in imaging. 2 inspections done same day.
QUIZNO'S SUB	Restaurant	5603 SUMMITVIEW #102	YAKIMA	12/30/2016	Routine Inspection	0/0
RED ROOSTER	Tavern	519 S. 1ST STREET	SELAH	12/15/2016	Routine Inspection	0/0
RICH SISTERS	Catering	5808 SUMMITVIEW STE. "E"	YAKIMA	12/9/2016	Routine Inspection	0/0
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	12/8/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RITE AID # 4063	Grocery Store	12 N 9TH AVE.	YAKIMA	12/27/2016	Routine Inspection	0/0
RITE AID # 5297	Grocery Store	2519 MAIN STREET	UNION GAP	12/27/2016	Routine Inspection	0/0 No concerns noted
RIVER CANYON	Espresso Stand	344 E. GOODLANDER RD. - SELAH	SELAH	12/19/2016	Routine Inspection	0/0
RIVER RIDGE GOLF COURSE	Restaurant/Lounge	295 GOLF COURSE LOOP	SELAH	12/19/2016	Routine Inspection	0/0
ROADRUNNER	Mini-mart	1408 N. 1ST STREET	YAKIMA	12/22/2016	Routine Inspection	0/0
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	12/5/2016	Routine Inspection	0/0
ROCK ROSE BOUTIQUE	Espresso Stand	5641 SUMMITVIEW AVE	YAKIMA	12/8/2016	Pre-Opening Inspection	Not ready to open
				12/9/2016	Pre-Opening Inspection	Ready to open
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	12/5/2016	Routine Inspection	0/0
SAN JUAN RESTAURANT	Restaurant	415 S. WAPATO AVE. - WAPATO	WAPATO	12/29/2016	Routine Inspection	10/10 1 FWC out of date

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SCHWAN'S HOME SERVICE, INC.		1502 PIERCE STREET	UNION GAP	12/28/2016	Routine Inspection	0/0
SKATELAND FUN CENTER & THE VINE VENUE	Snack Bar	2506 OLD TOWN RD	UNION GAP	12/28/2016	Routine Inspection	25/25 bare hand contact RTE foods.
SOUTHEAST COMMUNITY CENTER	Restaurant	1211 S. 7TH ST.	YAKIMA	12/16/2016	Routine Inspection	0/0
STANTON ACADEMY	School	802 RIVER RD.	YAKIMA	12/12/2016	Routine Inspection	0/0
STOP-N-GO EXPRESS-O	Espresso Stand	3005 MAIN STREET	UNION GAP	12/15/2016	Routine Inspection	0/3 No hot water in customer restroom
SU MERCADITO # 3	Mult Food Service	110 ASH - GRANDVIEW	GRANDVIEW	12/19/2016	Routine Inspection	5/5 FWC missing
SUN - TIDES RESTAURANT	Restaurant	231 PENCE RD.	YAKIMA	12/27/2016	Routine Inspection	15/15 Raw meat above RTE food, 1 fridge not keeping temp- salvagable food was moved.
SUNNYSIDE COMMUNITY CENTER	Snack Bar	1521 S. 1ST STREET - SUNNYSIDE	SUNNYSIDE	12/29/2016	Routine Inspection	10/10 Inadequate handwashing facilities (no hot water)
SUNNYSIDE INN BED & BREAKFAST	Bed & Breakfast	804 E EDISON AVE.	SUNNYSIDE	12/16/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUPER 8 YAKIMA	Continental Brkfst	2605 RUDKIN ROAD	UNION GAP	12/28/2016	Routine Inspection	0/0
TACO TIME	Restaurant	1020 S 16TH AVE.	YAKIMA	12/28/2016	Routine Inspection	0/0
TAMALES EXPRESS AND MORE 50/50	Restaurant	315 W. MARTIN LUTHER KING JR. BLVD.	YAKIMA	12/15/2016	Routine Inspection	0/0
TAQUERIA EL RINCONSITO # 13	Restaurant	1001 N 1ST ST.	YAKIMA	12/8/2016	Routine Inspection	0/6 Non-food contact surefaces unclean, no handwash sign in restrooms
TAQUERIA LOS PRIMOS #6	Restaurant	808 N 1ST ST.	YAKIMA	12/27/2016	Routine Inspection	0/5 Improper labeling of salsa
TARGET STORES T-760	Snack Bar	12 N FAIR AVE.	YAKIMA	12/27/2016	Routine Inspection	5/10 Not all food worker cards current and inadequate equipment for temperature control
TEN-FOUR CAFE	Restaurant	703 WINE COUNTRY RD.	GRANDVIEW	12/21/2016	Routine Inspection	5/8 Hot holding temp at 134 for gravy, open employee drink containers on food prep table, no hand towels in employee bathroom
THE PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	12/19/2016	Routine Inspection	5/5 Missing FWCs
TIENDA DE ABARROTOS LOS AMIGOS	Meat Market	209 S. WAPATO AVE. - WAPATO	WAPATO	12/28/2016	Routine Inspection	45/60 FHC out of date - hand wash sink not in use (cluttered) - general storage/cleaning and labeling concerns

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TIENDA DEL PUEBLO	Grocery Store	530 FRANKLIN AVE.	SUNNYSIDE	12/29/2016	Routine Inspection	0/5 Inadaquate equipment for temperature control
TOPP THAI CUISINE	Restaurant	13 E TOPPENISH AVE	TOPPENISH	12/20/2016	Routine Inspection	0/3 Handwash sign missing from restrooms
TRES AMIGOS AY CARAMBA	Restaurant	1300 N. 40TH AVE. # 107 - YAKIMA	YAKIMA	12/20/2016	Routine Inspection	0/0
TRIUMPH TREATMENT SERVICES	Catering	3300 ROOSEVELT AVE.	YAKIMA	12/28/2016	Routine Inspection	0/0
UNION GAP CARNICERIA	Meat Market	909 LOWER AHTANUM RD	UNION GAP	12/5/2016	Routine Inspection	70/82 PIC missing correct certification, FWCs out of date, food obtained from unapproved source, raw meat preparation adjacent to RTE foods, raw meat stored and on RTE food, raw meat left out at RT, food stored on floor of walk in refrigerator, food contact surfaces dirty, physical facilities improperly cared for
				12/15/2016	Follow-Up Inspection	0/0 Past items have been corrected
UNION GAP DISTRICT# 2 SCHOOL	School	3201 S. 4TH ST.	UNION GAP	12/8/2016	Routine Inspection	0/0
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	12/28/2016	Routine Inspection	15/15 FWC out of date, no thermometer for hot holding
WAFFLES CAFFE	Restaurant	1510 N. 1ST STREET	YAKIMA	12/19/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAPATO CITY JAIL	Jail	205 S SIMCOE AVE	WAPATO	12/29/2016	Routine Inspection	5/5 Missing FWC
WAREHOUSE DEMO SERVICES # 1013	Grocery Store	2310 LONGFIBER RD. - UNION GAP	UNION GAP	12/28/2016	Routine Inspection	0/0
WASHINGTON FRUIT PLACE	Fruit Stand	1209 PECKS CANYON RD.	YAKIMA	12/22/2016	Routine Inspection	10/10 Salmon in reduced oxygen packaging was not at a temperature of 38 degrees farenheit or lower, improper cold holding temperature
WEST VALLEY DAIRY QUEEN	Restaurant	7410 W. NOB HILL BLVD.	YAKIMA	12/29/2016	Routine Inspection	10/13 Expired food worker cards, improper cold holding temperature
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	12/21/2016	Routine Inspection	15/15 Expired FWC, no thermometer
YAKIMA AVE QUICK STOP	Mini-mart	702 W YAKIMA AVE.	YAKIMA	12/21/2016	Routine Inspection	35/40 Inadequate handwashing facilities, improper hot holding temperatures of food (fried chicken and chimichonga), and no temperature guage present in hot hold
YAKIMA AVENUE DAIRY QUEEN	Restaurant	801 E YAKIMA AVE.	YAKIMA	12/20/2016	Routine Inspection	15/15 Expired food worker cards and inadequate handwashing facilites
YAKIMA ONLINE	School	1120 S. 18TH ST. , PORTABLE B	YAKIMA	12/12/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA VALLEY INN	Continental Brkfst	818 N. 1ST STREET	YAKIMA	12/28/2016	Routine Inspection	0/0