

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AFC SUSHI @ FRED MEYER # 486	Deli	1206 N. 40TH AVE.	YAKIMA	1/19/2017	Routine Inspection	0/0
ALLEN'S MARKET	Mini-mart	160 S. WAPATO RD.	WAPATO	1/30/2017	Routine Inspection	10/10 FWC for PIC and staff expired
AMERISTAR # 15	Mini-mart	723 E. 1ST AVE.	ZILLAH	1/5/2017	Routine Inspection	0/0
ARAMARK CORRECTIONAL SERVICES	Jail	111 N FRONT ST.	YAKIMA	1/27/2017	Routine Inspection	0/0
AZADERO MEXICO	Restaurant	1003 W NOB HILL BLVD	YAKIMA	1/27/2017	Pre-Opening Inspection	Ready to open
CARL'S JR.	Restaurant	2208 S. 1ST STREET	YAKIMA	1/25/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CARNITAS SUPREME # 2	Restaurant	1102 W NOB HILL BLVD.	YAKIMA	1/30/2017	Routine Inspection	5/5 Need thermometer in refrigerator in storage area
CENTRAL LUTHERAN CHURCH- ON THE CORNER	Church Kitchen	1604 W YAKIMA AVE	YAKIMA	1/26/2017	Pre-Opening Inspection	Ready to open
CHIPOTLE MEXICAN GRILL	Restaurant	1905 S. 1ST STREET - UNION GAP	YAKIMA	1/25/2017	Routine Inspection	5/5 Improper cold holding temperature
CLASSY COFFEE	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	1/9/2017	Routine Inspection	10/10 Inadequate handwashing facility-missing paper towels
COFFEE AT TIFFANY'S	Espresso Stand	402 S 1ST ST.	SELAH	1/6/2017	Routine Inspection	0/0
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	1/18/2017	Routine Inspection	0/3 Utensils not properly stored
DEEP SEA DELI	Grocery Store	20 N. 9TH AVE.	YAKIMA	1/4/2017	Routine Inspection	0/0
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	1/4/2017	Routine Inspection	0/11 Food contact surfaces not clean, non-food contact surfaces not clean, garbage and refuse food improperly disposed of
DOWNTOWN MARKET & DELI	Grocery Store	131 S. 2ND ST.	YAKIMA	1/9/2017	Routine Inspection	10/10 FWC out of date

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOWNTOWN SUPER FOODS	Grocery Store	316 3RD ST S	YAKIMA	1/3/2017	Routine Inspection	10/15 FWC out of date. PHF not at temp, CDI
DREAMGIRLS ESPRESSO	Espresso Stand	1323 S. 8TH STREET	YAKIMA	1/31/2017	Routine Inspection	5/5 Expired food worker cards
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	1/26/2017	Routine Inspection	0/5 Missing test strips for sanitizer for dishwasher
EL FOGON	Restaurant	1300 YAKIMA VALLEY HWY.	SUNNYSIDE	1/30/2017	Routine Inspection	5/5 Raw beef stored above RTE food. CDI
EL NAYARITA RESTAURANT	Restaurant/Lounge	601 FRUITVALE BLVD.	YAKIMA	1/12/2017	Routine Inspection	5/5 Need FWC for staff
EL PORTON	Restaurant	905-A VINTAGE VALLEY PARKWAY	ZILLAH	1/30/2017	Routine Inspection	5/5 Improper cold-holding of PHF
EL PORTON RESTAURANT	Restaurant/Lounge	4808 TIETON DRIVE.	YAKIMA	1/27/2017	Routine Inspection	10/10 Deli prep cold table above 54 degrees. CDI. PIC to ensure prep table is closed to keep PHF at proper temperature.
EL RANCHERO	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	1/9/2017	Routine Inspection	20/20 Safety of food was in question, raw meat not stored away from ready to eat food, improper cold holding temperature
ESSENCIA ARTISAN BAKERY	Restaurant/Catering	4 N. 3RD ST.	YAKIMA	1/27/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FIESTA FOODS	Mult Food Service	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	1/30/2017	Routine Inspection	5/5 Missing some FWCs
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	1/30/2017	Routine Inspection	45/45 Missing FWC, no paper towels in hand washing sink, Hot holding cooked potatoes at 113 degrees, no hot water. Follow-up inspection needed.
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	1/24/2017	Routine Inspection	30/30 Repeat violation PHF below 135 degrees. CDI. No thermometer in case. Metal stem thermometer inaccurate. PIC to purchase thermometers and instruct staff on taking proper temps. Reinspection required.
FRED MEYER # 486	Mult Food Service	1206 N. 40TH AVE.	YAKIMA	1/27/2017	Routine Inspection	0/0
GATEWAY 76 STORE # 180	Mini-mart	1802 E NOB HILL BLVD.	YAKIMA	1/11/2017	Routine Inspection	5/10 Missing food handler cards, no wiping cloths at time of inspection CDI
GEORGE'S WOK & GRILL	Restaurant	1210 S. 80TH AVE.	YAKIMA	1/18/2017	Routine Inspection	0/0
GLACIER'S FROZEN YOGURT, L.L.C.	Ice Cream Parlor	4040 TERRACE HEIGHTS DR. # 140	YAKIMA	1/26/2017	Routine Inspection	0/0
GLEZ FAMILY RESTAURANT	Restaurant	1850 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/30/2017	Routine Inspection	0/5 Lettuce in permeable box on floor of walk in

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOTTA STOP MABTON	Mini-mart	HWY 22 & MAIN	MABTON	1/31/2017	Routine Inspection	5/8 FWC for staff not on site, tongs in hot deli not properly stored
GUESTHOUSE INN - YAKIMA	Continental Brkfst	1010 S SGT PENDLETON WAY	YAKIMA	1/26/2017	Routine Inspection	10/10 Improper cold holding in dining area fridge
HERITAGE UNIVERSITY	Cafeteria	3240 FORT	TOPPENISH	1/30/2017	Routine Inspection	0/0
HOP NATION BREWING COMPANY	Winery	31 N 1ST AVENUE - YAKIMA	YAKIMA	1/30/2017	Routine Inspection	0/0
INTERNATIONAL MARKET	Mult Food Service	512 W 1ST ST.	WAPATO	1/3/2017	Routine Inspection	5/5 Missing FWC
JAHN'S EUROPEAN SAUSAGE & CUSTOM CUTTING	Meat Market	160 RANCHETTE LN	SELAH	1/26/2017	Routine Inspection	0/0
JIMMY JOHN'S GOURMET SANDWICHES	Restaurant	122 E YAKIMA AVE	YAKIMA	1/6/2017	Routine Inspection	5/5 Expired FWC (2)
LA BARATA	Meat Market	317 B ST	MABTON	1/30/2017	Routine Inspection	40/50 Room temperature storage Chorizo CDI, repeat violation no thermometer in hot holding deli case, no test strips, FWC out of date
LA CASITA	Restaurant	610 S. 3RD ST	YAKIMA	1/25/2017	Follow-Up Inspection	0/0 Past items have been corrected
				1/26/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	1/20/2017	Routine Inspection	25/25 Room Temperature storage of PHF
LATINO MARKET	Mini-mart	502 W. 1ST STREET	TOPPENISH	1/20/2017	Routine Inspection	0/0
LEP-RE-KON HARVEST FOODS #6	Mult Food Service	145 1ST AVE.	ZILLAH	1/30/2017	Routine Inspection	0/0
LIBERTY MART	Mini-mart	1803 FRUITVALE BLVD	YAKIMA	1/26/2017	Routine Inspection	0/0
LITTLE RED SCHOOL HOUSE	Grocery Store	12691 U. S. HWY. 12	NACHES	1/12/2017	Routine Inspection	0/0
LOTUS CHINESE RESTAURANT	Restaurant	901 W. 1ST AVENUE	TOPPENISH	1/31/2017	Routine Inspection	0/5 chlorine test strips not available. PMG left some strips as well as information on where strips can be purchased. No other concerns noted
M & N GROCERY & BAKERY	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	1/30/2017	Routine Inspection	0/0
MAJOR'S	Restaurant	1902 S. 3RD AVENUE	UNION GAP	1/5/2017	Complaint Inspection	Conducted a complaint inspection based on complaint recieved for this facility. Interviewed employees and managers to see if there have been sick workers. Observed handling and cooking process of the crispy chicken, which is the food that allegedly caused the illness. Found no issues or anything suspicious. This complaint will be abated.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MANHATTAN STATION SUNTIDES ESPRESSO	Espresso Stand	11 PENCE RD	YAKIMA	1/6/2017	Routine Inspection	0/0
MATTERHORN MEATS	Meat Market	1313 N 16TH AVE	YAKIMA	1/31/2017	Routine Inspection	0/0
MC DONALD'S	Restaurant	1305 S. 1ST STREET	YAKIMA	1/19/2017	Routine Inspection	30/33 Improper use of time as a control, In-use utensils improperly stored, not all food worker cards valid
				1/30/2017	Routine Inspection	0/0
MC DONALD'S RESTAURANT	Restaurant	2326 S. 1ST STREET - UNION GAP	UNION GAP	1/18/2017	Routine Inspection	30/30 Expired food worker cards, Inproper use of time as a control
				1/30/2017	Routine Inspection	25/25 Improper use of time as a control
MERCADO DE YAKIMA	Mult Food Service	511 N. 1ST STREET SUITE # 113 - YAKIMA	YAKIMA	1/25/2017	Routine Inspection	0/5 Repackaged foods improperly labeled
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	1/24/2017	Routine Inspection	90/20 Handwashing not done by butcher and deli workers, PHF below 130, Chicken patties kept at room temperature, thermometer not used in deli for hot held PHF, cleaning solutions not labeled, no thermometers in deli cases, no wiping cloths, food contact surfaces in meat market not cleaned. Reinspection required.
MUGSHOTZ CAFE	Restaurant	108-A E. MOXEE AVE. - 98936	MOXEE	1/11/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NEW HONG KONG RESTAURANT	Restaurant	918 W. WINE COUNTRY RD.	GRANDVIEW	1/25/2017	Routine Inspection	5/5 Raw meat not below or away from ready to eat food
NEW HOPE INDUSTRIES	Catering	1224 N 1ST ST	YAKIMA	1/27/2017	Routine Inspection	0/0
NEW YORK TERIYAKI - MOXEE	Restaurant	214 E. MOXEE AVE.	MOXEE	1/26/2017	Routine Inspection	5/5 Species not seperated
NOB HILL FOOD STORE	Mini-mart	1710 E. NOB HILL BLVD.	YAKIMA	1/3/2017	Routine Inspection	25/25 Improper hot holding temperature
NORTH AVENUE MARKET	Mini-mart	701 NORTH AVENUE	SUNNYSIDE	1/30/2017	Routine Inspection	0/0
OUTBACK STEAKHOUSE	Restaurant/Catering	2412 RUDKIN RD.	UNION GAP	1/9/2017	Routine Inspection	5/5 Improper cold-holding of PHF's
PANADERIA LA MORENITA	Bakery	117 E WALNUT	YAKIMA	1/9/2017	Routine Inspection	5/5 Improper pooling of eggs, CDI
				1/13/2017	Follow-Up Inspection	PIC will no longer pool eggs, All items corrected
PANERA BREAD #1878	Restaurant	21 E. VALLEY MALL BLVD.	UNION GAP	1/25/2017	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	205 S. 1ST	SELAH	1/6/2017	Routine Inspection	5/5 Expired food worker cards
				1/18/2017	Routine Inspection	5/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA MURPHY'S PIZZA # WA 100	Restaurant	6802 TIETON DR	YAKIMA	1/31/2017	Routine Inspection	0/0
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	1/30/2017	Routine Inspection	30/30 Improper hot holding temperature, not all employees possessed a food handler card
PEEK-A-BREW ESPRESSO	Espresso Stand	2524 RUDKIN RD.	UNION GAP	1/3/2017	Routine Inspection	0/0
PEOPLE FOR PEOPLE - MEALS-ON-WHEELS (GRANDVIEW)	Serving Site	812 WALLACE DR.	GRANDVIEW	1/5/2017	Routine Inspection	0/0
PIZZA HUT # 12817	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	1/31/2017	Routine Inspection	0/0
PRIMO MINI MART	Mini-mart	516 W. LINCOLN AVE	YAKIMA	1/30/2017	Routine Inspection	10/12 No paper towels in restroom, roof leakings must be fixed
QUALITY INN & SUITES (TOPPENISH)	Continental Brkfst	511 S ELM ST	TOPPENISH	1/5/2017	Routine Inspection	0/0
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	1/4/2017	Routine Inspection	0/0
ROCK ROSE BOUTIQUE	Espresso Stand	5641 SUMMITVIEW AVE	YAKIMA	1/18/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFEWAY # 1235	Mult Food Service	2204-A W. NOB HILL BLVD.	YAKIMA	1/20/2017	Routine Inspection	0/0
SAFEWAY # 1593	Mult Food Service	610 E. WINE COUNTRY RD.	GRANDVIEW	1/25/2017	Routine Inspection	35/45 PIC incompliant with code, 11 expired food worker cards, improper hot holding temperatures, inadequate equipment for temperature control, food contact surfaces not cleaned/sanitized
SALSITA ANTOJITOS MEXICANOS	Restaurant	902 S. FAIR AVE.	YAKIMA	1/27/2017	Routine Inspection	0/0
SANTIAGOS	Restaurant/Catering	111 E YAKIMA AVE.	YAKIMA	1/27/2017	Routine Inspection	0/0
SCOTT'S FUEL YARD ESPRESSO	Espresso Stand	314 1ST AVE.	ZILLAH	1/5/2017	Routine Inspection	0/0
SHARI'S RESTAURANT - N. YAKIMA	Restaurant	1401 LAKESIDE COURT	YAKIMA	1/27/2017	Routine Inspection	0/0
SHARI'S RESTAURANT - UNION GAP	Restaurant	16 E VALLEY MALL BLVD.	UNION GAP	1/27/2017	Routine Inspection	0/0
SHISH KABOB & GRILL	Restaurant	103 S 1ST ST	SELAH	1/26/2017	Routine Inspection	50/63 PIC was not knowledgeable about food safety practices, missing FWC, improperly stocked hand wash sink, RTS of PHF, no metal stem thermometer was available, kitchen floor has not been cleaned thoroughly, faucet for food preparation sink is broken, missing tiles on the kitchen floor

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SILVER DOLLAR DINER	Tavern	324 B ST.	MABTON	1/30/2017	Routine Inspection	5/10 Missing FWC, some dry goods stored on floor
SNYDER'S BAKERY	Bakery	31 N 4TH AVE.	YAKIMA	1/26/2017	Routine Inspection	0/0
SNYDER'S GERMAN SAUSAGE HAUS	Meat Market	3504 W NOB HILL BLVD.	YAKIMA	1/6/2017	Routine Inspection	0/0
STARBUCKS	Espresso Stand/Deli	1312 S 1ST ST	YAKIMA	1/3/2017	Routine Inspection	0/0
STIR CRAZY COFFEE SHOP	Espresso Stand	915 N 4TH ST.	GRANDVIEW	1/5/2017	Routine Inspection	0/0
SUB SHOP OF YAKIMA	Restaurant	20 N. 2ND STREET	YAKIMA	1/4/2017	Routine Inspection	0/0
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	1/30/2017	Routine Inspection	0/0
TACO SHACK	Restaurant	130 E NACHES	SELAH	1/25/2017	Routine Inspection	5/5 FWC unavailable
TACO TIME	Restaurant	701 W YAKIMA AVE.	YAKIMA	1/19/2017	Routine Inspection	0/5
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	1/27/2017	Routine Inspection	25/25 Improper cooling of PHF's

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS DON CHAYO	Mobile		YAKIMA	1/26/2017	Routine Inspection	0/0
TACOS EL REY II	Restaurant	6712 TIETON DR	YAKIMA	1/19/2017	Routine Inspection	0/0
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	1/30/2017	Routine Inspection	0/0
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	1/17/2017	Routine Inspection	10/17 No FWC or permit posted
TAQUERIA MEXICANA	Restaurant	105 1/2 S ALDER ST	TOPPENISH	1/20/2017	Routine Inspection	5/5 Expired FWC
TERIYAKI GRILLE	Restaurant	901 W. YAKIMA AVE. SUITE# 6-B	YAKIMA	1/25/2017	Routine Inspection	25/28 Improper hot holding, needs to clean and sanitize refrigerators
THE BEER SHOPPE		302 W. YAKIMA AVE. # 107	YAKIMA	1/30/2017	Routine Inspection	0/0
THE LITTLE BAKE SHOP AT JOHNSON ORCHARDS	Bakery	4906 SUMMITVIEW AV	YAKIMA	1/23/2017	Routine Inspection	0/0
TIETON MARKET	Mini-mart	6003 TIETON DR	YAKIMA	1/3/2017	Routine Inspection	25/25 Inadequate handwashing facilities, improper species separation and improper cold holding temperature of hazardous foods

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
VALLEY FROZEN FOODS	Mobile		GRANDVIEW	1/30/2017	Routine Inspection	0/0
				1/30/2017	Routine Inspection	0/0
WEST VALLEY BAR & GRILL	Tavern	1212 S. 80TH AVE.	YAKIMA	1/9/2017	Routine Inspection	0/9 Improper thawing of PHF, In-use utensils improperly stored, No handwash sign in restrooms
WINE COUNTRY DELI	Mini-mart	940 E. WINE COUNTRY RD. SUITE "C"	GRANDVIEW	1/25/2017	Follow-Up Inspection	Establishment corrected all mistakes that required them to have a re inspection
WRAY'S FOOD & DRUG	Mult Food Service	5605 SUMMITVIEW	YAKIMA	1/26/2017	Routine Inspection	0/0
WRAY'S MEADOWBROOK	Mult Food Service	7200 W. NOB HILL BLVD.	YAKIMA	1/27/2017	Routine Inspection	30/30 PHF in hot deli at 132 degrees. CDI. Room temperature holding of PHF CDI.
WRAY'S SOUTHGATE	Mult Food Service	401 W. NOB HILL BLVD.	YAKIMA	1/26/2017	Routine Inspection	0/0
YAKIMA ATHLETIC CLUB	Snack Bar	2501 RACQUET LANE	YAKIMA	1/6/2017	Routine Inspection	0/0
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	1/26/2017	Routine Inspection	55/60 Bare hand contact on ready to eat food, food contact surfaces not thoroughly cleaned and sanitized, improper hot holding temperatures, improper cold holding temperatures, inadequate equipment for temperature control.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA CRAFT BREWING CO.	Restaurant	2920 RIVER RD. # 6	YAKIMA	1/26/2017	Routine Inspection	0/0
YAKIMA VALLEY HOTEL & CONFERENCE CENTER	Restaurant	1507 N 1ST STREET	YAKIMA	1/27/2017	Routine Inspection	0/0
YOGURT SHACK	Ice Cream Parlor	110 S. 72ND AVE. SUITE # 100	YAKIMA	1/19/2017	Routine Inspection	0/0
YUM	Bakery	1211 S. 7TH ST.	YAKIMA	1/30/2017	Routine Inspection	0/0
ZIRKLE FRUIT COMPANY	Mult Food Service	352 HARRISON	SELAH	1/26/2017	Routine Inspection	35/35 Improperly cooling PHF, improperly stocked hand wash sink