

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
"HOLY" PIES! DELI AND COFFEE	Espresso Stand/Deli	1829 S 1ST STREET SUITE "B"	SUNNYSIDE	2/7/2017	Routine Inspection	0/0
1885 BAR & GRILL @ VAN'S	Restaurant	208 NACHES AVENUE	NACHES	2/13/2017	Routine Inspection	0/0
3D AM/PM	Mini-mart	1801 E NOB HILL	YAKIMA	2/2/2017	Routine Inspection	0/0
41ST STREET ESPRESSO	Espresso Stand	4112 1/2 TERRACE HGTS. DR.	YAKIMA	2/1/2017	Routine Inspection	0/0
A & A MINI MART & SMOKE SHOP	Mini-mart	708 N. 5TH AVE.	YAKIMA	2/27/2017	Routine Inspection	30/30 room temperature storage of PHF CDI and voluntarily disposed, Metal stem thermometer on site in packaging and not being used. PIC to ensure temperatures are taken of PHF to ensure compliance
AHTANUM GENERAL STORE	Mini-mart	8301 AHTANUM	YAKIMA	2/2/2017	Routine Inspection	5/8 Improper thawing of chicken, no thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ALBERTSON'S FOOD CENTER # 249	Mult Food Service	1610 W. LINCOLN AVE.	YAKIMA	2/15/2017	Routine Inspection	5/10 Missing FWC, deli walk-in missing thermometer, CDI
AM/PM # 4387	Mini-mart	912 N. 1ST STREET	YAKIMA	2/10/2017	Routine Inspection	0/5 Potential risk of contamination, onions on floor in permeable container, CDI
APPLE CITY SALAMI	Mobile	FARMERS MARKET	YAKIMA	2/1/2017	Routine Inspection	0/0
ARCO AM/PM	Mini-mart	1850 WANETA ROAD	SUNNYSIDE	2/7/2017	Routine Inspection	0/0
BALLESTERI'S CAFE	Restaurant	4001 SUMMITVIEW AVE. # 3	YAKIMA	2/2/2017	Routine Inspection	5/10 Expired food worker cards, inadequate equipment for temperature control
BASKIN-ROBBINS	Ice Cream Parlor	3802 W. NOB HILL BLVD.	YAKIMA	2/21/2017	Routine Inspection	0/0
BEST WESTERN AHTANUM INN	Continental Brkfst	2408 RUDKIN RD.	UNION GAP	2/3/2017	Routine Inspection	30/30 Hot PHF at ~ 120 degrees, no accurate thermometer to evaluate temperature of PHF
BIG LOTS # 4558	Grocery Store	120 N. FAIR AVE. # 102	YAKIMA	2/7/2017	Routine Inspection	0/0
BREWER'S MINI- MART II	Mini-mart	3922 FRUITVALE BLVD.	YAKIMA	2/15/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BURGER KING	Restaurant	1605 E. YAKIMA AVE.	YAKIMA	2/15/2017	Routine Inspection	0/0
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	2/15/2017	Routine Inspection	40/40 FWC expired PIC to correct, PHF at room temp, thermometer not used consistently to evaluate PHFs
CAFE @ TOPPENISH LIVESTOCK COMMISSION	Restaurant	428 S. "G" STREET	TOPPENISH	2/16/2017	Routine Inspection	20/20 FWC expired, fish from unapproved source
CAFE GRANDE VUE	Deli	1021 W. WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	2/7/2017	Routine Inspection	0/0
CHEVRON MINI MART	Mini-mart	5604 SUMMITVIEW	YAKIMA	2/1/2017	Routine Inspection	5/5 Improper hot holding temperature
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/24/2017	Routine Inspection	40/48 Facility requires an overall cleaning of prep area and stock room, egg rolls at room temperature CDI
COCINA ARIEL	Commissary	807 W. NOB HILL BLVD.	YAKIMA	2/23/2017	Routine Inspection	0/8 Overall cleanliness of food and non food contact surface is low
COUNTRY ROCK CAFE	Restaurant	216 NACHES AVE.	NACHES	2/7/2017	Routine Inspection	5/5 FWC not present at time of inspection
COWICHE HARVEST FOODS	Mult Food Service	16850 SUMMITVIEW RD	COWICHE	2/7/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CRUISIN COFFEE SOUTH FIRST	Espresso Stand	111 E. WASHINGTON AVE.	YAKIMA	2/2/2017	Routine Inspection	0/0
DARK HORSE INN	Restaurant	1400 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/24/2017	Routine Inspection	5/5 FWCs expired, PIC to ensure all staff have FWC updated
DOC'S ON THE GREEN PIZZERIA	Restaurant	530 CHERRY HILL RD. - GRANGER	GRANGER	2/24/2017	Routine Inspection	35/35 bare hand contact of PHF CDI, Deli prep table at 43 degrees, lid closed to lower temperature. Meat stored in cold glass refrigeration, CDI
DOLLAR TREE STORE # 2753	Grocery Store	2660 YAKIMA VALLEY HWY	SUNNYSIDE	2/7/2017	Routine Inspection	0/0
DOMINO'S PIZZA # 7170	Restaurant	6 S UNION ST	YAKIMA	2/14/2017	Routine Inspection	0/5 No thermometer in refrigerator containing PHF's
DOMINO'S PIZZA # 7171	Restaurant	420 S. 72ND AVE.	YAKIMA	2/28/2017	Routine Inspection	10/18 Improperly stocked hand wash sink, improperly labeled food, kitchen floor has not been cleaned thoroughly
DONALD STORE	Mini-mart	2600 DONALD-WAPATO RD.	WAPATO	2/24/2017	Routine Inspection	30/30 PHF in hot holding deli case at 122 degrees, voluntarily disposed. PIC to ensure thermometer is placed in hot holding deli case and conduct inspections of PHF using stem thermometer to ensure proper temperatures. PIC to contact YHD when thermometers are purchased.
DON'S DONUTS & JULIE'S JAVA	Bakery	1024 W. NOB HILL BLVD.	YAKIMA	2/7/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOUBLE SHOT	Espresso Stand	2800 TERRACE HTS DRIVE	YAKIMA	2/2/2017	Routine Inspection	0/0
EL CAMPESTRE	Restaurant	225 DIVISION ST	GRANDVIEW	2/7/2017	Routine Inspection	10/10 FWC need to be updated for PIC and staff
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	2/7/2017	Routine Inspection	10/20 PIC no FWC, Deli prep table mayo above 42 degrees CDI, no wiping cloths used, No test strips. Owner to contact PMG to go over results of inspection and put corrections into a schedule.
EL MEJOR TAQUITO RESTAURANT	Restaurant	544 S. 6TH STREET	SUNNYSIDE	2/23/2017	Routine Inspection	5/10 Raw meat stored next to ready to eat food, food contact surfaces not maintained and cleaned.
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	2/15/2017	Routine Inspection	0/0
EL PORTON RESTAURANT	Restaurant/Lounge	4808 TIETON DRIVE.	YAKIMA	2/3/2017	Follow-Up Inspection	PIC has sent deli case cover out for repair. Currently using smaller qualities of PHF and rotating stock to ensure consistent temps. All PHF was at temperature during inspection.
EL SOL MEAT MARKET	Meat Market	1516 YAKIMA VALLEY HWY	SUNNYSIDE	2/7/2017	Routine Inspection	0/5 PHF not properly labeled. PIC provided information on labeling requirements to the PIC. PIC removed all improperly labeled PHF for resale and began labeling.
EVIE'S ON THE BOULEVARD	Catering	3402 W NOB HILL	YAKIMA	2/14/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FAIRFIELD INN & SUITES	Continental Brkfst	137 FAIR AVENUE	YAKIMA	2/28/2017	Routine Inspection	0/0
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	2/1/2017	Follow-Up Inspection	15/15 FWC, handwash sink missing paper towels
FILIPINO AMERICAN COMMUNITY OF THE YAKIMA VALLEY	Snack Bar	211 W. 1ST STREET	WAPATO	2/16/2017	Routine Inspection	0/0
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	2/3/2017	Follow-Up Inspection	All concerns noted on 1/24 corrected
FLYIN' PIG BBQ	Restaurant/Catering	7 N. FRONT STREET	YAKIMA	2/7/2017	Routine Inspection	10/10 Missing FWC, raw meats in refrigerator with ready to eat food
FRATERNAL ORDER OF EAGLES	Restaurant/Lounge	100 E. SOUTH HILL RD.	SUNNYSIDE	2/27/2017	Routine Inspection	0/0
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	2/6/2017	Routine Inspection	0/0
GRANDVIEW MARKET	Mini-mart	100 E. WINE COUNTRY RD.	GRANDVIEW	2/1/2017	Follow-Up Inspection	PHF in hot deli case at 120 degree or below. PIC voluntarily deposited all food. Owner contacted YHD to ensure thermometer will be placed in deli case to ensure temps are watched. PIC provided training on importance of ensuring PHF at proper temperature

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HAZELY'S REALM	Espresso Stand	900 WEST WINE COUNTRY RD STE. "B"	GRANDVIEW	2/24/2017	Routine Inspection	5/5 Missing thermometer in commercial kitchen in storage room
JACK IN THE BOX # 8315	Restaurant	1002 N. 1ST STREET	YAKIMA	2/10/2017	Routine Inspection	5/5 Missing FWCs
JENNY MAE'S	Bakery	730 N. 16TH AVE. # 2	YAKIMA	2/2/2017	Routine Inspection	0/0
JERRY'S VALLEY MEATS	Meat Market	2561 SUNNYSIDE MABTON RD	SUNNYSIDE	2/8/2017	Routine Inspection	0/0
KEILSIE'S PASTRIES	Restaurant/Catering	808 N 1ST ST.	YAKIMA	2/2/2017	Routine Inspection	5/5 Expired FWC's
KIMBERLY'S	Restaurant	2011 W. WASHINGTON AVE.	YAKIMA	2/15/2017	Routine Inspection	0/0
LA SUPER BAKERY (GRANDVIEW)	Bakery	210 W. 2ND STREET	GRANDVIEW	2/8/2017	Routine Inspection	0/0
LINCOLN AVENUE ESPRESSO BAR	Espresso Stand	1801 W LINCOLN AVE	YAKIMA	2/1/2017	Routine Inspection	5/5 Expired food worker cards

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARISCOS NAYARIT	Restaurant	606 S 36TH AVE	YAKIMA	2/7/2017	Routine Inspection	95/95 Expired FWC, no soap and paper towels on hand washing sink, improper cooling procedures, Improper hot holding temperatures, PHF at room temperature, no accurate thermometer to evaluate temperature of PHF.
MERCEDES AND FAMILY II	Restaurant	5603 TIETON DRIVE	YAKIMA	2/21/2017	Routine Inspection	0/0
MINER'S DRIVE IN	Restaurant	2415 S. 1ST STREET	UNION GAP	2/2/2017	Routine Inspection	0/5 Improper storage of wiping clothes
MINUTE MART & SMOKE SHOP	Mini-mart	301 S. 13TH STREET	SUNNYSIDE	2/8/2017	Routine Inspection	5/5 PIC missing FWC
MR MO'S ESPRESSO	Espresso Stand	103 W. FREMONT	SELAH	2/1/2017	Routine Inspection	5/5 Missing FWC
MUGSHOTZ CAFE	Restaurant	108-A E. MOXEE AVE. - 98936	MOXEE	2/27/2017	Routine Inspection	15/23 Expired FWC, improper cold-holding of PHF's, inadequate equipment for temperature control, improper storage of in-use utensils
NANA KATE'S	Espresso/Catering	432 E GOODLANDER RD.	SELAH	2/2/2017	Routine Inspection	0/0
NEW HOPE COMMUNITY CHURCH	Church Kitchen	29 CHANNEL DRIVE	YAKIMA	2/1/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NEW YORK TERIYAKI	Restaurant	210 S. 72ND AVE. SUITE# 150	YAKIMA	2/23/2017	Routine Inspection	0/0
				2/23/2017	Routine Inspection	0/0
NORTH PARK LODGE	Continental Brkfst	659 N. WENAS	SELAH	2/2/2017	Routine Inspection	0/0
OLIVE GARDEN ITALIAN RESTAURANT #1352	Restaurant/Catering	222 E YAKIMA AVE.	YAKIMA	2/2/2017	Routine Inspection	0/0
OXFORD SUITES	Restaurant	1701 E. YAKIMA AVE.	YAKIMA	2/28/2017	Routine Inspection	0/0
PALETERIA LA NORTENA	Ice Cream Parlor	120 ROHMAN ST.	SUNNYSIDE	2/8/2017	Routine Inspection	0/0
PANADERIA EL SOLESITO	Bakery	303 W PINE ST.	YAKIMA	2/23/2017	Routine Inspection	0/0
PANDA EXPRESS # 1881	Restaurant	6560 W. NOB HILL BLVD.	YAKIMA	2/22/2017	Routine Inspection	5/5 Improper hot-holding of PHF's
PAPA MURPHY'S	Restaurant	2695 E. LINCOLN	SUNNYSIDE	2/7/2017	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	609 E. WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	2/24/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	2/9/2017	Routine Inspection	10/10 Improper cold holding of sausage
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	2/28/2017	Routine Inspection	0/0
PHO KING CRAB	Restaurant	1601 E. WASHINGTON AVE # 104	UNION GAP	2/21/2017	Routine Inspection	5/8 Expired food worker cards and In-use utensils improperly stored
PIK-A-POP # 11	Mini-mart	1524 YAKIMA VALLEY HWY.	SUNNYSIDE	2/17/2017	Routine Inspection	25/28 Improper hot holding, used toilet paper in the open garbage container, no shandwash sign in restroom
PIRATE COVE DAVIS STUDENT STORE	Snack Bar	212 S. 6TH AVE	YAKIMA	2/1/2017	Routine Inspection	0/0
PIT STOP	Mini-mart	10121 HWY 12	NACHES	2/9/2017	Routine Inspection	25/40 repeat violation FWC out of date, repeat violation PHF not at temperature, repeat violation no wiping cloths or test strips, repeat violation no thermometers in cold holding. Owner agreed to compliance schedule to correct all items NLT 21 Feb 2017.
				2/9/2017	Complaint Inspection	Complaint received. See inspection report 2/9
PIZZA HUT	Restaurant	304 S. 1ST STREET SUITE # 1	SELAH	2/15/2017	Routine Inspection	0/0
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	2/15/2017	Routine Inspection	5/5 thermometer needed in refrigerator

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUALITY MART	Mini-mart	616 S 3RD ST.	YAKIMA	2/28/2017	Routine Inspection	15/15 milk out of date CDI, metal stem thermometer faulty will be replaced
RED LION HOTEL YAKIMA CENTER	Restaurant/Lounge	607 E YAKIMA AVE.	YAKIMA	2/27/2017	Routine Inspection	35/38 Improperly stocked hand wash sink, improperly hot holding PHF, improperly stored in-use utensils
RED ROBIN GOURMET BURGERS & BREWS	Restaurant/Lounge	2702 W. NOB HILL BLVD. - YAKIMA	YAKIMA	2/15/2017	Routine Inspection	5/8 Missing FWCs, ice scoop stored improperly, CDI
RESER'S FINE FOODS	Grocery Store	605 E. NOB HILL BLVD.	YAKIMA	2/6/2017	Routine Inspection	0/0
RUBY'S TACO SHOP	Restaurant	2712 S. 1ST STREET	UNION GAP	2/28/2017	Routine Inspection	25/25 bare hand contact, CDI
RUSH COFFEE	Espresso Stand	4801 W. NOB HILL BLVD.	YAKIMA	2/15/2017	Routine Inspection	0/0
SAFEWAY # 462	Mult Food Service	205 N. 5TH AVENUE	YAKIMA	2/23/2017	Routine Inspection	5/5 Expired FWC's
SAFEWAY # 502	Mult Food Service	5702 SUMMITVIEW AVE.	YAKIMA	2/15/2017	Routine Inspection	5/5 Thermometers needed in deli cold holding cases
SAINT JACK'S VIDEO	Snack Bar	614 W. 1ST STREET	WAPATO	2/6/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH CONOCO FOOD MART	Mini-mart	301 S. 1ST STREET	SELAH	2/28/2017	Routine Inspection	5/15 Missing one FWC, no pull date on PHF, food stored on the floor
SLIM'S MARKET	Grocery Store	9951 HIGHWAY 12	NACHES	2/13/2017	Routine Inspection	0/0
SMITTY'S CONOCO #60	Mini-mart	304 W. MEAD AVE.	YAKIMA	2/15/2017	Routine Inspection	15/15 Whole milk was past pull date, thermometer needed in refrigerator
SMITTY'S CONOCO-STORE #190	Mini-mart	301 N 1ST ST.	YAKIMA	2/2/2017	Routine Inspection	0/0
SNIPES MOUNTAIN BREWING, INC.	Restaurant/Catering	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/8/2017	Routine Inspection	35/40 room temperature holding of PHF CDI, Cold deli table in prep location had sauces below 41 degrees CDI, No chem strips for ensuring sanitizing cleaner
SU MERCADITO # 3	Mult Food Service	110 ASH - GRANDVIEW	GRANDVIEW	2/1/2017	Routine Inspection	75/87 FWC out of date for staff and PIC. PHF at room temperature and hot holding at 92 degree. PIC voluntarily reheated PHF. Food not properly labeled - shrimp and sour cream. Floor coving and roof under repair.
SUBWAY # 36788	Restaurant	210 S. 72ND AVE. SUITE # 100	YAKIMA	2/15/2017	Routine Inspection	5/8 PIC did not have a FWC, ice machine needs to be cleaned and sanitized
SUBWAY # 3842	Restaurant	2301 W. NOB HILL BLVD. SUITE # 9	YAKIMA	2/14/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUBWAY # 46233	Restaurant	123 E. YAKIMA AVE.	YAKIMA	2/14/2017	Routine Inspection	10/10 Improper cold holding temperature
SUBWAY # 6870	Restaurant	2402 S. 1ST ST. # A-100	YAKIMA	2/15/2017	Routine Inspection	5/5 out of date food handler card
SUBWAY #10324	Restaurant	1607 W. LINCOLN	YAKIMA	2/14/2017	Routine Inspection	0/0
SUGAR SHACK ESPRESSO	Espresso Stand	1302 FAIR AVE.	YAKIMA	2/2/2017	Routine Inspection	0/0
SUNDOME	Snack Bar	1301 S. FAIR AVE.	YAKIMA	2/17/2017	Routine Inspection	0/0
SUNDQUIST CAFE	Snack Bar	1015 S. 16TH AVE.	YAKIMA	2/1/2017	Routine Inspection	60/60 Missing FWCs, hands not washed as required, improperly hot holding PHF, metal stem thermometer was not used to evaluate temperature of PHF
SUNSHINE MART	Grocery Store	6712 TIETON DR	YAKIMA	2/2/2017	Routine Inspection	0/0
SUPER TACOS (Mobile)	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	2/24/2017	Routine Inspection	35/35 bare hand contact CDI, Cold table at 43 degrees, moved product and closed lid for proper cooling, thermometer needed in cold holding unit in storage area. PIC to purchase within 2 days.
TACO BELL # 30509	Restaurant	716 E YAKIMA AVE	YAKIMA	2/28/2017	Routine Inspection	10/10 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS EL REY	Restaurant	1218 S. 6TH STREET	YAKIMA	2/7/2017	Routine Inspection	25/25 Improper cooling procedures
TACOS LA REYNA	Mobile	1402 Fruitvale Blvd.	YAKIMA	2/27/2017	Routine Inspection	5/5 PHF at 132 degrees, PIC was in process of checking temps when inspector arrived - CDI
TACOS LAS BRASAS	Mobile		WAPATO	2/16/2017	Routine Inspection	175/214 Routine inspection was a result of an inspection of the commissary for this mobile unit. Concerns with cross contamination, unsafe cooking practices as well as PHF not at temperature. PIC voluntarily agreed to dispose of unsafe food and to voluntarily close for a period of 24 hours pending a deep cleaning and reorganization. EH team to revisit the facility in 24 hours to review corrective action.
				2/17/2017	Follow-Up Inspection	Reinspection of mobile unit by 2 EH team members. Due to concerns with cross contamination, potential contaminated water supply and clear violation of proper PHF holding and refrigeration this mobile unit was CLOSED. PIC to attend office conference on the 22nd of February with the Director.
TACOS LOS PARIANTES	Mobile	2400 YVH by Auto Repair Medina		2/24/2017	Routine Inspection	50/55 Bare hand contact CDI, room temperature storage of PHF voluntarily disposed, Onions and flour stored on floor CDI. PIC will use commissary for overflowing storage of produce.
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	2/27/2017	Routine Inspection	110/146 Concerns with preventing contamination with hands, cross contamination by improper cleaning and raw meats below or away from ready to eat foods, overall cleanliness of facility and food preparation area. PIC to conduct complete cleaning and organization of the restaurant over the next 48 hours and limit menu items. YHD to conduct follow up inspection within the next 48 hours for compliance.
THAI HOUSE	Restaurant/Catering	14 N 2ND ST.	YAKIMA	2/28/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE END ZONE SPORTS BAR & GRILL	Restaurant	1023 N 1ST ST.	YAKIMA	2/11/2017	Routine Inspection	35/40 Missing FWCs, RTS of PHF, no metal stem thermometer was available
THE HIDEOUT RESTAURANT & LOUNGE	Restaurant/Lounge	401 WAPATO AV S	WAPATO	2/27/2017	Routine Inspection	40/40 Missing FWCs, handwash station improperly stocked, cooked meat cooling at room temp
TIENDA DE ABARROTES LOS AMIGOS	Meat Market	209 S. WAPATO AVE. - WAPATO	WAPATO	2/8/2017	Follow-Up Inspection	FWC all updated. Handwash sink not cluttered. PHF at proper temperature. Labeling machine purchased for labeling PHF. Good improvement.
TINY'S TAVERN	Tavern	501 W. 1ST STREET	WAPATO	2/16/2017	Routine Inspection	0/0
TOM - TOM ESPRESSO	Espresso Stand	412 S. 40TH AVENUE	YAKIMA	2/21/2017	Routine Inspection	0/0
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	2/1/2017	Routine Inspection	0/5 Minor contamination potential of eggs
VALLEY COFFEE CO	Espresso Stand	1221 BAILEY AVE SUITE C	GRANGER	2/6/2017	Opening Inspection	Ready to open
VALLEY LANES CAFE	Restaurant	1802 E EDISON AVE.	SUNNYSIDE	2/17/2017	Routine Inspection	5/5 FWC not current

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	2/24/2017	Routine Inspection	0/0 VFW not serving food at this time - no concerns noted
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	2/7/2017	Routine Inspection	5/5 Expired FWCs
WALMART # 5078-01 (NOB HILL BLVD.)	Mult Food Service	6600 W. NOB HILL BLVD.	YAKIMA	2/22/2017	Routine Inspection	0/0
WHITE HOUSE CAFE	Restaurant	3602 KERN ROAD	YAKIMA	2/2/2017	Routine Inspection	20/23 Missing FWCs, improperly cold holding PHF, inadequate metal stem thermometer, need hand wash signs posted in restroom
WOMEN'S CENTURY CLUB		304 N 2ND ST.	YAKIMA	2/1/2017	Routine Inspection	0/0
WRAY'S MEADOWBROOK	Mult Food Service	7200 W. NOB HILL BLVD.	YAKIMA	2/3/2017	Follow-Up Inspection	All concerns noted on routine inspection corrected.
XOCHIMILCO TEQUILA BAR & RESTAURANT	Restaurant/Lounge	5110 TIETON DR. # 270	YAKIMA	2/27/2017	Routine Inspection	30/35 Missing one FWC, improperly cooling PHF, one sink of the three compartment sink is blocked
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	2/23/2017	Routine Inspection	5/26 Improper cold-holding of PHF's, inadequate equipment for temperature control, improper storage of utensils, uncleanable non-food contact surface, no handwash sign in restrooms

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Y.V.C. ATHLETICS CONCESSIONS	Seasonal Concession	1015 S. 16TH AVE.	YAKIMA	2/4/2017	Routine Inspection	0/0
YAKIMA GROCERY OUTLET	Grocery Store	2109 S. 1ST STREET	YAKIMA	2/7/2017	Routine Inspection	0/0
YAKIMA THAI CUISINE	Restaurant	14 E. STAFF SGT. PENDLETON WAY - YAKIMA	YAKIMA	2/1/2017	Routine Inspection	0/0