

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	4/13/2010	Routine Inspection	20/22 PIC answered incorrectly, missing FWCs, unlabeled chemicals, improper chemical storage
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	4/14/2010	Routine Inspection	0/0
AGUILILLA BAKERY	Bakery	3206 MAIN ST.	UNION GAP	4/30/2010	Routine Inspection	0/0 No problems. The facility is very clean.
AHTANUM FOOD MART (2)	Mini-mart	207 AHTANUM RD.	UNION GAP	4/19/2010	Routine Inspection	10/23 Improperly stocked hand wash sinks
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	4/26/2010	Routine Inspection	0/0
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Lounge	1505 E. WASHINGTON AVE.	UNION GAP	4/29/2010	Complaint Inspection	15/18 Cheeseburger sliders cooked to 165 F, hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ARBY'S RESTAURANT	Restaurant	4002 SUMMITVIEW AVE.	YAKIMA	4/30/2010	Routine Inspection	5/5 Missing FWCs
ARCO AM/PM	Mini-mart	1850 WANETA ROAD	SUNNYSIDE	4/16/2010	Routine Inspection	5/5 Missing FWCs
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	4/14/2010	Routine Inspection	0/0
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	4/14/2010	Routine Inspection	0/0
BIG RED'S DINER	Restaurant	110 S. HOLLY DR.	MOXEE	4/5/2010	Follow-Up Inspection	0/0
BIRCHFIELD MANOR	Restaurant	2018 BIRCHFIELD RD	YAKIMA	4/16/2010	Follow-Up Inspection	20/30 Missing FWC, hands not washed as required
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	4/14/2010	Follow-Up Inspection	0/5
BREWED AWAKENINGS	Espresso Stand	402 S 4TH AVENUE	YAKIMA	4/6/2010	Routine Inspection	10/15 Improperly stocked hand wash sink
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	4/16/2010	Follow-Up Inspection	15/15 No handwashing sink in the kitchen, missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	4/5/2010	Follow-Up Inspection	0/0 - All items from routine inspection were corrected.
CAFE AMORE	Espresso Stand	14 N. 7TH AVE	YAKIMA	4/19/2010	Routine Inspection	15/20 No hot water available in the kitchen, they were closed
				4/20/2010	Follow-Up Inspection	5/15 Missing FWC, they were reopened, they have hot water in the establishment, they wash their hands at the church kitchen hand wash sink after they use the church restroom in the basement.
CASA MIA OF YAKIMA	Restaurant/Catering	3312 W. NOB HILL BLVD.	YAKIMA	4/12/2010	Routine Inspection	20/28 Missing FWCs, improperly cold holding PHF, improper chemical storage
CATHOLIC FAMILY & CHILD SERVICE	Espresso Stand	5301 TIETON DR. SUITE "C"	YAKIMA	4/29/2010	Routine Inspection	15/15 Missing FWC, improperly stocked kitchen hand wash sink
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/27/2010	Routine Inspection	100/113 Missing FWCs, hands not washed as required, hand wash sinks blocked, improperly cooling PHF, no documentation available of time as a control for Pepper Salt Shrimp, no metal stem thermometer available, unlabeled chemical
CHINA GROVE	Restaurant	3210 PICARD PLACE	SUNNYSIDE	4/14/2010	Routine Inspection	25/33 RTS of PHF
				4/21/2010	Follow-Up Inspection	0/0
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/14/2010	Routine Inspection	10/22 Improperly stocked hand wash sink
				4/21/2010	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DALILAH'S ROLLING RESTAURANT	Mobile	Mon. - Fri., Olympic Fruit in Moxee - 8:30 - 9:30am; Roche Fruit 10:00 - 10:30am; Washington Fruit - 11:00 - 11:30am; Franks Tire - Union Gap - 12:30 - 1:00pm, Wed., Thurs. - La Salle - 11:40 - 12:10 pm; Mon., Tues., Fri. - Magic Metals - 12:00 - 12:20pm	YAKIMA	4/8/2010	Routine Inspection	15/15 handling RTE food with bare hands.
EL BANDOLERO	Mobile	Various warehouses. See list	YAKIMA	4/14/2010	Routine Inspection	30/33 Needs to renew FWC. Handling RTE food without gloves. No cold water to wash hands (corrected), toilet facilities not adequate (no hot water, no paper towels, no soap).
EL MEJOR TAQUITO	Mobile	821 Yakima Valley HWY Sunnyside	SUNNYSIDE	4/21/2010	Routine Inspection	15/20 Stem thermometer not calibrated, cleaning chemicals in a container without label, cooked meat uncovered in refrigerator.
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	4/28/2010	Routine Inspection	35/35 Improperly cooling beans, one refrigerator unit cold holding PHF's at 48F.
FAMOUS BURGER & TERIYAKI SANDWICH	Restaurant	401 W. LINCOLN AVE.	YAKIMA	4/6/2010	Routine Inspection	35/41 Improper handwashing, raw meats stored above other foods, unapproved eggs, improper thawing. Follow-up required.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	4/23/2010	Routine Inspection	0/0
GRANDVIEW MARKET PLACE	Grocery Store	206 N EUCLID	GRANDVIEW	4/16/2010	Routine Inspection	0/10
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	4/14/2010	Routine Inspection	0//0
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	4/14/2010	Routine Inspection	0/0
GRIZZLY ESPRESSO	Espresso Stand	3602 FRUITVALE BLVD	YAKIMA	4/20/2010	Routine Inspection	0/8 No sanitizer in bucket only water, in use utensils improperly stored.
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	4/21/2010	Routine Inspection	0/0
HIGHLAND HIGH SCHOOL	School	17000 SUMMITVIEW	COWICHE	4/28/2010	Routine Inspection	5/5 inaccurate thermometer
HOMESTRETCH ESPRESSO & BEVERAGE	Espresso/Catering	2890 ALLEN RD.	SUNNYSIDE	4/21/2010	Routine Inspection	5/15 Missing FWCs
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	4/29/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
INTERNATIONAL HOUSE OF PANCAKES # 640	Restaurant	15 VALLEY MALL BV E	UNION GAP	4/30/2010	Routine Inspection	10/15 Improper cold holding of PHF's at 55F.
JAVA HEAVEN	Espresso Stand	212 W WALNUT	YAKIMA	4/5/2010	Routine Inspection	0/0
JITTERZ ESPRESSO	Espresso Stand	700 YAKIMA VALLEY HWY.	SUNNYSIDE	4/15/2010	Follow-Up Inspection	0/0
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	4/19/2010	Routine Inspection	50/55 - PIC not knowledgeable of food safety, improper cooling, no metal stem thermometer, unlabeled chemicals.
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	4/15/2010	Follow-Up Inspection	They have corrected all the problems from the previous inspection.
LA MORENITA CD'S	Mini-mart	315 W. MARTIN LUTHER KING JR. BLVD.	YAKIMA	4/28/2010	Routine Inspection	0/0 They want to have cut fruit. Will call before they do so.
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	4/29/2010	Routine Inspection	0/0
LITTLE CAESARS	Restaurant	2010 YAKIMA VALLEY HWY. # A-2	SUNNYSIDE	4/16/2010	Routine Inspection	10/15 Improper chemical storage
LOS CARRIZOS	Restaurant	1012 E. LINCOLN AVE.	SUNNYSIDE	4/19/2010	Follow-Up Inspection	15/20 Improper reheating of PHF's, toilet leaking in womens restroom.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LOS NARANJOS BAKERY	Bakery	215 BUENA WAY	TOPPENISH	4/22/2010	Routine Inspection	10/17 Improper holding, no sanitizer made up.
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	4/14/2010	Routine Inspection	0/5 inaccurate thermometer
MARCUS WHITMAN COWICHE ELEMENTARY SCHOOL	School	1181 THOMPSON RD	COWICHE	4/26/2010	Routine Inspection	0/0
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	YAKIMA	4/15/2010	Routine Inspection	0/0
MAX'S BAR & GRILL	Tavern	1107 S. 3RD STREET	YAKIMA	4/20/2010	Routine Inspection	0/15 Packages of food left open, no sanitizer, leak problem in ceiling in storage room.
MC DONALD'S - WAL-MART	Restaurant	1600 E. CHESTNUT	YAKIMA	4/7/2010	Routine Inspection	5/5 Missing FWCs
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	4/22/2010	Routine Inspection	0/0
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	4/22/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MEXICAN FRUIT	Mobile	2201 E. EDISON - SUNNYSIDE SCHUCK'S PARKING LOT	GRANDVIEW	4/1/2010	Routine Inspection	35/35 CLOSED for not having power to their stand. They could not get the generator working, but continued to operate the fruit stand.
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	4/26/2010	Routine Inspection	0/0
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	4/30/2010	Routine Inspection	0/0
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	4/28/2010	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	4/28/2010	Routine Inspection	0/0
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	4/28/2010	Routine Inspection	0/0
NORTH AVENUE MARKET	Mini-mart	701 NORTH AVENUE	SUNNYSIDE	4/27/2010	Routine Inspection	20/30 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometer
NORTH PARK LODGE	Continental Brkfst	659 N. WENAS	SELAH	4/1/2010	Routine Inspection	35/35 - Improper cooling and do not have a metal stem thermometer available.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	4/9/2010	Complaint Inspection	10/10 No handwashing facilities available at portable toilet
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	4/22/2010	Routine Inspection	0/0
PANADERIA BAMBY	Bakery	107 W. 3RD	WAPATO	4/14/2010	Routine Inspection	35/45 Eggs being stored out at room temperature,
PATRICIA'S CHOCOLATE EMPORIUM	Espresso Stand	911 VINTAGE VALLEY PARKWAY	ZILLAH	4/22/2010	Pre-Opening Inspection	Approved to open.
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	4/5/2010	Routine Inspection	25/25 RTS of PHF
PIK A POP # 14	Mini-mart	3602 TIETON DR	YAKIMA	4/13/2010	Follow-Up Inspection	0/5
PIZZA HUT # 46022	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	4/5/2010	Routine Inspection	0/0
PONY EXPRESSO	Espresso Stand	302 SEATTLE AVE.	MOXEE	4/9/2010	Compliance Inspection	10/10 Hot water 139F at portable toilet hand wash sink
				4/15/2010	Compliance Inspection	10/10 No hot water at portable toilet hand wash sink
QUESERIA BENDITA		512 S 3RD ST	YAKIMA	4/28/2010	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUICK CHECK	Grocery Store	131 S. 2ND ST.	YAKIMA	4/13/2010	Routine Inspection	15/20 Improperly stocked hand wash sink, no metal stem thermometer available
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	4/28/2010	Routine Inspection	5/15 Missing FWCs
RICOS TACOS AYLIN	Mobile	111 N. 6th Street in Sunnyside	SUNNYSIDE	4/21/2010	Routine Inspection	5/10 Stem thermometer not calibrated.
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	4/5/2010	Routine Inspection	0/0
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	4/14/2010	Routine Inspection	0/0
ROSSY'S	Restaurant	1 SO. 6TH ST.	YAKIMA	4/28/2010	Routine Inspection	10/15 Cook missing FWC, inaccurate thermometers.
SAFEWAY # 1593	Grocery Store	610 E. WINE COUNTRY RD.	GRANDVIEW	4/14/2010	Follow-Up Inspection	10/28 Improperly stocked hand wash sink
SAFEWAY # 1660	Grocery Store	905 E. MEAD	YAKIMA	4/27/2010	Routine Inspection	35/35 Improperly stocked hand wash sinks, improperly hot holding PHF
SAFEWAY # 502	Grocery Store	5702 SUMMITVIEW AVE.	YAKIMA	4/8/2010	Routine Inspection	0/13

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAGE RESTAURANT & WINE BAR	Restaurant/Catering	4000 W. CREEKSIDE LOOP	YAKIMA	4/27/2010	Complaint Inspection	5/5 FWCs were not available, they are cleaning the areas in the walkin refrigerator on a weekly basis.
SELAH CONOCO FOOD MART	Mini-mart	301 S. 1ST STREET	SELAH	4/8/2010	Routine Inspection	25/25 - Improper hot holding temperatures.
SELAH EXPRESS	Mini-mart	777 NORTH PARK CENTER	SELAH	4/6/2010	Routine Inspection	35/35 - Improper hot holding temperatures, chemical spray bottles not labeled.
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	4/20/2010	Routine Inspection	0/0
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	4/20/2010	Routine Inspection	0/0
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	4/15/2010	Routine Inspection	0/0
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	4/12/2010	Routine Inspection	0/0
STARBUCKS COFFEE CO. # 3407	Espresso Stand	1208 N. 40TH AVE. SUITE # A	YAKIMA	4/28/2010	Routine Inspection	5/5 Missing FWCs
STOKES BURGER RANCH	Restaurant	706 YAKIMA VALLEY HWY.	SUNNYSIDE	4/21/2010	Routine Inspection	15/15 Missing FWCs, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STOP-N-GO EXPRESS-O	Espresso Stand	3005 MAIN STREET	UNION GAP	4/30/2010	Routine Inspection	15/31 Missing FWC, unlabeled chemical
SUBWAY # 18869	Restaurant	1300 N. 40TH AVE. # 117	YAKIMA	4/26/2010	Routine Inspection	20/45 Improperly stocked hand wash sinks, improper chemical storage
SUBWAY # 27775	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	4/5/2010	Routine Inspection	30/38 Hands not washed as required, ice scoop stored in ice machine
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	4/15/2010	Routine Inspection	0/0
SUPER TACOS	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	4/14/2010	Routine Inspection	22/20 FWC expired. no washing hands before handling RTE food.
TACO KING	Mobile	615 YAKIMA VALLEY HWY.	SUNNYSIDE	4/15/2010	Routine Inspection	60/60 Workers need RWC, bare hand contact with RTE foods, cooked meet in warmer at 120 degrees, cooked meet in refrigerator at 48 degrees, stem thermometer not available,
				4/29/2010	Follow-Up Inspection	15/15 Using gloves without washing hands.
TACO TIME	Restaurant	2111 S 1ST ST.	YAKIMA	4/5/2010	Routine Inspection	50/50 Missing FWCs, hands not washed as required, ice scoop stored in ice machine, two digital thermometers were not operable, unlabeled chemicals
				4/20/2010	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	4/8/2010	Routine Inspection	5/10 Food in refrigerator at 45 degrees.
TACOS EL REY	Restaurant	1218 S. 6TH STREET	YAKIMA	4/20/2010	Routine Inspection	15/15 Improper hot holding 131F, improper cold holding 48F.
TACOS LAS BRASAS	Mobile - Seasonal	501 W. 1ST STREET	WAPATO	4/8/2010	Routine Inspection	85/87 - PIC din't know tempertures to keep cold food. No washing hands before puting gloves on. Bare hand contact with RTE foods. Cilantro on hand washing sink. Cooked beans at room temperature. Cooked meat in refrigerator at 48 degrees. Stem thermometer not calibrated.
				4/22/2010	Follow-Up Inspection	0/0
TACOS LULU	Mobile		SUNNYSIDE	4/2/2010	Pre-Opening Inspection	
				4/29/2010	Routine Inspection	65/65 PIC do not know temperatures to reheat, hot holding nor cold holding, no FWC on site, bare hand contact with RTE foods, utensils in hand washing sink, cooked meet in warmer at 90 - 100 degrees, no stem thermometer.
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	4/15/2010	Routine Inspection	35/45 Cooked meat out of refrigerator at 90 degrees, meat in refrigerator at 47 degrees, stem thermometer not calibrated.
				4/28/2010	Follow-Up Inspection	75/85 Watermelon on handwashing sink, cooked beef covered in refrigerator at 84 degrees,cooked beef at room temperature outside of refrigerator, raw beef in refrigerator at 42 degrees.
TACOS SAHMICH	Mobile - Seasonal	512 W. 1ST STREET	TOPPENISH	4/22/2010	Routine Inspection	95/100 Permit expired on 3/1/10, workers without FWC, handling RTE food without washing hands, handling RTE food without gloves or tongs, sanitizer without bleach, cooling cooked beans in refrigerator in big containers deeper than 10 inches from the surface of beans to the bottom of the container, food in refrigerator at 48 degrees.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TEQUILA'S MEXICAN RESTAURANT	Restaurant	1 W. YAKIMA AVE. # 34	YAKIMA	4/9/2010	Compliance Inspection	15/15 Worker did not wash hands after handling raw meat.
TERIYAKI EXPRESS	Restaurant	2695 E. LINCOLN AVE # E	SUNNYSIDE	4/14/2010	Routine Inspection	95/108 PIC did not know food safety procedures, hands not washed as required, BHC of RTE food, improperly cooling PHF, RTS of PHF, metal stem thermometer was inaccurate
				4/21/2010	Follow-Up Inspection	0/3
THE BREAKFAST HOUSE CAFE	Restaurant	108 W. 3RD. STREET	WAPATO	4/14/2010	Routine Inspection	30/30 No paper towels in restrooms. Hot water was turned off in each. Improper re-heating of PHF's, inaccurate thermometer.
THE COFFEE SHACK	Espresso Stand	7111 POSTMA RD	MOXEE	4/26/2010	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE	4/14/2010	Routine Inspection	15/18 FWCs were not available, unlabeled chemical, improper chemical storage
THE PASTIME	Tavern	125 E. NACHES	SELAH	4/22/2010	Routine Inspection	60/63 - Several FWC needed, hands are not washed properly, BHC with ready-to-eat food, room temperature storage of deli meat.
TIETON MIDDLE SCHOOL	School	711 FRANKLIN RD	TIETON	4/26/2010	Routine Inspection	0/0
TOM - TOM ESPRESSO	Espresso Stand	412 S. 40TH AVENUE	YAKIMA	4/28/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	4/29/2010	Routine Inspection	0/0
TROUT LODGE	Restaurant	27090 HWY. 12	NACHES	4/30/2010	Routine Inspection	0/0
TULLEY'S COFFEE @ VALLEY MALL	Espresso Stand	2529 MAIN STR. # 118	UNION GAP	4/29/2010	Pre-Opening Inspection	Approved to open.
UNION GAP MIDDLE SCHOOL	School	3201 S. 4TH ST.	UNION GAP	4/29/2010	Routine Inspection	0/5 inaccurate metal stem thermometer
WAFFLES CAFFE	Restaurant	7200 W. NOB HILL BLVD.	YAKIMA	4/26/2010	Routine Inspection	90/93 Missing FWCs, hands not washed as required, BHC of RTE food, improperly cooling PHF, RTS of PHF
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	4/15/2010	Routine Inspection	0/0
WASHINGTON MIDDLE SCHOOL	School	510 S. 9TH ST.	YAKIMA	4/14/2010	Routine Inspection	0/0
WEST VALLEY BAR & GRILL	Tavern	1212 S. 80TH AVE.	YAKIMA	4/2/2010	Surveillance Inspection	No indication of sewage back-up. Roto-rooter had left an invoice indicating some straws had gotten stuck in bar dump sink.
WEST VALLEY JUNIOR HIGH	School	7507 ZIER RD.	YAKIMA	4/23/2010	Routine Inspection	10/10 - Water at hand wash sink at 76 degrees.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	4/23/2010	Routine Inspection	0/0
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	4/21/2010	Routine Inspection	0/0
YAKIMA CRAFT BREWING CO.		2920 RIVER RD. # 6	YAKIMA	4/29/2010	Routine Inspection	5/5 Missing FWC