

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	6/1/2010	Compliance Inspection	5/5 Missing FWC
1885 BAR & GRILL @ VAN'S	Restaurant/Catering	208 NACHES AVENUE	NACHES	6/9/2010	Routine Inspection	15/18 - Food items stored in ice used for consumption.
2 BUSY 2 COOK/CATERING CREATIONS BY TONI	Catering	6002 SUMMITVIEW	YAKIMA	6/26/2010	Catering Routine Inspection	0/0
3RD STREET MARKET	Mini-mart	604 S. 3RD ST.	YAKIMA	6/11/2010	Follow-Up Inspection	25/33 PIC did not know food safety rules, missing FWCs, no hand wash sink in restroom, no metal stem thermometer available
				6/30/2010	Compliance Inspection	20/25 Missing FWCs, improperly stocked hand wash sink, no metal stem thermometer available
AHTANUM GENERAL STORE	Mini-mart	8301 AHTANUM	YAKIMA	6/25/2010	Routine Inspection	15/28 Missing FWCs, blocked hand wash sink, improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
APPLE BARREL SHELL GAS	Mini-mart	2021 FRUITVALE BLVD.	YAKIMA	6/17/2010	Routine Inspection	5/18 Missing FWCs
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	6/4/2010	Routine Inspection	0/0
ARTY'S BAR & GRILL	Tavern	1402 FRUITVALE BLVD	YAKIMA	6/1/2010	Routine Inspection	15/15 Missing FWC, improperly stocked hand wash sink
B.J.'S GET & GO	Mini-mart	3101 MAIN STREET	UNION GAP	6/2/2010	Follow-Up Inspection	10/10 Improperly hot holding PHF, inaccurate metal stem thermometer
BERT'S PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	6/16/2010	Routine Inspection	45/56 Missing FWCs, hands not washed as required, BHC of RTE food, improperly stocked hand wash sink
BLACK ROCK CREEK SNACK BAR	Snack Bar	31 RAY RD	SUNNYSIDE	6/24/2010	Routine Inspection	0/0
BREWER'S MINI-MART II	Mini-mart	3922 FRUITVALE BLVD.	YAKIMA	6/17/2010	Follow-Up Inspection	0/0
BREWLESQUE ESPRESSO	Espresso Stand	326 N. 1ST ST.	YAKIMA	6/8/2010	Routine Inspection	0/0
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	6/11/2010	Compliance Inspection	15/20 Missing FWCs, no hand wash in kitchen area
				6/30/2010	Compliance Inspection	15/15 Missing FWCs, no handwash sink in the kitchen

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
C & D MARKET	Grocery Store	426 S MAIN STREET	MABTON	6/23/2010	Routine Inspection	0/0
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	6/28/2010	Routine Inspection	45/48 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food, improperly cold holding PHF, metal stem thermometer cannot be calibrated, unlabeled chemicals
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	6/10/2010	Compliance Inspection	25/30 BHC of RTE food, unlabeled chemical
CITY OF YAKIMA HARMAN CENTER	Cafeteria	101 N. 65TH AVE.	YAKIMA	6/17/2010	Routine Inspection	0/0
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	6/2/2010	Routine Inspection	0/0
DOLLAR TREE # 4295	Grocery Store	140 S. 72ND AVE.	YAKIMA	6/2/2010	Routine Inspection	0/0
DYKSTRA	Restaurant/Catering	114 BIRCH AVE.	GRANDVIEW	6/2/2010	Routine Inspection	0/0
EAGLE HIGH SCHOOL	School	143 WARD RD	TOPPENISH	6/7/2010	Routine Inspection	0/0
EAGLE LANES SNACK BAR	Snack Bar	307 1/2 W. CHESTNUT	YAKIMA	6/2/2010	Routine Inspection	0/10

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EAST VALLEY HIGH SCHOOL	School	1900 BEAUDRY	YAKIMA	6/3/2010	Routine Inspection	0/0
EAST VALLEY INTERMEDIATE SCHOOL	School	1951 BEAUDRY RD	YAKIMA	6/3/2010	Routine Inspection	0/0
EAST VALLEY MIDDLE SCHOOL	School	2002 BEAUDRY RD, YAKIMA 98901	YAKIMA	6/3/2010	Routine Inspection	0/0
EAST VALLEY YOUTH BASEBALL	Snack Bar - Seasonal	0 EKELMAN RD/SCHOOL	MOXEE	6/2/2010	Routine Inspection	25/30 Missing FWCs, ice scoop stored in ice machine, metal stem thermometer is not being used.
				6/10/2010	Follow-Up Inspection	5/5 Metal stem thermometer is not calibrated
EL CENTENARIO RESTAURANT & NIGHT CLUB	Restaurant/Lounge	101 S. 1ST STREET	YAKIMA	6/16/2010	Routine Inspection	80/88 Missing FWCs, hands not washed as required, BHC of RTE food, improperly stocked hand wash sink, PHF at room temperature, mislabeled chemical
				6/26/2010	Follow-Up Inspection	40/43 Missing FWCs, improperly stocked hand wash sink, RTS of PHF
EL RINCON	Restaurant	3704 FRUITVALE BLVD.	YAKIMA	6/28/2010	Routine Inspection	5/5 - All worker need FWC.
EL TAPATIO MEXICAN & AMERICAN RESTAURANT	Restaurant	704 1/2 WISCONSIN AVE..	TIETON	6/14/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ELECTRIC BEACH TANNING & ESPRESSO	Espresso Stand	318 7TH ST S	SUNNYSIDE	6/2/2010	Follow-Up Inspection	0/0
FRUITVALE MARKET	Mini-mart	1408 FRUITVALE BLVD.	YAKIMA	6/8/2010	Routine Inspection	0/0 They are not selling PHF at this time
GEORGE'S WOK & GRILL	Restaurant	1210 S. 80TH AVE.	YAKIMA	6/11/2010	Routine Inspection	30/33 RTS of PHF, missing FWC
GILBERT CELLARS TASTING ROOM	Winery	5 N. FRONT STREET	YAKIMA	6/25/2010	Routine Inspection	0/0
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST	YAKIMA	6/1/2010	Routine Inspection	80/83 BHC of RTE food, improperly stocked hand wash sink, improperly cooling PHF, RTS of PHF
				6/23/2010	Follow-Up Inspection	25/25 Hands not washed as required, improperly stocked hand wash sink
GRINDER'S ESPRESSO	Espresso Stand	903-A VINTAGE VALLEY PARKWAY	ZILLAH	6/7/2010	Routine Inspection	5/10 Missing FWCs
				6/22/2010	Follow-Up Inspection	5/10 Missing FWC
GUERRA'S DELI & CAFE # 2	Deli	1829 S 1ST STREET SUITE "B"	SUNNYSIDE	6/11/2010	Routine Inspection	0/0
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	6/4/2010	Routine Inspection	25/25 - Improper hot holding temperatures.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HILTON GARDEN INN	Restaurant/Catering	401 E YAKIMA AVE	YAKIMA	6/26/2010	Catering Routine Inspection	0/0
HUMMINGBIRD CAFE	Restaurant/Catering	3 W. YAKIMA AVENUE # 1	YAKIMA	6/8/2010	Routine Inspection	5/5 - All workers needed FWC.
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Catering	2710 TERRACE HEIGHTS DRIVE	YAKIMA	6/26/2010	Catering Routine Inspection	5/5 Missing FWCs
Jahr's European Sausage & Custom Cutting	Meat Market	160 RANCHETTE LN	SELAH	6/10/2010	Routine Inspection	15/15 - FWC needed and hot water needed at handwash sink.
JAMMIN JAVA	Espresso Stand	16981 SUMMITVIEW RD	COWICHE	6/30/2010	Routine Inspection	15/35 Missing FWC, blocked hand wash sink
JERRY'S VALLEY MEATS	Meat Market	2561 SUNNYSIDE MABTON RD	SUNNYSIDE	6/11/2010	Routine Inspection	0/0
JITTER BEAN ESPRESSO BAR dba YAKIMA'S BEST ESPRESSO	Espresso Stand	401 W. NOB HILL BLVD.	YAKIMA	6/3/2010	Routine Inspection	0/5
KIKI RESTAURANT	Restaurant	505 W. YAKIMA AVENUE	YAKIMA	6/23/2010	Routine Inspection	20/36 Missing FWC, improperly stocked hand wash sink, blocked kitchen hand wash sink, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KIRKWOOD ELEMENTARY SCHOOL	School	403 S. JUNIPER	TOPPENISH	6/2/2010	Routine Inspection	0/0
LA ESPIGA DE ORO BAKERY	Bakery	803 W NOB HILL BLVD	YAKIMA	6/15/2010	Routine Inspection	10/10 no paper towels available at restroom handwashing sink.
LE' CUP	Espresso Stand	5 N. FRONT ST. SUITE # 102	YAKIMA	6/9/2010	Follow-Up Inspection	0/0 Keri submitted a request to return to her menu when she took ownership
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	6/2/2010	Routine Inspection	0/0
LINCOLN MARKET	Mini-mart	1517 LINCOLN AV E	SUNNYSIDE	6/24/2010	Routine Inspection	0/5
LITTLE RED SCHOOL HOUSE	Espresso Stand	12691 U. S. HWY. 12	NACHES	6/9/2010	Routine Inspection	5/5 - FWC is expired.
LONGMIRE'S T & T LOUNGE	Tavern	307 S. 1ST STREET	SELAH	6/21/2010	Routine Inspection	20/23 - Several FWC needed, no soap in dispenser for handwash sink in kitchen, and consumer advisory needed on menu.
LOS AGAVES RESTAURANT	Restaurant	511 N. 1ST STREET # 12	YAKIMA	6/2/2010	Pre-Opening Inspection	
LOTUS CHINESE RESTAURANT	Restaurant	901 W. 1ST AVENUE	TOPPENISH	6/22/2010	Routine Inspection	80/88 Hand wash sink blocked by meat thawing in the sink, improperly cooling PHF, RTS of PHF, improperly cold holding PHF, metal stem thermometer cannot be calibrated

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LYDIA'S ICE CREAM	Mobile		WAPATO	6/23/2010	Routine Inspection	10/10 Closed them. No hot water available.
				6/23/2010	Follow-Up Inspection	0/0 Reopened them. They have hot water now.
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	6/17/2010	Follow-Up Inspection	10/10 No hot water at kitchen hand wash sink
				6/26/2010	Catering Routine Inspectio	10/10 Missing FWC, no metal stem thermometer available
MAISON DE PADGETT WINERY	Winery	2231 ROZA DR	ZILLAH	6/24/2010	Routine Inspection	5/5 Missing FWC
MARISCOS IXTAPA # 1	Mobile		MABTON	6/18/2010	Routine Inspection	15/15 missing FWCs, inadequate hand washing facilities
MC DONALD'S	Restaurant	820 ZILLAH WEST RD.	ZILLAH	6/15/2010	Routine Inspection	30/35 Missing FWCs, ice scoop handle contacting ice, improperly stocked hand wash sink
MC GUIRE'S IRISH RESTAURANT & PUB	Tavern	4807 TIETON DR	YAKIMA	6/28/2010	Routine Inspection	30/49 Missing FWCs, hands not washed as required, improperly cold holding PHF
MEL'S DINER	Restaurant	314 N. 1ST STREET	YAKIMA	6/17/2010	Routine Inspection	25/33 Missing FWCs, hands not washed as required, raw meat stored above RTE food
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	6/2/2010	Routine Inspection	They will be grilling chicken outside and also making tortillas. They will have a handwash set up outside.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MEXICAN FRUIT	Mobile	2201 E. EDISON - SUNNYSIDE SCHUCK'S PARKING LOT	GRANDVIEW	6/22/2010	Complaint Inspection	Closed them for not being connected to power. The watermelon 72 F, cantaloupe (cut) 65 F without refrigeration. No hot water for handwashing available. Left correction notice that they need to meet with Gordon before they can sell fruit again.
MID VALLEY NAUTILUS	Espresso Stand	1003 VINTAGE VALLEY RD.	ZILLAH	6/15/2010	Routine Inspection	5/8 FWCs were not available
MILLER'S DAIRY QUEEN	Restaurant	401 W. 1ST AVENUE	TOPPENISH	6/21/2010	Routine Inspection	35/50 BHC of RTE food, hand wash sink near drive thru not operable, unlabeled chemical
MONGOLIAN GRILL	Restaurant	1628 E. WASHINGTON AVE.	YAKIMA	6/9/2010	Routine Inspection	60/71 Missing FWCs, ice scoop handle contacted ice in ice machine, improperly cooling PHF, improperly cold holding PHF
				6/23/2010	Follow-Up Inspection	15/20 Missing FWCs, improperly cold holding pudding at buffet line
MOULIN BREW	Espresso Stand	2412 S. 1ST STREET	YAKIMA	6/2/2010	Routine Inspection	0/5
MOXEE ELEMENTARY SCHOOL	School	408 E. SEATTLE - MOXEE	MOXEE	6/3/2010	Routine Inspection	0/0
NOB HILL FOOD STORE	Mini-mart	1710 E. NOB HILL BLVD.	YAKIMA	6/30/2010	Routine Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH AVENUE MARKET	Mini-mart	701 NORTH AVENUE	SUNNYSIDE	6/2/2010	Follow-Up Inspection	15/20 Missing FWC, improperly stocked hand wash sink
				6/16/2010	Compliance Inspection	0/3
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	6/16/2010	Follow-Up Inspection	10/10 No hand wash station at portable toilet
PALETERIA LA NORTENA	Ice Cream Parlor	200 NORTH AV	SUNNYSIDE	6/11/2010	Routine Inspection	0/0
PAPA JOHN'S PIZZA	Restaurant	3508 SUMMITVIEW	YAKIMA	6/16/2010	Routine Inspection	5/5 - Several FWC needed.
PASTA EXPRESS/ELAINES' CATERING	Restaurant/Catering	1304 N. 1ST STREET	YAKIMA	6/26/2010	Catering Routine Inspection	10/10 Missing FWC, no metal stem thermometer available
PEPE'S BAKERY	Bakery	636 DECATUR AVE.	SUNNYSIDE	6/9/2010	Routine Inspection	0/5 Walk-in refrigerator condensor is draining into a bucket, hand washing sink leaks badly on floor when foot pedal is activated.
PEPP'R MINT STICK DRIVE IN	Restaurant	4002 MAIN ST	UNION GAP	6/2/2010	Routine Inspection	No problems observed. Let owner know of the complaint.
PIK - A - POP # 16	Mini-mart	202 S. 5TH AVE.	YAKIMA	6/7/2010	Follow-Up Inspection	5/10 Missing FWC
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	6/1/2010	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RASPADOS ESTILO MORELOS	Ice Cream Parlor	1509-B TIETON DR. - YAKIMA	YAKIMA	6/2/2010	Routine Inspection	No problems.
RASPADOS ESTILO MORELOS PUSHCART # 2	Mobile		YAKIMA	6/2/2010	Routine Inspection	No problems
RASPADOS ESTILO MORELOS- PUSH CART # 1	Mobile		YAKIMA	6/2/2010	Routine Inspection	No problems
RED LION HOTEL YAKIMA CENTER	Restaurant/Lounge	607 E YAKIMA AVE.	YAKIMA	6/25/2010	Routine Inspection	40/53 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, improperly cold holding PHF
RESTAURANTE EL FARO	Restaurant	111 N. 6TH STREET # C	SUNNYSIDE	6/11/2010	Routine Inspection	5/5 no thermometers
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	6/17/2010	Routine Inspection	15/15 Improper cold holding of raw meats.
SAFEWAY # 462	Grocery Store	205 N. 5TH AVENUE	YAKIMA	6/24/2010	Routine Inspection	10/10 Improperly stocked hand wash sink
SAFEWAY # 563	Grocery Store	613 S. 6TH STREET	SUNNYSIDE	6/11/2010	Routine Inspection	10/10 Handwash in meat dept. was missing paper towels.
SCHOOL HOUSE ESPRESSO	Espresso Stand	900 YAKIMA VALLEY HWY. SUITE 3	SUNNYSIDE	6/16/2010	Routine Inspection	15/15 Missing FWC, improperly cold holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SENIOR NUTRITION PROGRAM - GRANDVIEW SENIOR CENTER		401 W 2ND ST.	GRANDVIEW	6/25/2010	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - SELAH CIVIC CENTER	Serving Site	216 S 1ST ST.	SELAH	6/21/2010	Routine Inspection	0/0
SHELL MARKET	Mini-mart	313 S. 1ST STREET	SELAH	6/15/2010	Routine Inspection	20/20 - No FWC, metal stem thermometer not accurate, and hand wash sink in food prep area not accessible.
SILVER LAKE WINERY	Winery	1500 VINTAGE RD	ZILLAH	6/24/2010	Routine Inspection	5/5 Missing FWCs
SOUTHEAST COMMUNITY CENTER	Restaurant	1211 S. 7TH ST.	YAKIMA	6/21/2010	Routine Inspection	35/48 Improperly stocked hand wash sink, RTS of PHF
				6/30/2010	Follow-Up Inspection	0/0
SPORTS CENTER LOUNGE	Tavern	108 DIVISION ST.	GRANDVIEW	6/10/2010	Follow-Up Inspection	5/5 Missing FWC
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	6/4/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STANTON HIGH SCHOOL	School	901 N. WHITMAN ST.	YAKIMA	6/2/2010	Routine Inspection	0/0
STATE FAIR RACEWAY	Catering	1301 FAIR AVE.	YAKIMA	6/26/2010	Catering Routine Inspectio	5/5 No metal stem thermometer available
STONEHENGE TAVERN	Tavern	603 1ST AVE ZILLAH	ZILLAH	6/7/2010	Routine Inspection	35/40 Missing FWC, improperly stocked hand wash sink, improperly cold holding PHF, unlabeled chemical
SUB SHOP OF YAKIMA	Restaurant	20 N. 2ND STREET	YAKIMA	6/9/2010	Routine Inspection	35/44 Missing FWCs, improperly stocked hand wash sink, improperly cold holding PHF, unlabeled chemicals
				6/23/2010	Follow-Up Inspection	10/13 Blocked hand wash sink
SUNTIDES MARKET & GAS	Mini-mart	11 PENCE RD	YAKIMA	6/22/2010	Routine Inspection	10/10 - All workers need FWC and no metal stem thermometer available.
SUPER TACOS	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	6/9/2010	Routine Inspection	0/0
SWEET BEEZ CAFE	Restaurant	130 E NACHES	SELAH	6/10/2010	Routine Inspection	0/5
TACO BELL # 5089	Restaurant	716 E YAKIMA AVE	YAKIMA	6/17/2010	Routine Inspection	10/10 - Soap dispenser was empty at the handwash sink in the kitchen.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO EL GRANDE	Mobile	1402 S. Fair Ave. Yakima 8AM-9PM	YAKIMA	6/17/2010	Routine Inspection	10/15 Improper cold holding of cheese. No sanitizer made up.
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	6/2/2010	Routine Inspection	35/35 BHC with RTE foods, no hot water, improper cold holding.
TAQUERIA LOS PRIMOS # 3	Restaurant	1001 N. 16TH AVE.	YAKIMA	6/11/2010	Routine Inspection	65/78 No FWC's, handwash sink turned off, improper cooling, room temp storage, improper cold holding of PHF's, follow up needed.
TAYON'S MARKET	Grocery Store	810 W. WINE COUNTRY RD.	GRANDVIEW	6/25/2010	Routine Inspection	0/0
TEN-FOUR CAFE	Restaurant	703 WINE COUNTRY RD.	GRANDVIEW	6/25/2010	Routine Inspection	35/35 - Some FWC needed, BHC with RTE food, and not properly washing hands after cracking raw eggs.
TERIYAKI GRILLE	Restaurant	901 W. YAKIMA AVE. SUITE# 6-B	YAKIMA	6/8/2010	Routine Inspection	5/8 - Food worker card needed.
THE CHERRY PATCH	Restaurant	101 W. 1ST AVE.	ZILLAH	6/7/2010	Routine Inspection	45/57 Missing FWCs, hands not washed as required, BHC of RTE food, blocked hand wash sink, improperly stocked hand wash sink
				6/21/2010	Follow-Up Inspection	40/40 Missing FWC, blocked kitchen hand wash sink, improperly cold holding PHF
THE FUEL YARD	Espresso Stand	314 1ST AVE.	ZILLAH	6/16/2010	Routine Inspection	20/35 Ice scoop for ice machine stored in ice machine, missing FWC
THE MARKET PLACE DELI	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	6/26/2010	Catering Routine Inspectio	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE PASTIME	Tavern	125 E. NACHES	SELAH	6/15/2010	Follow-Up Inspection	0/0
THE SODA FOUNTAIN	Restaurant	2105 TIETON DR	YAKIMA	6/30/2010	Routine Inspection	5/13 Missing FWCs
TIETON MARKET	Mini-mart	6003 TIETON DR	YAKIMA	6/11/2010	Complaint Inspection	30/32 Improperly hot holding PHF, missing FWCs
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	6/2/2010	Routine Inspection	0/0
TOWN PUMP FOOD MART	Mini-mart	8101 WIDE HOLLOW RD	YAKIMA	6/21/2010	Routine Inspection	25/35 - Improper hot holding temperatures.
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	6/10/2010	Follow-Up Inspection	10/20 No hot water at one hand wash sink in men's restroom
VICKIE'S CAFE	Restaurant	802 WISCONSIN AVENUE	TIETON	6/30/2010	Routine Inspection	0/3
VILLAGE CENTER CAFE	Retirement Housing	215 N. 40TH AVE.	YAKIMA	6/28/2010	Routine Inspection	0/5
VILLASENOR'S MEXICAN RESTAURANT	Restaurant	225 S TOPPENISH AVE.	TOPPENISH	6/23/2010	Routine Inspection	10/10 Missing FWCs, improper hot holding of PHFs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAFFLE CAFFE	Restaurant	1510 N. 1ST STREET	YAKIMA	6/7/2010	Routine Inspection	30/30 Hands not washed as required, BHC of RTE food
				6/30/2010	Follow-Up Inspection	0/10
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	6/1/2010	Routine Inspection	0/5 missing temperature gauge in refrigerator
WINE COUNTRY INN BED & BREAKFAST	Bed & Breakfast	505 AMES RD.	SELAH	6/16/2010	Routine Inspection	0/0
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	6/9/2010	Follow-Up Inspection	0/11
YAKIMA REDS	Snack Bar	WASHINGTON AVE.	YAKIMA	6/26/2010	Routine Inspection	20/25 Missing FWC, improperly stocked hand wash sink, no metal stem thermometer
YAKIMA SCHOOL OF THE ARTS	School	316 E. YAKIMA AVE.	YAKIMA	6/2/2010	Routine Inspection	0/0
ZILLAH FOOD CENTER	Grocery Store	145 1ST AVE.	ZILLAH	6/16/2010	Routine Inspection	10/15 Spoiled meat on shelf for sale