

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
3RD STREET MARKET	Mini-mart	604 S. 3RD ST.	YAKIMA	7/7/2010	Compliance Inspection	10/10 Missing FWC, no metal stem thermometer available
				7/14/2010	Compliance Inspection	5/15 Metal stem thermometer cannot be calibrated in ice water
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE	7/29/2010	Routine Inspection	15/18 No hot water at kitchen hand wash sink and restroom hand wash sink, missing FWC
				7/29/2010	Routine Inspection	15/18 Missing FWC, improperly stocked hand wash sinks
A MIDSUMMER NIGHT CATERING	Catering	608 PICKENS RD	YAKIMA	7/30/2010	Routine Inspection	0/0
				7/31/2010	Catering Routine Inspectio	0/0
AGATE FIELD VINEYARD	Winery	2911 ROZA DR	ZILLAH	7/6/2010	Routine Inspection	0/0
AHTANUM GENERAL STORE	Mini-mart	8301 AHTANUM	YAKIMA	7/12/2010	Follow-Up Inspection	10/10 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERISTAR # 12	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	7/19/2010	Routine Inspection	25/25 Missing FWCs, improperly stocked hand wash sink, improperly cold holding PHF
ASADERO 100 BAR & GRILL	Restaurant/Catering	204 E. NACHES AVE.	SELAH	7/23/2010	Pre-Opening Inspection	approved to open.
BERT'S PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	7/2/2010	Follow-Up Inspection	15/28 Missing FWC, improper chemical storage
BI-MART # 636	Grocery Store	110 W. SOUTH HILL RD.	SUNNYSIDE	7/29/2010	Routine Inspection	0/0
BODEGA YAKIMEX	Grocery Store	511 N 1ST ST.	YAKIMA	7/23/2010	Routine Inspection	45/68 Improperly stocked hand wash sinks, eggs stored at room temperature, improperly cold holding PHF
				7/23/2010	Complaint Inspection	No maggots visible on meat or around meat.
				7/28/2010	Follow-Up Inspection	25/35 Missing FWC, improperly stocked hand wash sink, improperly cold holding PHF
				7/30/2010	Compliance Inspection	25/35 Missing FWC, improperly stocked hand wash sink, improperly cold holding PHF
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	7/21/2010	Compliance Inspection	0/0
BURGER KING	Restaurant	5905 SUMMITVIEW AVE.	YAKIMA	7/7/2010	Routine Inspection	5/8 Missing FWCs
CAFE ARTESANO	Espresso Stand	608 WISCONSIN	TIETON	7/23/2010	Pre-Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	7/16/2010	Follow-Up Inspection	10/15 Unlabeled chemical
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	7/28/2010	Routine Inspection	25/30 - Improper hot holding temperatures.
CLASSIC EVENTS CATERING	Catering	5453 ASHUE RD	WAPATO	7/24/2010	Catering Routine Inspectio	0/2
COLD STONE CREAMERY	Ice Cream Parlor	2401 S. 1ST STREET SUITE# 100	YAKIMA	7/12/2010	Routine Inspection	15/20 Missing FWCs, improperly stocked hand wash sink
CURLEY'S BAR & GRILL	Tavern	111 N. GLEED RD.	GLEED	7/19/2010	Routine Inspection	0/0
DOMINO'S PIZZA # 7170	Restaurant	6 S 9TH ST	YAKIMA	7/27/2010	Routine Inspection	5/5 Missing FWCs
EATON HILL WINERY	Winery	530 GURLEY RD	GRANGER	7/2/2010	Routine Inspection	0/0
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	7/16/2010	Routine Inspection	15/20 - Several FWC needed and refrigerator at 55 degrees.
FLIPPER'S FRESH WATER	Mobile		YAKIMA	7/31/2010	Routine Inspection	30/40 Missing FWC, ice scoop handle contacted the ice, improperly cold holding juices and cut melons in ice

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	7/28/2010	Routine Inspection	30/30 - Improper hot holding temperatures and metal stem thermometer not being used.
GRANGER TRAVEL PLAZA	Mini-mart	1221 BAILEY AVE	GRANGER	7/8/2010	Routine Inspection	25/28 Missing FWCs, blocked hand wash sink, improper chemical storage
GRINDER'S ESPRESSO	Espresso Stand	903-A VINTAGE VALLEY PARKWAY	ZILLAH	7/6/2010	Compliance Inspection	0/0
HOWARD JOHNSON PLAZA	Restaurant/Lounge	9 N. 9TH STREET	YAKIMA	7/8/2010	Routine Inspection	25/41 No hot water at breakfast area hand wash sink, no metal stem thermometer available, improper chemical storage
HYATT VINEYARDS	Winery	2020 GILBERT RD	ZILLAH	7/16/2010	Routine Inspection	0/0
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	7/12/2010	Routine Inspection	90/95 Missing FWC, BHC with RTE food, improperly stocked hand wash sink, no hot water at women's restroom, cutting boards are not sanitized after raw meat has contacted them, raw meat was stored above RTE food, improperly cold holding PHF, metal stem thermometer cannot be calibrated in ice water
KIKI RESTAURANT	Restaurant	505 W. YAKIMA AVENUE	YAKIMA	7/23/2010	Follow-Up Inspection	0/3
LAST CHANCE DELI	Deli	12160 HWY 12	NACHES	7/21/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LITTLE CAESARS	Restaurant	2301 W. NOB HILL BLVD.	YAKIMA	7/21/2010	Routine Inspection	5/5 Missing FWCs
LOTUS CHINESE RESTAURANT	Restaurant	901 W. 1ST AVENUE	TOPPENISH	7/29/2010	Follow-Up Inspection	0/0
LUTONG PINOY (FILIPINO FOOD)	Restaurant/Catering	117 S. WAPATO AVE.	WAPATO	7/1/2010	Routine Inspection	30/30 Improperly cooling PHF
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	7/22/2010	Compliance Inspection	0/0
MAMA J'Z	Restaurant	330 MAIN ST	MABTON	7/8/2010	Routine Inspection	0/3 minor cleaning needed
MARISCOS "EL NAYARIT"	Mobile	132 SO. 2ND STREET - YAKIMA	YAKIMA	7/25/2010	Routine Inspection	10/10 Need a locking spigot for hand washing container
MARISCOS IXTAPA # 2	Mobile		MABTON	7/1/2010	Routine Inspection	40/40 Improper hot holding of PHF's, no thermometer, no hot water at handwash sink.
MC GUIRE'S IRISH RESTAURANT & PUB	Tavern	4807 TIETON DR	YAKIMA	7/19/2010	Follow-Up Inspection	5/5 Missing FWCs
MEXICAN FRUIT	Mobile	2201 E. EDISON - SUNNYSIDE SCHUCK'S PARKING LOT	GRANDVIEW	7/30/2010	Complaint Inspection	They were operating today. They were closed. I explained that they need to meet with Gordon Kelly before they can sell fruit.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MILLER'S DAIRY QUEEN	Restaurant	401 W. 1ST AVENUE	TOPPENISH	7/1/2010	Follow-Up Inspection	20/25 One hand wash sink not working, improper chemical storage
				7/16/2010	Compliance Inspection	0/0
MT. ADAMS COUNTRY CLUB SNACK BAR	Deli	1250 ROCKY FORD ROAD	TOPPENISH	7/7/2010	Routine Inspection	0/0
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	7/16/2010	Routine Inspection	55/55 Missing FWCs, BHC with RTE foods, improperly stocked hand wash sinks, raw meat stored above RTE food, improperly cold holding PHF, unlabeled chemicals
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	7/28/2010	Compliance Inspection	They have water, soap and paper towels in the portable toilet.
OUT ON A WHIM	Espresso Stand	108 S 3RD AVE	YAKIMA	7/15/2010	Routine Inspection	20/20 Making cinnamon rolls at home, missing FWC
PAPA MURPHY'S PIZZA	Restaurant	4900 TIETON DRIVE	YAKIMA	7/20/2010	Routine Inspection	5/10 Missing FWC
PARADISOS DEL SOL	Winery	3230 HIGHLAND DR	ZILLAH	7/2/2010	Routine Inspection	5/5 Missing FWCs
PEACH TREE RETIREMENT	Retirement Housing	2800 W. VIOLA - YAKIMA	YAKIMA	7/7/2010	Routine Inspection	5/8 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIONEER KITCHEN	Restaurant/Cateri ng	227 S TOPPENISH AVE.	TOPPENISH	7/16/2010	Routine Inspection	50/50 Hands not washed as required, RTS of PHF, improper cold holding PHF
				7/22/2010	Follow-Up Inspection	10/10 Improperly cold holding PHF
PORTEUS WINERY	Winery	5201 HIGHLAND DR	ZILLAH	7/26/2010	Routine Inspection	5/5 Missing FWC
RED LION HOTEL YAKIMA CENTER	Restaurant/Loung e	607 E YAKIMA AVE.	YAKIMA	7/16/2010	Follow-Up Inspection	5/5 Missing FWC
RED ROBIN AMERICA'S GOURMET BURGERS & SPIRITS	Restaurant/Loung e	2706 W. NOB HILL BLVD.	YAKIMA	7/8/2010	Routine Inspection	15/28 Hands not washed as required
SANTIAGOS	Restaurant/Cateri ng	111 E YAKIMA AVE.	YAKIMA	7/14/2010	Routine Inspection	25/30 Hands not washed as required, unlabeled chemical
SCHWAN'S HOME SERVICE, INC.		1502 PIERCE STREET	UNION GAP	7/23/2010	Routine Inspection	0/0
SELAH BASEBALL CONCESSIONS	Seasonal Concession	CARLON PK./ 300 E. GOODLANDER RD.	YAKIMA	7/28/2010	Routine Inspection	40/40 Hands not washed as required, improperly stocked hand wash sink, improperly cold holding PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SENIOR NUTRITION PROGRAM - RESPITE ADULT DAY CENTER		1604 W YAKIMA AVE	YAKIMA	7/15/2010	Routine Inspection	0/0
SHIRLEY'S ESPRESSO	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	7/7/2010	Routine Inspection	25/38 No paper towels at hand wash sinks, no receipts for ice
SILVER CREEK BAR & GRILL	Tavern	108 ILER ST.	MOXEE	7/14/2010	Routine Inspection	20/33 Missing FWCs, improperly reheating beans for hot holding
SILVER DOLLAR CAFE	Restaurant	30501 HWY 24	SUNNYSIDE	7/22/2010	Pre-Opening Inspection	Cracks in the floor need to be filled in. Approved to open.
SLIM'S MARKET	Grocery Store	9951 HIGHWAY 12	NACHES	7/21/2010	Routine Inspection	10/10 - Meat in the cold holding unit was turning brown
SNYDER'S BAKERY	Bakery	31 N 4TH AVE.	YAKIMA	7/7/2010	Routine Inspection	0/0
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	7/27/2010	Routine Inspection	50/72 Hands not washed as required, BHC with RTE food, improperly cold holding PHF, unlabeled chemical
SPORTS CENTER LOUNGE	Tavern	108 DIVISION ST.	GRANDVIEW	7/1/2010	Compliance Inspection	0/0
STAGECOACH RV PARK	Mini-mart	16201 W. WENAS RD.	SELAH	7/6/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUBWAY # 46233	Restaurant	123 E YAKIMA AVE	YAKIMA	7/8/2010	Pre-Opening Inspection	approved to open.
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	7/22/2010	Routine Inspection	40/45 Missing FWCs, hands not washed as required, raw meats stored above cooked bacon, metal stem thermometer was not used, unlabeled chemical
TACOS EL GRULLO (MOBILE)	Mobile	VARIES BY SEASON	MOXEE	7/30/2010	Routine Inspection	5/5 no metal stem thermometer
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	7/7/2010	Routine Inspection	0/0
TAQUERIA EL ESCORPION	Mobile	6th Ave & Walnut at car wash	YAKIMA	7/29/2010	Routine Inspection	10/10 inadequate handwashing (no hot water)
TAQUERIA LA PLAZITA	Restaurant	103 N. 1ST ST. # H	SELAH	7/12/2010	Routine Inspection	10/20 - No paper towels at handwash sink in the kitchen and pop dispenser is not plumbed properly.
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	7/25/2010	Routine Inspection	15/20 Missing FWC, need locking spigot on hand wash container
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA	7/20/2010	Routine Inspection	10/13 There was no hot water in the building. Closed them.
				7/20/2010	Follow-Up Inspection	They have hot water now. They can reopen the restaurant.
TEN-FOUR CAFE	Restaurant	703 WINE COUNTRY RD.	GRANDVIEW	7/12/2010	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE CHERRY PATCH	Restaurant	101 W. 1ST AVE.	ZILLAH	7/6/2010	Compliance Inspection	0/0
THE COFFEE SHACK	Espresso Stand	7111 POSTMA RD	MOXEE	7/22/2010	Routine Inspection	0/3
THE DRIFT INN	Restaurant	12540 HWY 12	NACHES	7/21/2010	Routine Inspection	0/0
THE FUEL YARD	Espresso Stand	314 1ST AVE.	ZILLAH	7/6/2010	Follow-Up Inspection	15/23 Ice scoop stored in the ice machine
THE HIDEOUT RESTAURANT & LOUNGE	Restaurant/Lounge	401 WAPATO AV S	WAPATO	7/14/2010	Routine Inspection	45/48 Improperly stocked hand wash sink, blocked hand wash sink, raw hamburger stored above RTE food, improperly cooling PHF
				7/22/2010	Follow-Up Inspection	0/0
TWO MOUNTAIN WINERY	Winery	2151 CHEYNE RD	ZILLAH	7/2/2010	Routine Inspection	15/15 Missing FWCs, no soap at hand wash sink
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	7/1/2010	Compliance Inspection	0/0
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	7/16/2010	Routine Inspection	30/40 - Bare hand contact with RTE food, no soap or paper towels for hand wash sink in snack bar, and no thermometer to evaluate temperatures in snack bar.
ZIRKLE FRUIT COMPANY	Restaurant	352 HARRISON	SELAH	7/12/2010	Routine Inspection	10/10 - Takes several minutes to get hot water at handwash sink in main kitchen.