

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WACWA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	5/16/2011	Follow-Up Inspection	0/0
3RD STREET MARKET	Mini-mart	604 S. 3RD ST.	YAKIMA			
7-ELEVEN #2362-19305A	Mini-mart	120 N. 1ST STREET	SELAH	5/23/2011	Routine Inspection	35/45 PIC did not answer correctly, missing FWC, improperly stocked hand wash sinks, food not in good condition, no metal stem thermometer was available
ADAMS ELEMENTARY SCHOOL	School	1101 S. CAMAS AVE	WAPATO	5/5/2011	Routine Inspection	5/5 - Several FWC needed.
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	5/9/2011	Routine Inspection	0/0
AM/PM # 4437	Mini-mart	601 E YAKIMA AVE.	YAKIMA	5/4/2011	Routine Inspection	0/0
				5/11/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ANTOJITOS MEXICANOS & AMERICANOS LA PASADITA	Mobile	1450 WINE COUNTRY RD.	GRANDVIEW	5/10/2011	Pre-Opening Inspection	
ARCO AM/PM	Mini-mart	1850 WANETA ROAD	SUNNYSIDE	5/18/2011	Routine Inspection	10/18 Missing FWC, inaccurate metal stem thermometer
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	5/26/2011	Routine Inspection	0/0
B.J.'S GET & GO	Mini-mart	3101 MAIN STREET	UNION GAP	5/27/2011	Routine Inspection	30/50 Improperly hot holding PHF, no metal stem thermometer was available
BAMBOO TERRACE	Restaurant	54 W NOB HILL	YAKIMA	5/20/2011	Routine Inspection	20/33 Missing FWC, improperly stocked hand wash sink, improperly cold holding PHF
BIG CHEESE PIZZA	Restaurant	2204-C W NOB HILL BLVD.	YAKIMA	5/25/2011	Routine Inspection	0/0 No problems.
BIG RED'S DINER	Restaurant	110 S. HOLLY DR.	MOXEE	5/19/2011	Routine Inspection	35/51 Hands not washed as required, raw meat stored above RTE food, inaccurate metal stem thermometer, unlabeled chemical
BILL'S FAMILY RESTAURANT	Restaurant	704 W 1ST ST.	WAPATO	5/26/2011	Follow-Up Inspection	25/28 Improperly stocked hand wash sink, no metal stem thermometer was available, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BLUE HILLS TAQUERIA	Restaurant	1509-B TIETON DR. - YAKIMA	YAKIMA	5/25/2011	Pre-Opening Inspection	The City of Yakima is requiring the installation of a sewer inspection port before allowing a plumbing permit needed to install 3-compartment & food preparation sinks. The owner requested to us the sink facilities of In & Out Mart next door. A signed contract has been obtained. Blue Hill taqueria must purchase all produce in a ready-to-use form until their own kitchen is approved for use.
CAKES ON THE VINE	Bakery	5208 CREST ACRES LN	YAKIMA	5/11/2011	Pre-Opening Inspection	approved to open.
CAMAS ELEMENTARY SCHOOL	School	910 S. CAMAS	WAPATO	5/9/2011	Routine Inspection	0/5 Dishwasher improperly sanitizing
CATS LITERACY CENTER	School	107 BUENA WAY #10	TOPPENISH	5/9/2011	Routine Inspection	0/0
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	5/6/2011	Routine Inspection	0/0
CHINA GROVE	Restaurant	3210 PICARD PLACE	SUNNYSIDE	5/26/2011	Routine Inspection	45/73 Missing FWCs, hands not washed as required, raw meat stored above RTE food, improperly hot holding PHF
CHINA TOWN CAFE	Restaurant	14 E. "A" STREET	YAKIMA	5/31/2011	Pre-Opening Inspection	Approved to open once 3-comp sink has water and handwash sink soap dispenser is installed.
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	5/26/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CLARION HOTEL	Restaurant/Catering	1507 N 1ST STREET	YAKIMA	5/5/2011	Follow-Up Inspection	10/10 Improper cold holding of PHF's. Foods were disposed of.
COLLEGE MART	Mini-mart	1106 W NOB HILL BLVD	YAKIMA	5/6/2011	Routine Inspection	10/15 Inaccurate thermometer being used to evaluate the hot deli foods. No sanitizer bucket.
CREAGLE CONCESSIONS	Mobile		YAKIMA	5/1/2011	Routine Inspection	20/33 Missing FWC, hands not washed as required
CREEKSIDE WEST	Restaurant/Catering	4000 W. CREEKSIDE LOOP	YAKIMA	5/6/2011	Routine Inspection	10/15 Handwash in employee restroom is missing paper towels.
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	5/4/2011	Routine Inspection	0/0
DOLLAR STORE N MORE	Grocery Store	2010 YAKIMA VALLEY HWY #30	SUNNYSIDE	5/26/2011	Routine Inspection	0/0
DONA LUPES PANADERIA & PASTERERIA	Bakery	1300 YAKIMA VALLEY HWY.	SUNNYSIDE	5/10/2011	Follow-Up Inspection	They have corrected all the problems from the previous inspection.
DOUBLE BARREL BAR & GRILL	Restaurant/Lounge	115 E. NACHES AVE.	SELAH	5/2/2011	Opening Inspection	Approved to open.
E.C. PAWN	Snack Bar	120 2ND ST S	GRANDVIEW	5/6/2011	Pre-Opening Inspection	Several items need to be done.
				5/9/2011	Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EAST VALLEY ELEMENTARY SCHOOL	School	1951 BEAUDRY RD	YAKIMA	5/11/2011	Routine Inspection	0/0
EAST VALLEY HIGH SCHOOL	School	1900 BEAUDRY	YAKIMA	5/11/2011	Routine Inspection	0/0
EAST VALLEY MIDDLE SCHOOL	School	2010 BEAUDRY RD.	YAKIMA	5/11/2011	Routine Inspection	0/0
EAST VALLEY YOUTH BASEBALL	Snack Bar - Seasonal	0 EKELMAN RD/SCHOOL	MOXEE	5/18/2011	Routine Inspection	25/25 Improperly hot holding PHF
ELECTRIC BEACH TANNING & ESPRESSO	Espresso Stand	318 7TH ST S	SUNNYSIDE	5/25/2011	Routine Inspection	20/23 Improperly stocked hand wash sink, unlabeled chemicals
FIRING CENTER SUBWAY # 48238	Restaurant	51 FIRING CENTER RD.	YAKIMA	5/17/2011	Compliance Inspection	0/0
GEPPETTO'S ITALIAN BISTRO & DELI	Deli	3105 SUMMITVIEW AV	YAKIMA	5/4/2011	Follow-Up Inspection	0/0
GORDY'S CHUCK WAGON	Mobile			5/21/2011	Routine Inspection	0/0
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	5/26/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRIZZLY ESPRESSO	Espresso Stand	3602 FRUITVALE BLVD <sup>2</sup>	YAKIMA	5/19/2011	Routine Inspection	10/10 Improper cold holding of PHF's.
GUERRA'S DELI & CAFE	Deli	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	5/18/2011	Routine Inspection	5/10 Inaccurate metal stem thermometer
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	5/25/2011	Routine Inspection	0/0
HIGHLAND QUICK STOP	Mini-mart	16841 SUMMITVIEW RD	COWICHE	5/5/2011	Follow-Up Inspection	No repeated items of concern
HOOP'S SPORTS BAR & GRILLE	Tavern	2103 W LINCOLN AVE.	YAKIMA	5/4/2011	Compliance Inspection	0/5
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Catering	2710 TERRACE HEIGHTS DRIVE	YAKIMA	5/4/2011	Follow-Up Inspection	0/0
JOHNNY'S BOYS HOT DOGS	Mobile		YAKIMA	5/2/2011	Pre-Opening Inspection	Approved to open.
JUWANNA JAVA	Espresso Stand/Deli	500 W MAIN ST. (Y.V.C.C.)	GRANDVIEW	5/9/2011	Routine Inspection	0/5
KIWANIS PARK CONCESSIONS	Snack Bar - Seasonal	E MAPLE ST & FAIR AVE.	YAKIMA	5/27/2011	Routine Inspection	5/5 - Several workers need FWC.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA CABANA RESTAURANT	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	5/31/2011	Pre-Opening Inspection	
LA MONTANA	Juice Bar	1408 E NOB HILL BLVD	YAKIMA	5/12/2011	Routine Inspection	0/0 No problems
MARISCOS IXTAPA DE CHELY	Mobile		SUNNYSIDE	5/21/2011	Routine Inspection	No problems. They were at the Swap Meet at the SunDome.
MAVERIK # 428	Mini-mart	1601 E. LINCOLN	SUNNYSIDE	5/2/2011	Routine Inspection	0/5 improper hot holding of PHF
MAX'S BAR & GRILL	Tavern	1107 S. 3RD STREET	YAKIMA	5/12/2011	Routine Inspection	5/10 Thermometer needed calibration, there is a leak in the ceiling in the storage room that needs to be fixed.
MC DONALD'S - WAL-MART	Restaurant	1600 E. CHESTNUT	YAKIMA	5/19/2011	Routine Inspection	0/5 Employee food needs to be seperated from foods offered to the public.
MERCADO Y CARNICERIA DE GRANDVIEW	Meat Market	225 WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	5/16/2011	Pre-Opening Inspection	See items needed before they can open
MICHAEL'S ALL - STAR PUB & EATERY	Tavern	402 S. 11TH AVE.	YAKIMA	5/20/2011	Pre-Opening Inspection	Need to pay fees, install pea trap at floor connection under 3 compartment sink, install themometers in all refrigerators
				5/25/2011	Pre-Opening Inspection	Need to pay fees and they can open
				5/19/2011	Follow-Up Inspection	20/25 Missing FWC, hands not washed as required
				5/27/2011	Compliance Inspection	5/5 Inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MOXEE ELEMENTARY SCHOOL	School	528 E. SEATTLE	MOXEE	5/11/2011	Routine Inspection	0/0
MOXEE MARKET	Grocery Store	105 ILER	MOXEE	5/9/2011	Routine Inspection	25/41 Improperly hot holding PHF
NEW THAI RESTAURANT	Restaurant	4808 TIETON DRIVE.	YAKIMA	5/19/2011	Follow-Up Inspection	0/0
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	5/4/2011	Follow-Up Inspection	15/15 Hands not washed as required
				5/17/2011	Compliance Inspection	0/0
NORTH AVENUE MARKET	Mini-mart	701 NORTH AVENUE	SUNNYSIDE	5/26/2011	Routine Inspection	20/22 Missing FWC, food not in good condition, inaccurate metal stem thermometer
NORTH TOWN COFFEEHOUSE SELAH	Espresso Stand	406 S 1ST ST	SELAH	5/12/2011	Routine Inspection	0/0
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	5/27/2011	Routine Inspection	20/25 Missing FWCs, hands not washed as required
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	5/9/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	5/5/2011	Routine Inspection	0/0
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	5/9/2011	Routine Inspection	15/15 improper storage of raw meats, no time/temp recordings for date of inspection
SAFEWAY # 502	Grocery Store	5702 SUMMITVIEW AVE.	YAKIMA	5/9/2011	Routine Inspection	25/30 Missing FWCs, improperly stocked hand wash sink
SPORTS CENTER LOUNGE	Tavern	108 DIVISION ST. GRANDVIEW		5/9/2011	Complaint Inspection	Asian food is being hot held at 160 F or more.
STANTON HIGH SCHOOL	School	901 N. WHITMAN ST.	YAKIMA	5/25/2011	Routine Inspection	5/10 Missing FWCs
STARBUCKS COFFEE CO. # 3407	Espresso Stand	1208 N. 40TH AVE. SUITE # A	YAKIMA	5/11/2011	Routine Inspection	0/0
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	5/4/2011	Routine Inspection	5/10 Missing FWCs
SUNSHINE MART	Grocery Store	6712 TIETON DR	YAKIMA	5/20/2011	Routine Inspection	30/30 Missing FWC, improperly hot holding PHF
				5/17/2011	Surveillance Inspection	Found them hot holding PHF. They need to apply for Level 2 Food License.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO TIME	Restaurant	2111 S 1ST ST.	YAKIMA	5/25/2011	Routine Inspection	15/15 Womens restroom needs paper towels, no thin probe thermometer.
TACOS EL REY	Restaurant	1218 S. 6TH STREET	YAKIMA	5/9/2011	Routine Inspection	10/20 Improper cold holding of PHF's, possible cross contamination of ice.
TAQUERIA & RESTAURANT EL TROMPO LOCO	Restaurant/Lounge	1 SO. 6TH ST.	YAKIMA	5/5/2011	Routine Inspection	40/50 Improper cooling of PHF's, improper hot holding of PHF's. Follow-up required.
TAQUERIA EL TROMPO LOCO	Mobile		YAKIMA	5/11/2011	Opening Inspection	
THE ELMS BED & BREAKFAST	Bed & Breakfast	1000 BLAINE AVE.	SUNNYSIDE	5/5/2011	Routine Inspection	40/50 Improper cooling of PHF's, improper cold holding of PHF's, possible cross contamination of PHF's. Follow up required.
TOY'S COFFEE	Espresso Stand	1205 N. 1ST STREET	YAKIMA	5/24/2011	Follow-Up Inspection	5/5 Improper cold holding of PHF's.
UNION GAP MIDDLE SCHOOL	School	3201 S. 4TH ST.	UNION GAP	5/26/2011	Routine Inspection	5/5 Missing FWC
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	5/6/2011	Opening Inspection	
				5/20/2011	Routine Inspection	0/0
				5/9/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAPATO MIDDLE SCHOOL	School	505 DOVE LANE	WAPATO	5/9/2011	Routine Inspection	0/0 dishwasher note
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	5/6/2011	Routine Inspection	0/0
WEST VALLEY CHURCH OF THE NAZARENE	Church Kitchen	7109 NOB HILL BLVD, W	YAKIMA	5/19/2011	Pre-Opening Inspection	Ok to open
WEST VALLEY FRESHMAN CAMPUS	School	9206 ZIER RD	YAKIMA	5/25/2011	Routine Inspection	0/0
WEST VALLEY HIGH SCHOOL	School	9800 ZIER RD.	YAKIMA	5/25/2011	Routine Inspection	0/0
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	5/4/2011	Routine Inspection	5/5 Improper storage of raw meats. Note: Kitchen preparation has exceeded licencing level.
YAKIMA COUNTY DEPARTMENT OF FOOD SERVICES	Jail/Catering	1711 ENGLEWOOD AVE.	YAKIMA	5/10/2011	Routine Inspection	0/0
ZESTA CUCINA	Restaurant	5110 TIETON DRIVE # 210	YAKIMA	5/11/2011	Pre-Opening Inspection	Remodel inspection. Approved to open once soap and paper towel dispensers are installed.