

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
XCAPE SALON & CAFE	Espresso Stand	500 YAKIMA VALLEY HWY	SUNNYSIDE	8/5/2011	Routine Inspection	0/0
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE			
ARTY'S BAR & GRILL	Tavern	1402 FRUITVALE BLVD	YAKIMA	8/31/2011	Routine Inspection	20/25 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometer
BEST WESTERN AHTANUM INN	Continental Brkfst	2408 RUDKIN RD.	UNION GAP	8/10/2011	Routine Inspection	20/27 Missing FWCs , food not in good condition
BURGER KING	Restaurant	2611 W NOB HILL	YAKIMA	8/25/2011	Routine Inspection	10/15 Metal stem thermometer is inaccurate, missing FWC
BURGER KING # 9876	Restaurant	3201 PICARD PLACE	SUNNYSIDE	8/17/2011	Surveillance Inspection	0/0 Hamburger patties are cooked above 155 F
				8/12/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CARLEEN'S COFFEE MOBILE UNIT	Mobile	FAIRGROUNDS		8/6/2011	Routine Inspection	10/10 Improper cold holding of milk. They were operating out at the Moxee Hop Fest.
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	8/30/2011	Routine Inspection	20/23 Missing FWCs, improperly stocked hand wash sink, inaccurate metal stem thermometer
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/16/2011	Follow-Up Inspection	0/0
CRUISIN' BILL'S CONVENIENCE CENTER	Mini-mart	702 W YAKIMA AVE.	YAKIMA	8/16/2011	Follow-Up Inspection	0/5
CURLEY'S BAR & GRILL	Tavern	111 N. GLEED RD.	GLEED	8/30/2011	Routine Inspection	5/5 - Several workers need FWC.
DINEEN FAMILY VINEYARDS	Winery	2980 GILBERT RD. - ZILLAH	ZILLAH	8/8/2011	Pre-Opening Inspection	Approved to operate.
E Z N CAFE & ESPRESSO	Restaurant	802 1ST AVENUE	ZILLAH	8/19/2011	Routine Inspection	0/5
EAGLE LANES SNACK BAR	Snack Bar	307 1/2 W. CHESTNUT	YAKIMA	8/18/2011	Routine Inspection	15/30 Inaccurate metal stem thermometer, mislabeled chemical
				8/17/2011	Routine Inspection	15/15 Inaccurate metal stem thermometer, unlabeled chemical
				8/17/2011	Routine Inspection	20/23 Hands not washed as required, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL RINCON	Restaurant	3704 FRUITVALE BLVD.	YAKIMA	8/30/2011	Routine Inspection	35/40 - Several expired FWC and improper cooling.
ESPRESSO ETC.	Espresso Stand	2600 W NOB HILL	YAKIMA	8/8/2011	Routine Inspection	5/10 - Some FWC needed.
FRUTAS LA FUENTE	Juice Bar	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/24/2011	Routine Inspection	10/10 Improperly stocked hand wash sinks.
GILBERT CELLARS TASTING ROOM	Winery	5 N. FRONT STREET	YAKIMA	8/23/2011	Routine Inspection	5/5 - Need FWC cards.
GRINDER'S ESPRESSO	Espresso Stand	903-A VINTAGE VALLEY PARKWAY	ZILLA	8/9/2011	Routine Inspection	20/20 Missing FWCs, food not obtained from approved source
HIWAY FRUIT	Fruit Stand	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/30/2011	Follow-Up Inspection	0/3
HOG WILD B.B.Q.	Catering	116 S. WAPATO AVE.	WAPATO	8/8/2011	Routine Inspection	10/15 - Several FWC needed and no metal stem thermometer available.
HORIZON'S EDGE WINERY	Winery	4530 E. ZILLA DR.	ZILLA	8/24/2011	Routine Inspection	No bleach detected in bleach water
HYATT VINEYARDS	Winery	2020 GILBERT RD	ZILLA	8/19/2011	Routine Inspection	10/10 Improperly stocked hand wash sink
				8/19/2011	Routine Inspection	5/5 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JERRY'S VALLEY MEATS	Meat Market	2561 SUNNYSIDE MABTON RD	SUNNYSIDE	8/16/2011	Routine Inspection	10/10 Unlabeled chemical
JOHNNY'S BOYS HOT DOGS	Mobile		YAKIMA	8/27/2011	Routine Inspection	0/5
KINGS ROW	Restaurant	210 S. 1ST STREET	SELAH	8/12/2011	Routine Inspection	5/5 - Some workers did not have FWC.
LITTLE FOOD MARKET	Grocery Store	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/31/2011	Routine Inspection	10/18 Missing FWCs, no metal stem thermometer available
MATTERHORN MEATS	Meat Market	1313 N 16TH AVE	YAKIMA	8/15/2011	Routine Inspection	10/10 Improperly stocked hand wash sink
MC DONALD'S	Restaurant	820 ZILLAH WEST RD.	ZILLAH	8/12/2011	Routine Inspection	5/10 Missing FWCs
MEL'S DINER	Restaurant	314 N. 1ST STREET	YAKIMA	8/10/2011	Follow-Up Inspection	0/0
MID VALLEY NAUTILUS	Espresso Stand	1003 VINTAGE VALLEY RD.	ZILLAH	8/12/2011	Follow-Up Inspection	0/0
MINUTE MART & SMOKE SHOP	Mini-mart	301 S. 13TH STREET	SUNNYSIDE	8/12/2011	Routine Inspection	10/10 - MST and FWC needed.
NORTH TOWN COFFEEHOUSE	Espresso Stand	28 N 1ST. ST.	YAKIMA	8/26/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
OASIS 100% NATURAL	Juice Bar	1704 MEAD AV E	UNION GAP	8/23/2011	Routine Inspection	10/15 Unlabeled chemical
PALETERIA LA NORTENA	Ice Cream Parlor	120 ROHMAN ST.	SUNNYSIDE	8/12/2011	Routine Inspection	0/0
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS. DR.	YAKIMA	8/10/2011	Follow-Up Inspection	0/8
PARADISOS DEL SOL	Winery	3230 HIGHLAND DR	ZILLA	8/9/2011	Routine Inspection	0/3
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	8/4/2011	Pre-Opening Inspection	Initial pre-opening. A lot of cleaning is still needed. Another pre-opening is required. See report in imaging for more details.
PEPE'S BAKERY OF YAKIMA	Bakery	605 E. NOB HILL BLVD.	YAKIMA	8/29/2011	Pre-Opening Inspection	Ok, ready to open.
PHO TAN	Restaurant	420 S. 72ND AVE. # 160	YAKIMA	8/9/2011	Routine Inspection	30/50 BHC with RTE food, improperly stocked hand wash sinks, raw meat stored above RTE food
PORTEUS WINERY	Winery	5201 HIGHLAND DR	ZILLA	8/17/2011	Follow-Up Inspection	0/3
QUIZNO'S SUB # 9469	Restaurant	1809 S. 1ST ST.	YAKIMA	8/9/2011	Routine Inspection	5/8 Missing FWC
				8/15/2011	Routine Inspection	5/18 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RIVER RIDGE GOLF COURSE	Restaurant/Lounge	295 GOLF COURSE LOOP	SELAH	8/23/2011	Routine Inspection	0/8
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	8/29/2011	Routine Inspection	15/15 - Several FWC needed and no running water, soap, or paper towels at handwash sink in restroom.
RUBEN'S RESTAURANT	Restaurant	507 1ST AVE.	ZILLA	8/24/2011	Pre-Opening Inspection	Approved to open.
SAFEWAY # 462	Grocery Store	205 N. 5TH AVENUE	YAKIMA	8/8/2011	Routine Inspection	20/33 Missing FWC, improperly stocked hand wash sinks, raw meats stored above ready to eat food
SAFEWAY # 584	Grocery Store	711 W. 1ST AVENUE	TOPPENISH	8/23/2011	Follow-Up Inspection	10/15 Improperly stocked hand wash sinks, blocked hand wash sink
SCHOOL HOUSE ESPRESSO	Espresso Stand	900 YAKIMA VALLEY HWY. SUITE 3	SUNNYSIDE	8/22/2011	Routine Inspection	15/20 Raw meat stored above RTE food, improperly cold holding PHF
SELAH SAVE-ON-FOODS	Grocery Store	800 NORTH PARK CENTRE	SELAH	8/11/2011	Routine Inspection	5/13 Missing FWC
SEOUL TERI - HOUSE	Restaurant	8 N 7TH AVE.	YAKIMA	8/31/2011	Follow-Up Inspection	15/18 Missing FWCs, improperly stocked hand wash sink
				8/22/2011	Routine Inspection	0/0
				8/12/2011	Routine Inspection	5/5 Raw meat stored above RTE food
				8/17/2011	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SEVERINO CELLARS	Winery	1717 1ST AVE.	ZILLA	8/19/2011	Routine Inspection	0/3
SHELL MARKET	Mini-mart	313 S. 1ST STREET	SELAH	8/11/2011	Compliance Inspection	5/5 - FWC still needed.
SILVER LAKE WINERY	Winery	1500 VINTAGE RD	ZILLA	8/23/2011	Compliance Inspection	0/0
SLIM'S MARKET	Grocery Store	9951 HIGHWAY 12	NACHES	8/12/2011	Routine Inspection	5/5 Missing FWC
STICKY FINGERS BAKERY & CAFE	Restaurant	217 NACHES AVE.	NACHES	8/29/2011	Routine Inspection	0/3
STM MARKET	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	8/31/2011	Routine Inspection	5/12 - Metal stem thermometer not accurate.
STONEHENGE TAVERN	Tavern	603 1ST AVE ZILLA	ZILLA	8/8/2011	Routine Inspection	0/0
SUB SHOP OF YAKIMA	Restaurant	20 N. 2ND STREET	YAKIMA	8/9/2011	Routine Inspection	10/20 Missing FWC, raw meats stored above RTE food
SUNNYSIDE CITY JAIL	Jail	401 HOMER ST.	SUNNYSIDE	8/10/2011	Routine Inspection	10/13 Unlabeled chemical
				8/24/2011	Routine Inspection	30/30 - No FWC available and deli sandwiches at room temperature.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUPER TACOS	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	8/12/2011	Routine Inspection	0/0
SUPERMEX OF YAKIMA/ POLLO FELIZ	Restaurant/Catering	316 3RD ST S	YAKIMA	8/4/2011	Follow-Up Inspection	10/10 inadequate hand washing facilities
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	8/24/2011	Routine Inspection	35/38 Improperly stocked hand wash sink, improperly hot holding PHF
TACO BELL # 5089	Restaurant	716 E YAKIMA AVE ²	YAKIMA	8/25/2011	Routine Inspection	0/0
TACO BELL #27609	Restaurant	230 S. 72ND AVE.	YAKIMA	8/26/2011	Pre-Opening Inspection	approved to open
TACOS EL DORADO	Mobile	SAME	SUNNYSIDE	8/11/2011	Routine Inspection	35/47 Missing FWCs, no receipts available for meat, improperly cold holding PHF with ice, no metal stem thermometer available
TEFFT CELLARS	Winery	1320 INDEPENDENCE RD.	OUTLOOK	8/16/2011	Follow-Up Inspection	20/35 Missing FWCs, no metal stem thermometer available, improperly stocked hand wash sink
				8/24/2011	Compliance Inspection	15/15 Missing FWC, improperly stocked hand wash sinks
				8/19/2011	Routine Inspection	5/8 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TEN-FOUR CAFE	Restaurant	703 WINE COUNTRY RD.	GRANDVIEW	8/24/2011	Routine Inspection	0/0
TERIYAKI GRILLE OF SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	8/5/2011	Routine Inspection	0/0
THE CAKE DECORATOR SHOPPE	Bakery	5609 SUMMITVIEW AVE	YAKIMA	8/18/2011	Routine Inspection	0/0
THE DRIFT INN	Restaurant	12540 HWY 12	NACHES	8/10/2011	Routine Inspection	25/25 - BHC with RTE food, raw meat stored above produce, and consumer advisory needed on menu.
TONY'S STEAKHOUSE	Restaurant/Catering	221 YAKIMA AV W	YAKIMA	8/20/2011	Catering Routine Inspection	40/42 FWCs were not available, RTS of PHF, improperly cold holding PHF with ice
TROUT LODGE	Restaurant	27090 HWY. 12	NACHES	8/10/2011	Routine Inspection	5/5 - Some FWC needed.
TUSCAN SANDS CASINO	Restaurant/Lounge	1002 VINTAGE VALLEY PARKWAY	ZILLA	8/9/2011	Routine Inspection	55/61 Missing FWC, hands not washed as required, PHF cooling improperly, inaccurate metal stem thermometer
TWO MOUNTAIN WINERY	Winery	2151 CHEYNE RD	ZILLA	8/30/2011	Follow-Up Inspection	20/28 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometer
VALLEY VIEW MARKET	Mini-mart	107 W. LINCOLN	SUNNYSIDE	8/12/2011	Follow-Up Inspection	0/0
				8/12/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	8/18/2011	Routine Inspection	30/57 Improperly hot holding PHF, no metal stem thermometer was available
YAKIMA BEARS	Snack Bar - Seasonal	1301 S. FAIR AVE	YAKIMA	8/24/2011	Follow-Up Inspection	30/33 Missing FWC, improperly hot holding PHF
YAKIMA TENNIS CLUB SNACK BAR	Snack Bar - Seasonal	516 N 35TH AVE.	YAKIMA	8/31/2011	Routine Inspection	15/28 Inaccurate metal stem thermometer, unlabeled chemical
ZILLAH FOOD CENTER	Grocery Store	145 1ST AVE.	ZILLAH	8/12/2011	Routine Inspection	5/18 Raw meat stored next to ready to eat food
				8/19/2011	Routine Inspection	50/53 Bucket used to scoop ice, food not in good condition, RTS of PHF