

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
1885 BAR & GRILL @ VAN'S	Restaurant	208 NACHES AVENUE	NACHES	9/21/2011	Routine Inspection	0/10
3D AM/PM	Mini-mart	1801 E NOB HILL	YAKIMA	9/19/2011	Routine Inspection	25/36 Improperly stocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE	9/30/2011	Follow-Up Inspection	5/8 Inaccurate metal stem thermometer
7-ELEVEN STORE #2362-25128D	Mini-mart	611 W. 1ST	TOPPENISH	9/7/2011	Routine Inspection	5/10 Missing FWCs
ALEJANDRO'S AUTHENTIC MEXICAN FOOD	Restaurant	1205 N. 1ST STREET	YAKIMA	9/7/2011	Routine Inspection	15/15 Improper cold holding of PHF's, inaccurate thermometer.
AMERICAN LEGION # 36	Restaurant	1120 N. 34TH AVE.	YAKIMA	9/1/2011	Routine Inspection	25/30 Missing FWC, improperly stocked hand wash sink, no metal stem thermometer available, raw meat stored above RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERICAN LEGION POST 50	Restaurant	13-17 W. 1ST AVE.	TOPPENISH	9/13/2011	Routine Inspection	10/18 Missing FWC, no metal stem thermometer was available
ARTY'S BAR & GRILL	Tavern	1402 FRUITVALE BLVD	YAKIMA	9/1/2011	Follow-Up Inspection	10/21 Missing FWC, inaccurate metal stem thermometer
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	9/22/2011	Compliance Inspection	10/18 Improperly stocked hand wash sink
BUENA VISTA MINI MARKET	Mini-mart	701 S. 6TH	SUNNYSIDE	9/19/2011	Routine Inspection	20/20 - All FWC were expired and BHC with toast.
BURGER RANCH OF SELAH	Restaurant	9 1ST ST S	SELAH	9/14/2011	Routine Inspection	25/25 - Improper hot holding temperatures.
CARNICERIA LA MICHOACANA	Meat Market	818 WISCONSIN AVE.	TIETON	9/16/2011	Routine Inspection	0/5
CAROUSEL FRENCH CUISINE	Restaurant	25 N. FRONT STREET	YAKIMA	9/12/2011	Routine Inspection	10/10 inadequate hand washing facilities
CHERRY WOOD BED & BREAKFAST	Bed & Breakfast	3271 ROZA DR. - ZILLA ZILLA	ZILLA	9/13/2011	Routine Inspection	25/46 Improperly stocked hand wash sinks, metal stem thermometer was not available, unlabeled chemical
CHINA BLUE ESPRESSO	Espresso Stand	605 A ST W	YAKIMA	9/7/2011	Routine Inspection	0/0
				9/15/2011	Routine Inspection	No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CITY OF YAKIMA HARMAN CENTER	Cafeteria	101 N. 65TH AVE.	YAKIMA	9/21/2011	Routine Inspection	5/5 - Several FWC needed.
CLEMENCE R. CARLSON VFW POST # 6929	Restaurant	132 DIVISION ST	GRANDVIEW	9/6/2011	Routine Inspection	20/31 Missing FWCs, improperly stocked hand wash sink, no metal stem thermometer was available
COCINA ARIEL	Commissary	807 W. NOB HILL BLVD.	YAKIMA	9/15/2011	Routine Inspection	0/5 Kitchen was very dirty.
COFFEE AT TIFFANY'S	Espresso Stand	402 S 1ST ST.	SELAH	9/6/2011	Routine Inspection	0/0
COUNTRY ROCK CAFE	Restaurant	216 NACHES AVE.	NACHES	9/21/2011	Routine Inspection	5/5 - Some FWC needed.
COWNTRY CAFE'	Restaurant	428 S. "G" STREET	TOPPENISH	9/19/2011	Routine Inspection	15/20 No FWC on site, no soap at handwash sink, facility if filthy.
COZY ROSE INN	Bed & Breakfast	1220 FORSELL RD	GRANDVIEW	9/6/2011	Routine Inspection	0/0
CREATIVE HEALTH OPTIONS	Serving Site	1510 S. 36TH AVE.	YAKIMA	9/21/2011	Routine Inspection	0/0
DAD'S FAMILY RESTAURANT	Restaurant	433 SELM	TOPPENISH	9/15/2011	Routine Inspection	65/76 Missing FWCs, hands not washed as required, RTS of PHF, improperly cold holding PHF with ice, improper chemical storage

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DAYS INN AND SUITES	Continental Brkfst	515 S. ELM STREET	TOPPENISH	9/15/2011	Routine Inspection	15/25 Improperly cold holding PHF, missing FWCs
DOMINO'S PIZZA # 7170	Restaurant	6 S 9TH ST	YAKIMA	9/7/2011	Routine Inspection	5/8 Missing FWCs
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	9/29/2011	Compliance Inspection	20/20 Missing FWCs, hands not washed as required
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	9/19/2011	Routine Inspection	5/10 Cold holding PHF's at 45F.
FIESTA FOODS	Grocery Store	1008 E. NOB HILL BLVD.	YAKIMA	9/15/2011	Routine Inspection	5/10 missing FWC, no sanitizer available
FILIPINO AMERICAN TAKE-OUT THURSDAY	Snack Bar	211 W. 1ST STREET	WAPATO	9/28/2011	Routine Inspection	50/60 Missing FWCs, raw meat stored above RTE food, RTS of PHF, inaccurate metal stem thermometer, unlabeled chemicals
GLESENERS MARKET	Mini-mart	1326 FAIR AVE.	YAKIMA	9/15/2011	Routine Inspection	40/40 Missing FWCs, improperly hot holding PHF, RTS of PHF, inaccurate metal stem thermometer
HERITAGE UNIVERSITY	Restaurant	3240 FORT	TOPPENISH	9/28/2011	Routine Inspection	20/30 Missing FWC, improperly stocked hand wash sink
				9/8/2011	Routine Inspection	5/15 Metal stem thermometers are inaccurate

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AV E	YAKIMA	9/12/2011	Routine Inspection	30/40 BHC with RTE food, inaccurate thermomter, unlabeled chemical
HOLY CROSS ORTHODOX CHURCH	Bakery	706 STEWART ST	YAKIMA	9/12/2011	Routine Inspection	10/10 Improperly stocked hand wash sink
INTERNATIONAL HOUSE OF PANCAKES # 640	Restaurant	15 VALLEY MALL BVE	UNION GAP	9/14/2011	Routine Inspection	45/55 Missing FWC, hands not washed as required, improperly hot holding PHF
INTERNATIONAL MARKET	Grocery Store	512 W 1ST ST.	WAPATO	9/19/2011	Routine Inspection	20/35 Missing FWCs, hands not washed as required
JAMIMIN JAVA	Espresso Stand	16981 SUMMITVIEW RD	COWICHE	9/16/2011	Routine Inspection	0/0
JAVA JITTERS ESPRESSO HOUSE	Espresso Stand	103 W. FREMONT	SELAH	9/2/2011	Routine Inspection	10/10 - No hot water at 3-comp sink or hand wash sink.
KENTUCKY FRIED CHICKEN	Restaurant	415 SELM	TOPPENISH	9/22/2011	Routine Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
				9/22/2011	Routine Inspection	15/15 Missing FWCs, improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	9/28/2011	Routine Inspection	10/16 - All FWC have expired, metal stem thermometer is not accurate, and facility is dirty.
LYDIA'S ICE CREAM	Mobile		WAPATO	9/7/2011	Routine Inspection	5/5 Inaccurate metal stem thermometer
MANHATTAN STATION ESPRESSO	Espresso Stand	416 S. 1ST STREET	SELAH	9/2/2011	Routine Inspection	0/0
MC DONALD'S	Restaurant	1305 S. 1ST STREET	YAKIMA	9/9/2011	Routine Inspection	15/15 Missing FWCs, improper chemical storage
MT. ADAMS COUNTRY CLUB SNACK BAR	Deli	1250 ROCKY FORD ROAD	TOPPENISH	9/21/2011	Routine Inspection	0/5 Refrigeration unit missing a temperature gauge
NOB HILL FOOD STORE	Mini-mart	1710 E. NOB HILL BLVD.	YAKIMA	9/19/2011	Routine Inspection	45/45 Missing FWCs, improperly stocked hand wash sinks, improperly hot holding PHF, inaccurate metal stem thermometer
OZEKI RESTAURANT	Restaurant	1527 SUMMITVIEW AVE.	YAKIMA	9/20/2011	Routine Inspection	5/5 - Raw chicken stored above ready-to-eat food.
PANADERIA LA MORENITA	Bakery	117 E WALNUT	YAKIMA	9/7/2011	Routine Inspection	15/25 Various workers missing FHC's, improper cold holding of PHF's, possible contamination of foods, no sanitizer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA MURPHY'S PIZZA	Restaurant	205 S. 1ST	SELAH	9/2/2011	Routine Inspection	0/0
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	9/14/2011	Routine Inspection	10/10 - No FWC and no metal stem thermometer available.
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	9/9/2011	Pre-Opening Inspection	This establishment has been remodeled. All requirements since fire occurred have been met. Approved to re-open.
PIZZA HUT # 46022	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	9/28/2011	Routine Inspection	15/15 Missing FWC, no hot water available, they were closed.
				9/28/2011	Routine Inspection	They now have hot water, re-opened them.
				9/28/2011	Catering Follow-Up Inspect	15/15 Missing FWC, unlabeled chemical
				9/30/2011	Compliance Inspection	0/0
RASPADOS DONA CHELITO	Espresso/Catering	511 N. 1ST STR. # 2	YAKIMA	9/20/2011	Routine Inspection	No problems.
RED ROBIN AMERICA'S GOURMET BURGERS & SPIRITS	Restaurant/Lounge	2706 W. NOB HILL BLVD.	YAKIMA	9/6/2011	Routine Inspection	10/26 Improperly stocked hand wash sinks
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	9/14/2011	Routine Inspection	0/0 No problems.
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	9/21/2011	Routine Inspection	5/5 Expired FWC's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFEWAY # 462	Grocery Store	205 N. 5TH AVENUE	YAKIMA	9/19/2011	Compliance Inspection	0/5
SAFEWAY # 563	Grocery Store	613 S. 6TH STREET	SUNNYSIDE	9/21/2011	Routine Inspection	50/69 Hands not washed as required, improperly stocked hand wash sinks, improperly hot holding PHF
SAFEWAY # 584	Grocery Store	711 W. 1ST AVENUE	TOPPENISH	9/8/2011	Follow-Up Inspection	5/5 Missing FWCs
SCHOOL HOUSE ESPRESSO	Espresso Stand	900 YAKIMA VALLEY HWY. SUITE 3	SUNNYSIDE	9/21/2011	Compliance Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
SCHWAN'S HOME SERVICE, INC.		1502 PIERCE STREET	UNION GAP	9/30/2011	Compliance Inspection	5/5 Missing FWCs
SELAH RED APPLE MARKET	Grocery Store	121 E. 3RD AVENUE	SELAH	9/1/2011	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - RESPITE ADULT DAY CENTER		1604 W YAKIMA AVE	YAKIMA	9/27/2011	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - UNION GAP		1000 AHTANUM RD.	UNION GAP	9/29/2011	Routine Inspection	0/0
				9/1/2011	Routine Inspection	10/10 Missing FWC, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SHARI'S RESTAURANT - N. YAKIMA	Restaurant	1401 LAKESIDE COURT	YAKIMA	9/12/2011	Routine Inspection	10/10 - No hot water in men's or women's restroom.
SHIRLEY'S ESPRESSO	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	9/13/2011	Routine Inspection	0/8
SKY BAR & LOUNGE	Restaurant/Lounge	13 S. 1ST ST.	YAKIMA	9/12/2011	Pre-Opening Inspection	Approved to open.
SNYDER'S BAKERY	Bakery	31 N 4TH AVE.	YAKIMA	9/15/2011	Routine Inspection	0/0 No problems.
STATE FAIR RACEWAY	Catering	1301 FAIR AVE.	YAKIMA	9/23/2011	Routine Inspection	10/10 Missing FWC, no metal stem thermometer available
STEPPE CELLARS	Winery	1991 CHAFFEE RD. - SUNNYSIDE	SUNNYSIDE	9/30/2011	Routine Inspection	0/0
STOP-N-GO EXPRESS-O	Espresso Stand	3005 MAIN STREET	UNION GAP	9/12/2011	Routine Inspection	10/18 Improperly stocked hand wash sink
STUART ANDERSON'S BLACK ANGUS RESTAURANT	Restaurant	501 N FRONT ST.	YAKIMA	9/20/2011	Routine Inspection	5/17 Raw meat stored above RTE food
SUBWAY	Restaurant	631 1ST ST W	WAPATO	9/16/2011	Pre-Opening Inspection	Approved to open.
SUBWAY #10324	Restaurant	1607 W. LINCOLN	YAKIMA	9/20/2011	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	9/8/2011	Routine Inspection	0/5 plumbing issue on 3 comp sink
SUNDANCE ESPRESSO	Espresso Stand	202 S 1ST ST.	SELAH	9/7/2011	Routine Inspection	0/0
SUNDQUIST CAFE	Espresso Stand	1015 S. 16TH AVE.	YAKIMA	9/28/2011	Routine Inspection	40/50 Improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer was available
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	9/6/2011	Follow-Up Inspection	50/50 Improperly stocked hand wash sink, improperly hot holding PHF, improperly reheating PHF for hot holding
				9/15/2011	Compliance Inspection	25/25 Improperly hot holding PHF
				9/21/2011	Compliance Inspection	25/25 Improperly hot holding PHF
				9/30/2011	Compliance Inspection	0/0
TACO BORRACHO RESTAURANT	Rest/Lounge/Cat ering	503 S. FAIR AVE. SUITE # 100	YAKIMA	9/17/2011	Catering Routine Inspectio	No hand washing set-up.
TACOS ARIEL	Mobile	809 W Nob Hill BLVD	YAKIMA	9/15/2011	Routine Inspection	No problems
TACOS EL GORDO	Mobile	601 YAKIMA VALLEY HWY. ?????	SUNNYSIDE	9/14/2011	Routine Inspection	50/58 CLOSED-No WATER at facility, improper hot holding of PHF's, possible contamination of foods stored on ground, restroom is filthy. Can not re-open until they have water services restored.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS LA REYNA	Mobile		SELAH	9/26/2011	Routine Inspection	20/25 - BHC with tortillas and missing FWC.
TACOS LAS BRASAS	Mobile - Seasonal	501 W. 15TH STREET	WAPATO			
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	9/21/2011	Routine Inspection	5/13 inaccurate thermometer, adequate sanitizer not available, excessive clutter and general uncleanliness.
TEFFT CELLARS	Winery	1320 INDEPENDENCE RD.	OUTLOOK	9/13/2011	Routine Inspection	35/38 Room temperature storage of PHF's, improper cold holding of PHF's. Employees eating in food prep areas. Follow up required.
THE CHERRY PATCH	Restaurant	101 W. 15TH AVE.	ZILLA	9/15/2011	Follow-Up Inspection	0/3
THE HIDEOUT RESTAURANT & LOUNGE	Restaurant/Lounge	401 WAPATO AV	WAPATO	9/7/2011	Routine Inspection	25/41 Raw meat stored above RTE food, improperly cold holding PHF, mislabeled chemical
THE NINETEENTH HOLE CAFE	Snack Bar	1107 S. 18TH STREET - YAKIMA	YAKIMA	9/14/2011	Routine Inspection	75/93 Improperly stocked hand wash sink, improperly cooling PHF, RTS of PHF, inaccurate metal stem thermometer
TIENDA LA TAPATIA	Restaurant	802 W. 15TH AVE.	TOPPENISH	9/27/2011	Follow-Up Inspection	40/50 Improperly stocked hand wash sink, improperly cooling PHF
				9/12/2011	Routine Inspection	15/23 No receipts for organic eggs
				9/19/2011	Follow-Up Inspection	25/30 Improper hot holding of PHF's, improper use of HW sink.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TIETON MARKET	Mini-mart	6003 TIETON DR	YAKIMA	9/1/2011	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sink, improperly hot holding PHF
TOY'S COFFEE	Espresso Stand	1205 N. 1ST STREET	YAKIMA	9/19/2011	Follow-Up Inspection	0/0
TUSCAN SANDS CASINO	Restaurant/Lounge	1002 VINTAGE VALLEY PARKWAY	ZILLAH	9/7/2011	Routine Inspection	0/0 No problems.
VILLAGE CENTER CAFE	Retirement Housing	215 N. 40TH AVE.	YAKIMA	9/13/2011	Compliance Inspection	0/3
WALLY'S DEN	Snack Bar - Seasonal	1103 S. WASCO	WAPATO	9/8/2011	Routine Inspection	0/0
WAPATO MARKET PLACE	Grocery Store	109 1ST ST W	WAPATO	9/9/2011	Routine Inspection	15/20 No hot water at kitchen hand wash sink or three compartment sink, inoperable metal stem thermometer
WENDY'S	Restaurant	1001 N 1ST ST.	YAKIMA	9/7/2011	Routine Inspection	5/15 Missing FWC
				9/2/2011	Routine Inspection	35/48 Missing FWCs, hands not washed as required, BHC with RTE food
				9/2/2011	Complaint Inspection	One food worker handled ready to eat food with his barehands, a log has been kept of the food temperatures and was available, there were several flies present in the food preparation area.
				9/20/2011	Follow-Up Inspection	5/5 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WILEY CITY MARKET	Mini-mart	2929 S. WILEY RD.	YAKIMA	9/2/2011	Routine Inspection	25/25 Hands not washed as required, improperly stocked hand wash sink
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	9/2/2011	Routine Inspection	25/25 Hands not washed as required, improperly stocked hand wash sink
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	9/20/2011	Compliance Inspection	0/0
				9/7/2011	Routine Inspection	15/18 - BHC with RTE food.