

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Lounge	5 N. FRONT ST. SUITE # 103	YAKIMA	7/27/2012	Catering Routine Inspection	0/0 Catering at the Speed Bash event.
AMERISTAR STORE # 8	Mini-mart	1005 W. WALLACE WAY	GRANDVIEW	7/26/2012	Routine Inspection	35/51 Missing FWCs, no paper towels at the kitchen hand wash sink, food not in good condition, unlabeled chemicals
B.J.'S COFFEE BARN	Espresso Stand	514 W. 1ST STREET	WAPATO	7/11/2012	Routine Inspection	0/5 sanitizer not available
BASKIN-ROBBINS	Ice Cream Parlor	816 SUMMITVIEW AVE.	YAKIMA	7/23/2012	Routine Inspection	5/8 Missing FWC
BIRCHFIELD MANOR	Restaurant	2018 BIRCHFIELD RD	YAKIMA	7/18/2012	Routine Inspection	15/18 Missing FWCs, improperly stocked hand wash sink
C & D MARKET	Grocery Store	426 S MAIN STREET	MABTON	7/18/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINOOK GRILL	Restaurant	15070 SR410	NACHES	7/6/2012	Routine Inspection	10/12 - No hot water in restrooms.
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	7/11/2012	Routine Inspection	0/0
DEEP SEA DELI	Grocery Store	20 N. 9TH AVE.	YAKIMA	7/6/2012	Routine Inspection	0/0
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	7/9/2012	Routine Inspection	0/3
EL MERCADO GRANDVIEW	Grocery Store	206 N EUCLID	GRANDVIEW	7/25/2012	Routine Inspection	25/48 Food not in good condition, raw meat stored above ready to eat food, improper chemical storage
ESPERANZA'S MEXICAN FOOD	Mobile	Highland area warehouses	TIETON	7/31/2012	Routine Inspection	10/10 - No running water in the mobile unit. Closed until running water was available.
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	7/3/2012	Compliance Inspection	0/15 Indirect drain not operating correctly
GLACIER'S FROZEN YOGURT, L.L.C.	Ice Cream Parlor	4040 TERRACE HEIGHTS DR. # 140	YAKIMA	7/17/2012	Compliance Inspection	10/25 Kitchen hand wash sink was blocked, food preparation sink drain is not draining properly
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	7/5/2012	Pre-Opening Inspection	Approved to open.
				7/11/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GREATER YAKIMA GIRLS SOFTBALL ASSOCIATION	Snack Bar - Seasonal	CARLON PK - GOODLANDER RD.	SELAH	7/6/2012	Routine Inspection	0/0
LA CASITA	Mobile	Borton's at 8:20AM then Gilbert warehouse in Wiley City	UNION GAP	7/23/2012	Routine Inspection	15/15 No soap for hand washing, improperly hot holding beans
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	7/5/2012	Compliance Inspection	25/25 - Chorizo hanging at room temperature.
LITTLE RED SCHOOL HOUSE	Espresso Stand	12691 U. S. HWY. 12	NACHES	7/27/2012	Routine Inspection	10/20 FWCs were not available, no shellfish tags were available
MAX'S BAR & GRILL	Tavern	1107 S. 3RD STREET	YAKIMA	7/3/2012	Follow-Up Inspection	10/18 Raw meat stored above RTE food
MEMO'S MEXICAN FOOD RESTAURANT	Restaurant	306 S. 1ST ST.	YAKIMA	7/17/2012	Compliance Inspection	5/10 Missing FWC
				7/3/2012	Follow-Up Inspection	60/68 Improperly cooling PHF, RTS of PHF, inaccurate metal stem thermometer
				7/13/2012	Compliance Inspection	55/71 Hands not washed as required, no hot water at the kitchen hand wash sink and the restroom hand wash sink when 3 compartment sink valves are open, pork and beef stored at room temperature, inaccurate metal stem thermometer
				7/19/2012	Compliance Inspection	35/40 Water pressure lost at hand wash sinks when 3 compartment sink is running, RTS of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	7/9/2012	Follow-Up Inspection	45/53 Missing FWCs, no soap at the restroom hand wash sink, chicken and pork stored at room temperature, inaccurate metal stem thermometer
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	7/18/2012	Compliance Inspection	0/3
MEXICAN FRUIT	Mobile	2201 E. EDISON - SUNNYSIDE SCHUCK'S PARKING LOT	GRANDVIEW	7/30/2012	Follow-Up Inspection	0/5 - All critical items corrected. They have ordered a dehydrator for drying the chorizo.
MINDA LANES CAFE	Restaurant	701 S. 2ND STREET	YAKIMA	7/26/2012	Routine Inspection	15/15 Cut watermelon and cut cantaloupe cold held improperly, no food worker cards were available
MOXEE MARKET	Grocery Store	105 ILER	MOXEE	7/12/2012	Routine Inspection	20/28 Spoiled hamburger, raw meat stored above RTE food, no metal stem thermometer available
NEW THAI RESTAURANT	Restaurant	4808 TIETON DRIVE.	YAKIMA	7/18/2012	Routine Inspection	0/0
OLD TOWN PUMP SALOON	Restaurant/Lounge	3716 MAIN STREET	UNION GAP	7/18/2012	Routine Inspection	15/20 Missing FWC, unlabeled chemical
PANDA EXPRESS # 1881	Restaurant	6560 W. NOB HILL BLVD.	YAKIMA	7/5/2012	Routine Inspection	0/0
				7/25/2012	Pre-Opening Inspection	Several items needed before opening. See report in imaging.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PEEK-A-BREW ESPRESSO	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	7/2/2012	Routine Inspection	5/5 - FWC needed.
PEEK-BREW ESPRESSO # 2	Espresso Stand	2524 RUDKIN RD.	UNION GAP	7/6/2012	Pre-Opening Inspection	Need soap & paper towels at hand wash sinks and spray nozzle is leaking and needs to be replaced.
POWERHOUSE GRILL	Restaurant	3807 RIVER RD.	YAKIMA	7/11/2012	Routine Inspection	15/25 Hands not washed as required
RED ROBIN AMERICA'S GOURMET BURGERS & SPIRITS	Restaurant/Lounge	2706 W. NOB HILL BLVD.	YAKIMA	7/5/2012	Routine Inspection	0/0
REXFORD MANOR RETIREMENT COMMUNITY	Retirement Housing	1010 N. 34TH AVENUE	YAKIMA	7/12/2012	Routine Inspection	5/8 Inaccurate metal stem thermometer
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	7/16/2012	Routine Inspection	45/71 Missing FWC, no paper towels available at two hand wash sinks, raw meat stored above cooked food, pooling eggs, watermelon and cantaloupe cold held improperly, degreaser was not labeled
				7/16/2012	Complaint Inspection	No food seen on tables, walls or floors in the dining room area. Blinds and window sill will be cleaned. Women's restroom was busy and could not be inspected at time of inspection. Clams were being hot held at 140 F or more. Floor sink near ice cream has mold in it. They will clean the sink.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFEWAY # 462	Grocery Store	205 N. 5TH AVENUE	YAKIMA	7/9/2012	Follow-Up Inspection	40/51 Missing FWC, no paper towels at the meat dept. hand wash sink, beef stored at room temperature
SAN JUAN RESTAURANT	Restaurant	415 WAPATO AV S	WAPATO	7/17/2012	Compliance Inspection	15/20 Missing FWC, food stored in the hand wash sink
SANCHEZ TACOS	Mobile	116 S WAPATO ROAD, WAPATO	WAPATO	7/23/2012	Routine Inspection	100/128 PIC did not answer food safety questions correctly, missing FWCs, hands not washed as required, BHC with RTE food, rotten food, PHF stored at room temperature, PHF improperly cold held with ice, no metal stem thermometer was available.
SECOND STREET GRILL	Restaurant/Lounge	28 N 2ND ST.	YAKIMA	7/23/2012	Routine Inspection	20/20 Missing FWC, blocked hand wash sink, inoperable digital metal stem thermometer
SELAH NATIONAL LITTLE LEAGUE	Snack Bar - Seasonal	440 MCGONAGLE RD	SELAH	7/6/2012	Routine Inspection	15/33 Raw meat stored above RTE food, unlabeled chemical 0/3
SNYDER'S BAKERY	Bakery	31 N 4TH AVE.	YAKIMA	7/2/2012	Routine Inspection	0/0
SUBWAY # 13437	Restaurant	103 1ST ST N	SELAH	7/26/2012	Routine Inspection	15/23 Missing FWCs, improperly stocked hand wash sink
SUBWAY # 6870	Restaurant	2402 S. 1ST ST. # A-100	YAKIMA	7/12/2012	Follow-Up Inspection	20/30 Missing FWCs, digital metal stem thermometer is not operable, improper chemical storage
				7/18/2012	Compliance Inspection	10/10 Missing FWC, no metal stem thermometer available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	7/19/2012	Routine Inspection	65/81 Missing FWCs, hands not washed as required, BHC with RTE food, no paper towels available at kitchen hand wash sink, improperly cold holding eggs with ice, unlabeled chemical
TACO EL GRANDE	Mobile	1402 S. Fair Ave. Yakima 8AM-9PM	YAKIMA	7/12/2012	Routine Inspection	45/55 Hands not washed as required, improperly cooling tripe
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	7/24/2012	Follow-Up Inspection	40/40 Blocked hand wash sink, improperly cooling beef tongue
TAQUERIA CAMINO REAL	Restaurant/Catering	1112 1/2 TIETON DR.	YAKIMA	7/25/2012	Routine Inspection	30/48 Missing FWC, hands not washed as required, improperly cold holding PHF
TERIYAKI GRILLE	Restaurant	901 W. YAKIMA AVE. SUITE# 6-B	YAKIMA	7/29/2012	Catering Routine Inspection	10/10 Improper cold holding. PHF's were immediately moved to a working refrigerator. (Catering at Larson Park)
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	7/24/2012	Routine Inspection	30/38 Missing FWC, improperly hot holding PHF
TIETON DRIVE BIBLE CHAPEL	Church Kitchen	4305 TIETON DR	YAKIMA	7/15/2012	Catering Routine Inspectio	15/15 Missing FWC, Chicken improperly being cold held with ice
TIETON SPORTS & COUNTRY STORE	Grocery Store	27160 HWY 12	NACHES	7/19/2012	Routine Inspection	10/15 Missing FWC, raw meat stored above RTE food
				7/5/2012	Pre-Opening Inspection	Approved to open.
				7/6/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TORTA CUBANA	Restaurant	1003 W NOB HILL BLVD	YAKIMA	7/17/2012	Follow-Up Inspection	0/0
TOWN PUMP FOOD MART	Mini-mart	8101 WIDE HOLLOW RD	YAKIMA	7/16/2012	Routine Inspection	40/45 inadequate handwashing setup, improper hot holding of PHF, no thermometer, hot case issues. A follow-up is required.
TUCKER CELLARS	Winery	70 RAY RD.	SUNNYSIDE	7/26/2012	Routine Inspection	5/8 Missing FWCs
WHITLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	7/27/2012	Routine Inspection	75/83 Missing FWCs, hands not washed as required, BHC with RTE food, RTS of PHF, improperly cold holding PHF with ice, no metal stem thermometer available
XPRESS MART	Mini-mart	503 FAIR AV	YAKIMA	7/9/2012	Follow-Up Inspection	15/26 Missing FWCs, no paper towels at the restroom hand wash sink
ZILLA FOOD CENTER	Grocery Store	145 1ST AVE.	ZILLA	7/24/2012	Compliance Inspection	5/10 Missing FWC
ZIRKLE FRUIT COMPANY	Restaurant	352 HARRISON	SELAH	7/20/2012	Routine Inspection	20/33 Inadequate handwashing facilities, improper cold holding of PHF, missing temperature gauges, plumbing issues
				7/18/2012	Pre-Opening Inspection	New kitchen in building to the north has been constructed. It meets commercial kitchen requirements and may operate under existing facility license.