

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
1885 BAR & GRILL @ VAN'S	Restaurant/Catering	208 NACHES AVENUE	NACHES	12/6/2012	Follow-Up Inspection	0/0
3RD STREET MARKET ONE STOP MINI MART	Mini-mart	604 S. 3RD ST.	YAKIMA			
ADAMS ELEMENTARY SCHOOL	School	1309 S. CAMAS	WAPATO	12/10/2012	Follow-Up Inspection	5/5 - FWC needed.
AHOY FISH & CHIPS	Restaurant	913 W. YAKIMA AVE.	YAKIMA	12/13/2012	Routine Inspection	0/0
AHTANUM FOOD MART (2)	Mini-mart	207 AHTANUM RD.	UNION GAP	12/4/2012	Routine Inspection	0/5
AIR LINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	YAKIMA	12/7/2012	Routine Inspection	0/0
				12/6/2012	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERICAN LEGION # 36	Restaurant	1120 N. 34TH AVE.	YAKIMA	12/4/2012	Routine Inspection	0/0
APPLE BIN SHELL	Mini-mart	3707 W. NOB HILL BLVD.	YAKIMA	12/6/2012	Routine Inspection	0/0 No problems.
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	12/5/2012	Routine Inspection	0/0
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	12/7/2012	Follow-Up Inspection	0/5
BALLESTERI'S CAFE	Restaurant	4001 SUMMITVIEW AVE. # 3	YAKIMA	12/7/2012	Follow-Up Inspection	0/0
BI-MART # 626	Grocery Store	1207 N. 40TH AVE. - YAKIMA	YAKIMA	12/10/2012	Routine Inspection	0/0
BUENA VISTA MINI MARKET	Mini-mart	701 S. 6TH	SUNNYSIDE	12/10/2012	Routine Inspection	35/35 Improperly stocked hand wash sink, improperly hot holding PHF
CAMAS ELEMENTARY SCHOOL	School	910 S. CAMAS	WAPATO	12/19/2012	Follow-Up Inspection	0/0
				12/13/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CASA VITTORE	Deli	210 YAKIMA AV E	YAKIMA	12/11/2012	Pre-Opening Inspection	Several items required before opening. See report in imaging.
				12/11/2012	Pre-Opening Inspection	Several items required before opening. See report in imaging.
				12/19/2012	Pre-Opening Inspection	Approved to open after license payment is received by YHD.
				12/19/2012	Pre-Opening Inspection	Approved to open after license payment is received by YHD.
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	12/13/2012	Routine Inspection	25/38 Hands not washed as required, improperly stocked hand wash sink
CENADURIA Y TACOS EL GORDO	Restaurant	809 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/4/2012	Pre-Opening Inspection	Ok to open once they have paper towel dispensers set up.
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/17/2012	Routine Inspection	50/76 Missing FWC, hands not washed as required
CLARK'S EMPIRE FOODS	Grocery Store	3361 MAPLEWAY	YAKIMA	12/28/2012	Routine Inspection	15/15 - Expired FWC and hand wash sink is leaking and not accessible.
COZY ROSE INN	Bed & Breakfast	1220 FORSELL RD	GRANDVIEW	12/19/2012	Routine Inspection	5/5 Broken metal stem thermometer
CRUISIN COFFEE SOUTH FIRST	Espresso Stand	111 E. WASHINGTON AVE.	YAKIMA	12/14/2012	Routine Inspection	10/15 Improper cold holding of PHF's, various refrigerators are missing thermometers.
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	12/5/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DEVIN'S SHELL	Mini-mart	900 VINTAGE VALLEY PARKWAY	ZILLAHA	12/10/2012	Routine Inspection	5/5 Improper hot holding of PHF's.
DUTCH BROS. YAKIMA	Espresso Stand	6520 W. NOB HILL BLVD	YAKIMA	12/3/2012	Pre-Opening Inspection	Approved to open after license payment received.
EDISON MARKET	Mini-mart	1520 E EDISON	SUNNYSIDE	12/19/2012	Routine Inspection	20/20 Missing FWCs, food not in good condition, inaccurate metal stem thermometers
ESPERANZA'S MEXICAN FOOD	Mobile	Highland area warehouses	TIETON	12/20/2012	Other Inspection	Owner found using an unlicensed mobile unit. Operation was closed. Owner was informed that a food service license is not transferable between mobiles. Owner will resume use of existing licensed mobile.
ESTUDILLO'S FOOD STORES	Grocery Store	2601 SELLER RD	SUNNYSIDE	12/6/2012	Routine Inspection	0/0
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	12/10/2012	Follow-Up Inspection	0/5
FRATERNAL ORDER OF EAGLES	Restaurant/Lounge	100 E. SOUTH HILL RD.	SUNNYSIDE	12/19/2012	Routine Inspection	15/20 Raw meat stored above RTE food, improper chemical storage
GRAND CINEMAS - YAKIMA VALLEY	Snack Bar	3400 PICARD PLACE	SUNNYSIDE	12/27/2012	Routine Inspection	5/11 Expired FWC's, in use utensils improperly stored.
GRANDVIEW CHURCH OF THE NAZARENE	Rest - Seasonal	500 N. ELM STREET	GRANDVIEW	12/19/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HERITAGE UNIVERSITY	Restaurant	3240 FORT	TOPPENISH	12/19/2012	Pre-Opening Inspection	Several items need to be done.
HIGHLAND HIGH SCHOOL CONCESSIONS	Seasonal Concession	17000 SUMMITVIEW	COWICHE	12/11/2012	Routine Inspection	40/51 PIC did not have a food worker card, no food worker cards were available, improperly washing their hands at the kitchen hand wash sink, paper towel dispenser was jammed, no metal stem thermometer was available.
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAH	12/12/2012	Routine Inspection	0/0
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	12/8/2012	Routine Inspection	15/15 - Improper storage of serving utensils between uses.
JACK IN THE BOX # 8494	Restaurant	3907 TIETON DRIVE	YAKIMA	12/12/2012	Routine Inspection	10/10 Improperly stocked hand wash sink
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Catering	2710 TERRACE HEIGHTS DRIVE	YAKIMA	12/12/2012	Follow-Up Inspection	30/33 Improper cooling of PHF's.
JAMES GANG TAVERN	Tavern	2101 S 3RD AVE	YAKIMA	12/6/2012	Routine Inspection	5/13 Need thermometer, no sanitizer, general cleaning needed in back room.
JEAN'S COTTAGE INN	Restaurant/Catering	3211 MAIN ST	UNION GAP	12/12/2012	Routine Inspection	20/20 - FWC needed, pooling raw eggs, and unlabeled and improper storage of chemicals.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KABOB HOUSE	Restaurant	3609 W. NOB HILL BLVD	YAKIMA	12/6/2012	Routine Inspection	10/20 - Several workers need FWC and metal stem thermometer needed.
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	12/7/2012	Routine Inspection	10/13 - 2 FWC needed and metal stem thermometer not accurate.
KRACKER BARRELL	Mini-mart	48851 U.S. HWY. 12	NACHES	12/28/2012	Routine Inspection	35/40 Missing paper towels in mens restroom, improper hot holding of PHF's, missing thermometers in all cold holding units.
LA BARATA MEAT MARKET	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	12/19/2012	Follow-Up Inspection	0/0
LA FAVORITA	Grocery Store	600 BAILEY AVE.	GRANGER	12/10/2012	Routine Inspection	0/5 Bag of onions stored on the ground.
LOS NARANJOS BAKERY	Bakery	100 E. 3RD ST.	GRANGER	12/7/2012	Routine Inspection	0/8 improper food storage, unclean non-food contact surfaces
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	12/13/2012	Routine Inspection	55/65 Missing FWCs, hands not washed as required, raw meat stored above RTE food, improperly cooling PHF
MERCADO EL RANCHO	Grocery Store	3202 MAIN STREET	UNION GAP	12/7/2012	Routine Inspection	65/70 Inadequate and inaccessible hand washing facilities, improper hot holding of PHF, room temperature storage of PHF, no thermometer available, plumbing issues at food preparation sink. Follow-up inspection required.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	12/12/2012	Routine Inspection	105/115 Improperly stocked hand wash sink, food not in good condition, raw meat stored next to cooked meat, improperly cooling tamales, improperly hot holding PHF
MILLER'S DAIRY QUEEN	Restaurant	401 W. 1ST AVENUE	TOPPENISH	12/10/2012	Routine Inspection	0/0 No problems.
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	12/6/2012	Routine Inspection	5/5 inaccurate thermometer
NEW YORK TERIYAKI & BURGERS	Restaurant	822 N 1ST ST.	YAKIMA	12/4/2012	Follow-Up Inspection	45/50 Missing FWC, BHC with RTE food, RTS of PHF
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	12/18/2012	Compliance Inspection	30/40 Raw meat stored above RTE food, RTS of PHF
ON THE GO - SENIOR CAFE (SUNNYSIDE SENIOR CENTER)	Restaurant	1400 FEDERAL WAY	SUNNYSIDE	12/3/2012	Follow-Up Inspection	0/3 They are not properly cleaning the carts that are used for holding clean dishwares.
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	12/17/2012	Routine Inspection	0/0
				12/13/2012	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	Restaurant	206 E. WINE COUNTRY RD.	GRANDVIEW	12/10/2012	Follow-Up Inspection	25/30 Eggs stored at room temperature
PARK N PAK SMOKE SHOP	Mini-mart	516 W. LINCOLN AVE	YAKIMA	12/15/2012	Routine Inspection	15/15 - No FWC and no paper towels in restroom.
RESTAURANTE EL FARO	Restaurant	111 N. 6TH STREET # C	SUNNYSIDE	12/20/2012	Routine Inspection	5/5 - Improper hot holding temperatures.
RITE AID # 5298	Grocery Store	5606 SUMMITVIEW AVE.	YAKIMA	12/6/2012	Routine Inspection	0/0 No problems.
ROADRUNNER	Mini-mart	1408 N. 1ST STREET	YAKIMA	12/11/2012	Routine Inspection	0/0
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	12/5/2012	Routine Inspection	0/0
ROSAJERS FOOD AND DRUG CENTER #39	Grocery Store	410 S. 72ND AVENUE	YAKIMA	12/20/2012	Routine Inspection	25/35 Hands not washed as required, raw meat stored above RTE food, inaccurate meta stem thermometers
SAKURA TERIYAKI & SUSHI	Restaurant	2000 E. YAKIMA VALLEY HWY.	SUNNYSIDE	12/19/2012	Routine Inspection	30/40 Improperly cooling PHF
SANCHEZ'S MARKET	Mini-mart	502 S. 2ND STREET	YAKIMA	12/14/2012	Routine Inspection	5/10 Expired FWC, no sanitizer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH MINI MART & SMOKE SHOP	Mini-mart	103 S 1ST ST	SELAH	12/11/2012	Routine Inspection	0/0
SPORTS CENTER LOUNGE	Tavern	108 DIVISION ST.	GRANDVIEW	12/8/2012	Routine Inspection	0/0 Level 2 food service occurring
SUBWAY #10324	Restaurant	1607 W. LINCOLN	YAKIMA	12/11/2012	Routine Inspection	30/38 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	12/3/2012	Routine Inspection	0/0
SUN MART # 21	Mini-mart	10173 HWY 12	NACHES	12/14/2012	Routine Inspection	0/0
SUNNYSIDE FOOD MART	Mini-mart	600 HWY 12	SUNNYSIDE	12/17/2012	Routine Inspection	5/5 Inaccurate metal stem thermometer
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	12/17/2012	Routine Inspection	10/10 Improperly stocked hand wash sink
TACOS EL PAIZZA	Mobile	CPC in Tieton, Evans, 3rd & Nob Hill	TIETON	12/20/2012	Routine Inspection	35/35 inadequate handwashing facility, improper hot holding of PHF
TACOS LAS BRASAS	Mobile - Seasonal	501 W. 1ST STREET	WAPATO	12/3/2012	Routine Inspection	0/13 Food contact surfaces must be maintained clean. Wastewater must be properly disposed of.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA EL MICHOACANO	Restaurant	117 S. WAPATO AVE.	WAPATO	12/27/2012	Routine Inspection	10/20 Missing paper towels at handwash, foods stored on ground, no sanitizer made up.
TAQUERIA LOS PRIMOS #1	Mobile	306 W. MEAD	YAKIMA	12/7/2012	Routine Inspection	20/25 Missing FWCs, inaccessible hand wash facilities, inaccurate thermometer, no sanitizer available
TAQUERIA MANZANILLO	Restaurant	2500 YAKIMA VALLEY HWY	SUNNYSIDE	12/4/2012	Routine Inspection	40/45 BHC w/RTE foods, room temperature storage of PHF's. Follow up needed.
THE DAILY BUZZ	Espresso/Catering	610 S 6TH ST.	SUNNYSIDE	12/19/2012	Routine Inspection	0/5
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE	12/4/2012	Routine Inspection	10/10 Improper cold holding of PHF's in deli refrigerator.
THOR'S GALLEY	Snack Bar	801 N FIRST	SELAH	12/14/2012	Routine Inspection	0/0
VICKIE'S CAFE	Restaurant	802 WISCONSIN AVENUE	TIETON	12/14/2012	Routine Inspection	10/10 - FWC needed and consumer advisory needed on menus.
WALGREENS # 09911	Grocery Store	4001 SUMMITVIEW AVE. # 3	YAKIMA	12/13/2012	Routine Inspection	0/0 No problems.
WALGREENS # 12275	Grocery Store	610 W. YAKIMA AVE	YAKIMA	12/4/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	12/13/2012	Routine Inspection	0/0
WAPATO MIDDLE SCHOOL	School	1309 KATERI LANE	WAPATO	12/13/2012	Routine Inspection	0/0
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE, L.L.C.	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	12/12/2012	Routine Inspection	30/46 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	12/5/2012	Routine Inspection	0/0
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	12/12/2012	Routine Inspection	0/0
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	12/12/2012	Routine Inspection	0/0
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	12/12/2012	Routine Inspection	0/0