

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
2ND STREET MARKET	Grocery Store	131 S. 2ND ST.	YAKIMA	4/22/2013	Routine Inspection	10/10 - No soap or paper towels at handwash sink.
8TH ST MARKET & SMOKE SHOP	Deli	315 N 8TH ST.	YAKIMA	4/9/2013	Routine Inspection	15/15 Missing FWC's, no paper towels at handwash.
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	4/8/2013	Routine Inspection	0/0
AGUILILLA BAKERY	Bakery	3206 MAIN ST.	UNION GAP	4/9/2013	Routine Inspection	0/0
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	4/19/2013	Routine Inspection	0/0
APPLE BARREL SHELL GAS	Mini-mart	2021 FRUITVALE BLVD.	YAKIMA	4/29/2013	Routine Inspection	0/5 They have corrected problems from previous inspection.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	4/8/2013	Routine Inspection	0/0
BALE BREAKER BREWING COMPANY		5104 MIERAS RD.	MOXEE	4/11/2013	Pre-Opening Inspection	Approved to open.
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	4/22/2013	Routine Inspection	0/0
BERT'S PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	4/22/2013	Routine Inspection	25/48 Missing FWCs, improperly stocked hand wash sink, unlabeled chemical
BILL'S FAMILY RESTAURANT	Restaurant	704 W 1ST ST.	WAPATO	4/16/2013	Routine Inspection	5/5 Expired FWC's.
BLUE HILLS TAQUERIA	Restaurant	1509-B TIETON DR. - YAKIMA	YAKIMA	4/26/2013	Follow-Up Inspection	0/5 They have corrected problems from previous inspection.
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	4/3/2013	Routine Inspection	25/36 Hands not washed as required, improperly stocked hand wash sink
CHERRY WOOD BED & BREAKFAST	Bed & Breakfast	3271 ROZA DR. - ZILLA ZILLA	ZILLA	4/29/2013	Routine Inspection	0/0
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	4/22/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/10/2013	Follow-Up Inspection	25/25 RTS of PHF
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	4/10/2013	Routine Inspection	0/0
CREATIVE HEALTH OPTIONS	Serving Site	1510 S. 36TH AVE.	YAKIMA	4/15/2013	Routine Inspection	10/18 Improperly stocked hand wash sink
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	4/25/2013	Routine Inspection	0/0
DAIRY QUEEN BRAZIER	Restaurant	403 W MAIN	GRANDVIEW	4/10/2013	Routine Inspection	35/48 Hands not washed as required
EAGLE LANES SNACK BAR	Snack Bar	307 1/2 W. CHESTNUT	YAKIMA	4/22/2013	Routine Inspection	0/0
EISENHOWER CADET CAFE	Snack Bar	702 S. 40TH AVE.	YAKIMA	4/25/2013	Routine Inspection	0/0
EL MANANTIAL	Juice Bar	912 E. NOB HILL BLVD. - YAKIMA	YAKIMA	4/18/2013	Routine Inspection	0/0
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	4/11/2013	Routine Inspection	5/5 - Several FWC needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL TAPATIO #5-A	Mobile	800 W. Wine Country Road, Grandview	GRANDVIEW	4/26/2013	Complaint Inspection	Male food worker washes his hands after contaminating them. He was not touching his leg during the inspection.
FIRING CENTER SUBWAY # 48238	Restaurant	51 FIRING CENTER RD.	YAKIMA	4/26/2013	Routine Inspection	30/33 Improperly stocked hand wash sink, no receipts available for ice, raw meat stored next to ready to eat food
FRUTAS EL PARAISO	Fruit Stand	1404 FRUITVALE BV	YAKIMA	4/8/2013	Routine Inspection	30/46 Missing FWC, hands not washed as required, hand wash sink was blocked
GOLDEN BULL CHINESE RESTAURANT	Restaurant	106 N. 1ST STREET	SELAH	4/19/2013	Pre-Opening Inspection	Ok to open
GREEK KABOB	Restaurant/Lounge	3312 W. NOB HILL BLVD.	YAKIMA	4/9/2013	Follow-Up Inspection	5/5 - Still no FWC available.
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	4/8/2013	Routine Inspection	55/71 Missing FWCs, raw meat stored above RTE food, improperly cooling PHF, no metal stem thermometer was available, unlabeled chemical
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	4/8/2013	Complaint Inspection	Food worker washed, rinsed and then air dried container. Explained that dishes need to be washed, rinsed and sanitized. Restrooms appear to be clean. Hands were washed before putting on gloves to handle food. Tables are sanitized with bleach water. They use covers over the food.
				4/22/2013	Routine Inspection	0/0
				4/17/2013	Routine Inspection	10/10 - FWC and metal stem thermometer are needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JAVA HEAVEN	Espresso Stand	212 W WALNUT	YAKIMA	4/2/2013	Routine Inspection	0/0
JnT CONCESSIONS	Mobile			4/19/2013	Pre-Opening Inspection	Commissary is El Porton on 48th Ave. Approved to open.
KENTUCKY FRIED CHICKEN/A&W	Restaurant	1928 YAKIMA VALLEY HWY.	SUNNYSIDE	4/26/2013	Routine Inspection	0/0
KING ICE CREAM	Mobile		GRANDVIEW	4/18/2013	Pre-Opening Inspection	
MEMO'S MEXICAN FOOD RESTAURANT	Restaurant	306 S. 1ST ST.	YAKIMA	4/8/2013	Routine Inspection	65/93 Missing FWCs, hands not washed as required, ice scoop stored in the ice machine, improperly stocked hand wash sink, raw meat stored above RTE food, inaccurate metal stem thermometer, unlabeled chemicals, improper chemical storage
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	4/25/2013	Routine Inspection	35/35 Expired FWC's, dispenser at handwash blocked, improper reheating of PHF's, inaccurate thermometer. Follow up required.
MERCADO LATINO II	Meat Market	718 S. 6TH STREET	YAKIMA	4/18/2013	Follow-Up Inspection	0/0
MEXICAN FRUIT # 3	Mobile		GRANDVIEW	4/18/2013	Pre-Opening Inspection	
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	4/10/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
N. H. V. WINES	Winery	2410 NACHES HEIGHTS RD	YAKIMA	4/25/2013	Routine Inspection	10/10 - Handwash soap needed in restroom.
NACHES CHINOOK CENTER	Mini-mart	10450 HWY 12	NACHES	4/22/2013	Routine Inspection	15/15 - 2 FWC needed and paper towels needed at handwash sink.
NEW HONG KONG RESTAURANT	Restaurant	918 W. HIGHWAY 12	GRANDVIEW	4/10/2013	Follow-Up Inspection	25/25 RTS of PHF
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	4/29/2013	Follow-Up Inspection	50/50 Improper cooling, BHC w/RTE foods, missing FWC's.
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	4/25/2013	Routine Inspection	0/0
ONE STOP MINI MART & SMOKE SHOP	Mini-mart	921 SUMMITVIEW AVE	YAKIMA	4/1/2013	Routine Inspection	15/15 Handwash has items in it/improper hot holding of PHF's.
OUTBACK ESPRESSO NORTH	Espresso Stand	1212 S. 80TH AVE	YAKIMA	4/30/2013	Routine Inspection	15/20 No receipts available for burritos
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS. DR.	YAKIMA	4/22/2013	Routine Inspection	5/5 Thermometers need to be calibrated.
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	4/22/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT	Restaurant	211 W. 2ND STREET	GRANDVIEW	4/8/2013	Routine Inspection	10/10 Improper cold holding of PHF's.
QUESERIA BENDITA		512 S 3RD ST ²	YAKIMA			
RED ROOSTER	Tavern	519 S. 1ST STREET	SELAH	4/5/2013	Routine Inspection	0/0
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	4/11/2013	Routine Inspection	20/30 Missing FWCs, no metal stem thermometer available, unlabeled chemical
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	4/11/2013	Routine Inspection	0/0
SAFEWAY # 1660	Grocery Store	905 E. MEAD	YAKIMA	4/2/2013	Follow-Up Inspection	40/48 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	4/12/2013	Routine Inspection	25/38 Raw meat stored next to RTE food, improperly hot holding PHF, improperly cold holding PHF, inaccurate metal stem thermometer
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	4/24/2013	Routine Inspection	0/0
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	4/23/2013	Routine Inspection	0/0
				4/24/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STOP N' GO DRIVE IN	Restaurant	2820 FRUITVALE BLVD.	YAKIMA	4/18/2013	Routine Inspection	0/8
SU MERCADITO # 3	Grocery Store	110 ASH - GRANDVIEW	GRANDVIEW	4/8/2013	Routine Inspection	40/50 Missing FWC's, carton of eggs at room temperature in bakery, improper cooling of PHF's, improper thawing of PHF's. Follow up required.
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	4/25/2013	Follow-Up Inspection	0/0 They have corrected all problems from previous inspection.
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	4/5/2013	Routine Inspection	60/76 Missing FWC, ice scoop buried in ice machine, RTS of PHF, inaccurate metal stem thermometer, unlabeled chemical
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	4/19/2013	Routine Inspection	0/0
T. M. MARKET	Mini-mart	417 N CEMETERY RD	SUNNYSIDE	4/29/2013	Routine Inspection	0/0
TACOS EL DORADO	Mobile	SAME	SUNNYSIDE	4/26/2013	Routine Inspection	25/25 - Improper hot holding temperatures.
TACOS EL GRULLO	Restaurant/Catering	102 N. ILLER STREET	MOXEE	4/25/2013	Routine Inspection	20/30 Missing FWC, improper cold holding of PHF's.
				4/11/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS LA REYNA	Mobile	1402 Fruitvale Blvd.	YAKIMA	4/26/2013	Routine Inspection	5/5 Need to calibrate the thermometer.
TAMALES EXPRESS AND MORE 50/50	Restaurant	315 W. MARTIN LUTHER KING JR. BLVD.	YAKIMA	4/8/2013	Pre-Opening Inspection	Approved to open after food prep sink is indirectly drained.
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	4/1/2013	Follow-Up Inspection	0/0
TAQUERIA NAYITA'S	Mobile		YAKIMA	4/11/2013	Pre-Opening Inspection	
THE RIB SHACK	Restaurant	2511 MAIN ST	UNION GAP	4/23/2013	Routine Inspection	5/5 Need thermometer.
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	4/12/2013	Routine Inspection	15/23 Missing FWCs, raw meat stored next to ready to eat food, inaccurate metal stem thermometer
WASHINGTON MIDDLE SCHOOL	School	510 S. 9TH ST.	YAKIMA	4/29/2013	Routine Inspection	0/0
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	4/15/2013	Routine Inspection	0/0
WHISTLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	4/26/2013	Routine Inspection	0/0
				4/19/2013	Routine Inspection	25/48 Missing FWCs, BHC with RTE food, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	4/8/2013	Routine Inspection	0/0
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	4/2/2013	Compliance Inspection	0/5
YOGURT SHACK	Ice Cream Parlor	110 S. 72ND AVE. SUITE # 100	YAKIMA	4/16/2013	Routine Inspection	0/0
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	4/12/2013	Routine Inspection	0/5 missing temperature gauge in refrigerator