

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MINUTE MART	Mini-mart	1121 S. 16TH ST.	SUNNYSIDE	11/18/2013	Routine Inspection	10/10 Both handwash sinks missing soap.
1885 BAR & GRILL @ VAN'S	Restaurant	208 NACHES AVENUE	NACHES	11/18/2013	Routine Inspection	10/30 Missing FWCs, inaccurate metal stem thermometer
A C DAVIS HIGH SCHOOL	School	212 S. 6TH AVE	YAKIMA	11/7/2013	Pre-Opening Inspection	New schoold kitchen inspection. Approved to operate.
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	11/22/2013	Routine Inspection	0/0
AUNTIE ANNE'S SOFT ROLLED PRETZELS		2529 MAIN ST. # 183	UNION GAP	11/19/2013	Routine Inspection	0/0
BALE BREAKER BREWING COMPANY		5104 MIERAS RD.	MOXEE	11/1/2013	Routine Inspection	good

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BASKIN-ROBBINS	Ice Cream Parlor	3802 W. NOB HILL BLVD.	YAKIMA	11/7/2013	Routine Inspection	0/5
BLUE MOON BAR & GRILL	Tavern	624 E EDISON AVE.	SUNNYSIDE	11/14/2013	Routine Inspection	5/5 All employees need valid FWC's.
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	11/15/2013	Routine Inspection	30/40 Missing FWCs, improperly stocked hand wash sink, raw meat meat stored above RTE food, improperly cold held food
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	11/14/2013	Routine Inspection	10/15 Expired FWC's, inaccurate thermometer, no sanitizer.
CABIN ESPRESSO	Espresso Stand	6301 AHTANUM RD	YAKIMA	11/27/2013	Routine Inspection	0/0 No problems observed.
CAFE GRANDE VUE	Deli	1021 W. WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	11/26/2013	Routine Inspection	0/8
CARNICERIA COALCOMAN	Meat Market	229 DIVISION ST.	GRANDVIEW	11/26/2013	Routine Inspection	5/10 Improper cold, inaccurate thermometers.
CARNICERIA LA CABANA	Meat Market	1602 MORGAN RD	SUNNYSIDE	11/4/2013	Routine Inspection	5/5 Improper cold holding of PHF's.
CHRISTIE'S CAKES	Bakery	1624 S. 27TH AVE.	YAKIMA	11/22/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	11/19/2013	Follow-Up Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
COTTAGE ESPRESSO	Espresso Stand	1101 W. NOB HILL BLVD.	YAKIMA	11/3/2013	Routine Inspection	0/10 Ice scoop on dirty surface, no sanitizer available.
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	11/19/2013	Routine Inspection	0/0
DAWN TIL DUSK ESPRESSO	Espresso Stand	9918 U. S. HWY. 12	NACHES	11/1/2013	Routine Inspection	0/0
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	11/22/2013	Routine Inspection	0/0
DIVA'S COFFEE	Espresso Stand/Deli	1314 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/4/2013	Routine Inspection	0/0 No problems.
DOLLAR STORE N MORE	Grocery Store	2010 YAKIMA VALLEY HWY #30	SUNNYSIDE	11/4/2013	Routine Inspection	0/0 No problems.
DOMINO'S PIZZA # 7171	Restaurant	420 S. 72ND AVE.	YAKIMA	11/5/2013	Routine Inspection	0/0 No problems.
EAST VALLEY HIGH SCHOOL CONCESSIONS	Seasonal Concession	1900 BEAUDRY ROAD	YAKIMA	11/1/2013	Routine Inspection	50/50 PIC was not knowledgeable of food safety practices, no food workers present with a valid food worker card, hands not washed as required, improperly stocked hand wash sink, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EISENHOWER HIGH SCHOOL "CONCESSIONS"	Seasonal Concession	702 S. 40TH AVE.	YAKIMA	11/8/2013	Routine Inspection	40/45 PIC was not knowledgeable about food safety practices, no hand wash setup was available in the food booth, missing FWCs, improperly hot holding PHF
EL CAMPESTRE	Restaurant	225 DIVISION ST	GRANDVIEW	11/26/2013	Routine Inspection	25/25 Improper cooling of PHF's.
EL TOSTILOCO	Juice Bar	901 SUMMITVIEW AVE. STE. # 160	YAKIMA	11/4/2013	Pre-Opening Inspection	Carpet needs to be removed from food prep area, 3-comp sink needs indirect drain
ESPRESSO ETC.	Espresso Stand	2600 W NOB HILL	YAKIMA	11/19/2013	Opening Inspection	Several things still need to be done.
FRANKLIN MIDDLE SCHOOL	School	410 S. 19TH AVE	YAKIMA	11/22/2013	Opening Inspection	Approved to open.
FRATERNAL ORDER OF EAGLES		515 S. DIVISION	TOPPENISH	11/14/2013	Routine Inspection	0/0
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	11/22/2013	Routine Inspection	0/0
GOLDEN BULL CHINESE RESTAURANT	Restaurant	106 N. 1ST STREET	SELAH	11/12/2013	Routine Inspection	10/20 Personal medication stored in refrigerator, no sanitizer, dirty grill not cleaned from previous days use.
				11/18/2013	Routine Inspection	0/0
				11/4/2013	Routine Inspection	40/43 - No FWC available, no paper towels at handwash sink, food on counter at 87 degrees, and floor under equipment is very dirty.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANDVIEW HIGH SCHOOL BOOSTER CLUB	Seasonal Concession	1601 W. 5TH ST.	GRANDVIEW	11/1/2013	Routine Inspection	15/15 Improperly stocked hand wash sink, inaccurate metal stem thermometer
GRIZZLY ESPRESSO	Espresso Stand	3602 FRUITVALE BLVD	YAKIMA	11/20/2013	Routine Inspection	5/15 Improper cold holding of PHF's, inaccurate thermometer, no sanitizer.
HIWAY FRUIT	Fruit Stand	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/4/2013	Routine Inspection	0/0 No problems.
HOLIDAY LODGE	Continental Brkfst	510 N. 1ST. ST.	YAKIMA	11/8/2013	Routine Inspection	0/10 Thermometers missing, no sanitizer available.
HOME MEAT MARKET.COM	Mobile			11/12/2013	Routine Inspection	0/2
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	11/27/2013	Routine Inspection	0/5
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	11/18/2013	Follow-Up Inspection	0/0
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	11/13/2013	Routine Inspection	35/40 Missing FWC, hands not washed as required, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA LUMBRE	Restaurant	13 E TOPPENISH AVE	TOPPENISH	11/15/2013	Routine Inspection	55/50 PIC requirement failed, missing FWCs, inadequate handwashing facilities, improper hot holding of PHF, no metal stem thermometer available, appropriate sanitizer not available
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	11/27/2013	Routine Inspection	0/0
LUCKY START	Restaurant	208 S. TOPPENISH AVENUE	TOPPENISH	11/4/2013	Routine Inspection	35/38 No soap was available at the restroom hand wash sink, BBQ Pork was stored on the counter at room temperature
LUTONG PINOY (FILIPINO FOOD)	Restaurant/Catering	1510 SUMMITVIEW AV	YAKIMA	11/21/2013	Commissary Inspection	They were set-up with tent outside of Davis High school. They thought their catering license covered such practices.
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	UNION GAP	11/8/2013	Routine Inspection	0/3
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	11/13/2013	Routine Inspection	10/13 - Improper cold holding temperatures.
MELISSA'S	Restaurant	706 W 1ST ST	TOPPENISH	11/7/2013	Routine Inspection	10/10 Handwash sink was not accessible.
MERCEDES AND FAMILY II	Restaurant	5603 TIETON DRIVE	YAKIMA	11/5/2013	Routine Inspection	15/20 Missing FWCs, kitchen hand wash sink is not draining properly

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MI PUEBLITO #1	Restaurant	419 TOPPENISH AV E	TOPPENISH	11/12/2013	Routine Inspection	20/25 Improper hot holding of PHF's, improper cold holding of PHF's, walk in cooler has a leak.
MILLER'S DAIRY QUEEN	Restaurant	401 W. 1ST AVENUE	TOPPENISH	11/12/2013	Routine Inspection	0/0 No problems observed.
MT. ADAMS SCHOOL DISTRICT # 209	Seasonal Concession	551 SIGNAL PEAK	WHITE SWAN	11/8/2013	Follow-Up Inspection	35/35 Hands not washed as required, improperly stocked hand wash sink
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	11/8/2013	Routine Inspection	75/91 PIC was not knowledgeable of food safety practices, hands not washed as required, raw meat stored above ready to eat food, eggs stored at room temperature, metal stem thermometer was not available
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	11/8/2013	Complaint Inspection	At time of inspection, restrooms were clean.
PAPA MURPHY'S	Restaurant	2695 E. LINCOLN	SUNNYSIDE	11/13/2013	Routine Inspection	10/10 - Improper cold holding temperatures.
PHO KING CRAB	Restaurant	1601 E. WASHINGTON AVE # 104	UNION GAP	11/14/2013	Routine Inspection	10/10 Salads being prepared right next to handwash so when hands are washed, water splashes onto salads.
PIZZA HUT # 11	Restaurant	2002 W. NOB HILL BLVD.	YAKIMA	11/13/2013	Pre-Opening Inspection	Cement floor needs to be sealed/painted and cracks filled in.
				11/14/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT / WINGSTREET	Restaurant	2680 YAKIMA VALLEY HWY. # 1	SUNNYSIDE	11/4/2013	Routine Inspection	5/10 Expired FWC's, Ice scoop stored in ice bin.
PUPUSERIA RESTAURANT	Restaurant	2695 E. LINCOLN AVE # E	SUNNYSIDE	11/13/2013	Routine Inspection	20/23 Missing FWC, improperly stocked hand wash sink, digital thermometer is not working
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	11/8/2013	Routine Inspection	0/5 No sanitizer available during inspection.
RICO'S TACOS	Restaurant	1221 BAILEY AVE SUITE C	GRANGER	11/21/2013	Follow-Up Inspection	30/30 Hands not washed as required, metal stem thermometer was inaccurate
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	UNION GAP	11/19/2013	Routine Inspection	0/0
ROSAUERS FOOD AND DRUG CENTER #39	Grocery Store	410 S. 72ND AVENUE	YAKIMA	11/25/2013	Complaint Inspection	A few hot held foods were below 135 F. No signs of mishandling of chicken were observed.
SELAH CONOCO FOOD MART	Mini-mart	301 S. 1ST STREET	SELAH	11/25/2013	Routine Inspection	25/38 Improperly hot holding PHF
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	11/18/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	11/8/2013	Routine Inspection	0/0
SELAH SAVE-ON-FOODS	Grocery Store	800 NORTH PARK CENTRE	SELAH	11/7/2013	Routine Inspection	90/98 PIC was not knowledgeable of food safety practices, missing FWCs, hands not washed as required, raw meat stored above ready to eat food, improperly hot holding PHF, improperly cold holding PHF, inaccurate metal stem thermometer, improper chemical storage
STICKY FINGERS BAKERY & CAFE	Restaurant	217 NACHES AVE.	NACHES	11/1/2013	Routine Inspection	0/0
SUBWAY # 33723	Restaurant	425 S. ELIM	TOPPENISH	11/15/2013	Routine Inspection	0/0
SUNTOWN COFFEE CO.	Espresso Stand/Deli	1829 S 1ST STREET SUITE "B"	SUNNYSIDE	11/14/2013	Routine Inspection	0/0 No problems observed.
TACO BELL #27609	Restaurant	230 S. 72ND AVE.	YAKIMA	11/5/2013	Routine Inspection	0/5 Expired FWC's.
TACO BORRACHO RESTAURANT	Rest/Lounge/Catering	503 S. FAIR AVE. SUITE # 100	YAKIMA	11/12/2013	Routine Inspection	65/65 Missing FWC, hands not washed as required, improperly stocked hand wash sink, improperly cooling PHF
TAQUERIA GUERRERO # 1	Mobile			11/4/2013	Follow-Up Inspection	0/0 They have corrected all problems from previous inspection.
THE BRADLEY HOUSE BED & BREAKFAST	Bed & Breakfast	1711 BIRCHFIELD RD	YAKIMA	11/21/2013	Pre-Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE BRADLEY HOUSE CATERING	Catering	1711 BIRCHFIELD RD	YAKIMA	11/21/2013	Pre-Opening Inspection	Approved to operate. Will be using Howard Johnson as commissary. Told Brad he cannot wash dishes or do any cooking in his house kitchen. Dishes must be done at Howard Johnson. He can cook on BBQ's outside on his property.
TIENDA LA TAPATIA	Restaurant	802 W. 1ST AVE.	TOPPENISH	11/4/2013	Routine Inspection	45/50 Missing FWC, improperly stocked hand wash sink, PHF stored at room temperature, inaccurate metal stem thermometer
TIETON DRIVE BIBLE CHAPEL	Church Kitchen	4305 TIETON DR	YAKIMA	11/20/2013	Routine Inspection	0/0
TIETON MARKET	Mini-mart	6003 TIETON DR	YAKIMA	11/27/2013	Routine Inspection	5/15 No thermometer, potential contamination of foods, dirty kitchen.
TWIGS BISTRO AND MARTINI BAR	Rest/Lounge/Catering	2529 MAIN ST. # 183	UNION GAP	11/13/2013	Routine Inspection	0/0
VALLEY VIEW MARKET II	Mini-mart	618 E. TOPPENISH AVE.	TOPPENISH	11/15/2013	Routine Inspection	43/40 inadequate hand wash facilities, improper hot holding of PHF, improper refrigeration, uncleanliness
WAFFLES CAFE	Restaurant	7200 W. NOB HILL BLVD.	YAKIMA	11/15/2013	Routine Inspection	20/31 - Several FWC needed and improper reheating
WALGREENS # 12053	Grocery Store	6400 W. NOB HILL BLVD.	YAKIMA	11/12/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WASHINGTON MIDDLE SCHOOL	School	510 S. 9TH ST.	YAKIMA	11/22/2013	Routine Inspection	0/0
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	11/19/2013	Routine Inspection	0/0
XOCHIMILCO TEQUILA BAR & RESTAURANT	Restaurant/Lounge	5110 TIETON DR. # 270	YAKIMA	11/15/2013	Routine Inspection	30/35 - No FWC available, inadequate handwash sinks, lettuce stored on top of raw beef, and improper storage of chemicals.
YAKIMA GROCERY OUTLET	Grocery Store	2109 S. 1ST STREET	YAKIMA	11/25/2013	Routine Inspection	0/5 Foods stored on the floor.