

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MINUTE MART	Mini-mart	1121 S. 16TH ST.	SUNNYSIDE	4/7/2016	Routine Inspection	0/0
AGATE FIELD VINEYARD	Winery	2911 ROZA DR	ZILLAH	4/1/2016	Routine Inspection	0/0
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	4/28/2016	Routine Inspection	0/0
ANTOJITOS LUCY #2	Cafeteria	31 ALLAN ROAD	NACHES	4/29/2016	Routine Inspection	Attempted inspection. No staff present in kitchen at time of inspection. Next inspection rescheduled.
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	4/13/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AUNTIE ANNE'S SOFT ROLLED PRETZELS		2529 MAIN ST. # 183	UNION GAP	4/13/2016	Routine Inspection	0/0
AZTECA MARKET PLACE	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	4/21/2016	Routine Inspection	35/45 No FWC's, shellfish tags not being kept, RTS of PHF, many refrigerators are missing thermometers, no paper towels at handwash sink
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	4/6/2016	Routine Inspection	10/20 Improper cold holding of PHF, dishwasher is not dispensing sanitizer, personal items stored on clean dishes.
BLACK ANGUS STEAKHOUSE	Restaurant	501 N FRONT ST.	YAKIMA	4/14/2016	Routine Inspection	30/40 Missing FWCs, improperly hot holding PHF, back kitchen door is not protected from potential entrance of pests, no indirect drain at the food preparation sink
BLUE RIBBON COMMISSARY	Commissary	2807 W WASHINGTON AVE	YAKIMA	4/11/2016	Routine Inspection	0/0
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	4/7/2016	Routine Inspection	5/13 Shellstock ID's not being kept, missing refrigerator thermometers, improper thawing methods
BLUE SKY MARKET #2	Grocery Store	330 NORTH STREET	MABTON	4/12/2016	Routine Inspection	10/10 Inaccessible handsink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BOB'S DRIVE IN	Restaurant	108 E. HWY 12.(YAKIMA VALLEY HWY.)	SUNNYSIDE	4/21/2016	Routine Inspection	15/20 Improperly cold holding PHF, inaccurate metal stem thermometer, inaccurate thermometer in refrigerator
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	4/6/2016	Routine Inspection	15/15 No FWC's, improperly stocked handwash sink
BURGER RANCH OF SELAH	Restaurant	9 1ST ST S	SELAH	4/26/2016	Routine Inspection	40/51 BHC with RTE food, improperly cold holding PHF, digital thermometer needed for thin meats, uncontrolled kitchen entrance door, single use utensils properly stored, hand wash sign in men's restroom
CASCADE CATERING	Catering	13321 U.S. HWY. 12	NACHES	4/29/2016	Routine Inspection	0/0
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	4/25/2016	Routine Inspection	10/15 No FWC, food received at 48 degrees.
CHRISTIE'S CAKES	Bakery	432 E GOODLANDER RD	SELAH	4/25/2016	Routine Inspection	0/0
COFFEE CORRAL	Espresso Stand	802 W. 1ST AVE.	TOPPENISH	4/13/2016	Routine Inspection	0/10 Need 4 thermometers for refrigerator units, operating license needs to be visibly posted, facility needs cleaning in general
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	4/13/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	4/25/2016	Routine Inspection	0/5 No chlorine in sanitizer.
CREEKSIDE WEST BAR & GRILLE	Restaurant/Lounge	4000 W. CREEKSIDE LOOP	YAKIMA	4/5/2016	Routine Inspection	40/40 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food, improperly cold holding PHF, chemical stored above food.
CROSSROADS MARKET	Grocery Store	4641 N. TRACK RD.	WAPATO	4/25/2016	Routine Inspection	45/50 No FWC, no hands washed as required, using sanitizer instead of washing hands, washing hands facility too far, milk and milk products at 45 degrees in refrigerator, wiping cloths not in sanitizer.
DANIEL'S KITCHEN	Restaurant/Catering	204 E. NACHES AVE.	SELAH	4/20/2016	Routine Inspection	10/10 Improper handling of pooled eggs, consumer advisory needed.
DENNY'S RESTAURANT # 7869	Restaurant	2603 RUDKIN RD	UNION GAP	4/5/2016	Routine Inspection	10/15 Expired FWC's, PHF improperly cold held, refrigerator not able to maintain proper cold holding temperature
DOLLAR TREE #4985	Mini-mart	300 W 1ST AVE	TOPPENISH	4/13/2016	Routine Inspection	5/0 FWC should be posted
DUTCH BROS. COFFEE	Espresso Stand	2630 YAKIMA VALLEY HWY. - SUNNYSIDE	SUNNYSIDE	4/27/2016	Routine Inspection	30/30 Missing FWCs, ice scoop stored in the ice machine
EAGLE HIGH SCHOOL	School	143 WARD RD	TOPPENISH	4/19/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL COMPADRE SPORTS BAR & FAMILY RESTAURANT	Restaurant	220 S. WAPATO AVE.	WAPATO	4/7/2016	Routine Inspection	10/15 No FWC's available for inspection, no consumer advisory for raw or undercooked foods, dishwasher not functioning properly
EL TACO LOCO	Restaurant	19 W YAKIMA AVE.	YAKIMA	4/23/2016	Surveillance Inspection	Found catering at Agate Winery during Spring Barrel event. Business doesn't have a catering endorsement or temporary food service permit. No hand washing facilities, sanitizer or metal stem thermometer.
FLYIN' PIG BBQ	Restaurant/Catering	7 N. FRONT STREET	YAKIMA	4/26/2016	Routine Inspection	10/18 Improperly stocked hand wash sink, entrance not controlled for pests, need to post hand wash sign in restroom
GAP COFFEE COMPANY	Espresso Stand	2630 MAIN ST	UNION GAP	4/13/2016	Routine Inspection	0/0
GROMORE TRADING	Mini-mart	14411 WIDE HOLLOW RD	YAKIMA	4/25/2016	Routine Inspection	0/0
GUERRA'S DELI & CAFE	Deli/Catering	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	4/7/2016	Routine Inspection	0/0
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	4/21/2016	Routine Inspection	0/0
HERB'S BAR & GRILL	Restaurant/Lounge	132 DIVISION ST	GRANDVIEW	4/12/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HIGHLAND HIGH SCHOOL	School	17000 SUMMITVIEW	COWICHE	4/14/2016	Routine Inspection	0/0
HIGHWAY ESPRESSO	Espresso Stand	10118 U.S. HIGHWAY 12	NACHES	4/27/2016	Routine Inspection	25/25 RTS of PHF
HOLY CROSS ORTHODOX CHURCH	Bakery	706 STEWART ST	YAKIMA	4/25/2016	Routine Inspection	0/5 Dishwasher is not sanitizing properly
KERRI'S CAKES	Bakery	301 KAIL RD	TIETON	4/22/2016	Routine Inspection	0/0
KIRKWOOD ELEMENTARY SCHOOL	School	403 S. JUNIPER	TOPPENISH	4/19/2016	Routine Inspection	0/0
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	4/18/2016	Routine Inspection	Routine inspection attempted but facility was not operating due to painting being done inside. Routine inspection was rescheduled.
				4/21/2016	Routine Inspection	Routine inspection attempted but facility was not operating due to painting being done inside. Routine inspection was rescheduled.
LA NACIONAL	Grocery Store	506 S. 1ST STREET	YAKIMA	4/25/2016	Routine Inspection	35/40 Bare hand contact with ready to eat tortillas, handwashing sink full of items, cheese and cream not labeled.
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	4/18/2016	Routine Inspection	5/5 Various FWC's expired.
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	4/11/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	4/18/2016	Routine Inspection	5/5 Raw meats above other foods.
LIGHT DELIGHT		1405 36TH AVE, S	YAKIMA	4/21/2016	Routine Inspection	0/0
LITTLE DUTCH INN	Tavern	214 N 6TH AVE.	YAKIMA	4/21/2016	Routine Inspection	30/25 Inadequate hand washing facilities, improper reheating of PHF, no sanitizer available
LOS HERNANDEZ TAMALES	Restaurant/Catering	3706 MAIN ST	UNION GAP	4/29/2016	Routine Inspection	0/0
MC DONALD'S	Restaurant	739 W. 1ST AVENUE	TOPPENISH	4/7/2016	Routine Inspection	0/0
MC DONALD'S RESTAURANT	Restaurant	1601 W LINCOLN	YAKIMA	4/1/2016	Routine Inspection	5/5 Expired FHC's.
MERCADO DE YAKIMA	Mult Food Service	511 N. 1ST STREET SUITE # 113 - YAKIMA	YAKIMA	4/1/2016	Routine Inspection	5/15 No metal stem thermometer, foods not labled, food contact surfaces not maintained clean.
MI PUEBLITO #1	Restaurant	419 TOPPENISH AVE	TOPPENISH	4/7/2016	Routine Inspection	25/30 BHC with RTE food, no thermometer in refrigerator

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MIZ DEE'S B.B.Q. WORKS & CATERING	Restaurant/Catering	523 W. YAKIMA AVE.	YAKIMA	4/7/2016	Routine Inspection	Attempted routine inspection but facility was not operating. Routine inspection rescheduled.
				4/15/2016	Routine Inspection	Attempted routine inspection but facility was not operating. Routine inspection rescheduled.
MOD PIZZA	Restaurant	1905 SOUTH 1ST STREET #100	YAKIMA	4/13/2016	Pre-Opening Inspection	Once items have been corrected and e-mailed pictures, OK to open.
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	4/22/2016	Routine Inspection	0/0
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	4/6/2016	Routine Inspection	10/10 Inadequate handwashing facilities
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	Restaurant	206 E. WINE COUNTRY RD.	GRANDVIEW	4/12/2016	Routine Inspection	0/0
PEACE LOVE AND COFFEE	Espresso Stand	101 STOVER RD	GRANDVIEW	4/20/2016	Routine Inspection	25/27 No adequate handwashing facilities, no correct answer to cold holding temperature, milk in refrigerator at 46 degrees, physical facilities not properly cleaned.
PIZZA HUT / WINGSTREET	Restaurant	2680 YAKIMA VALLEY HWY. # 1	SUNNYSIDE	4/20/2016	Routine Inspection	0/3 Improper storage of ice-scoop

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
POLLO LOCO LOS PANDAS	Restaurant	1314 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/5/2016	Routine Inspection	30/40 Missing FWC's, inadequate HW sink, improper cold holding, all refrigerators missing thermometers, no sanitizer available.
PUPUSERIA RESTAURANT	Restaurant	2695 E. LINCOLN AVE # E	SUNNYSIDE	4/5/2016	Routine Inspection	15/15 Expired FWC's, dishes in HW sink.
R.C.'S	Restaurant/Lounge	31 A RAY RD.	SUNNYSIDE	4/27/2016	Routine Inspection	25/33 Missing FWCs, improperly reheating PHF, inadequate metal stem thermometer, test strips are needed for dishwasher, need to post hand wash sign in employee's restroom
RED LOBSTER # 0597	Restaurant	905 N. 1ST STREET	YAKIMA	4/6/2016	Routine Inspection	20/20 Improperly stocked hand wash sink, chemical stored on a food preparation counter
RESTAURANTE MI LINDO	Restaurant	1600 YAKIMA VALLEY HWY	SUNNYSIDE	4/1/2016	Routine Inspection	30/33 Hands not washed as required, raw meat stored above RTE food, ice scoop handle contacted the ice, chemical stored improperly
RITE AID # 5300	Grocery Store	2010 YAKIMA VALLEY HWY,SUITE C-1	SUNNYSIDE	4/25/2016	Routine Inspection	15/15 Milk and eggs past pullout date, no thermometer.
ROADRUNNER	Mini-mart	705 W. 1ST STREET	WAPATO	4/25/2016	Routine Inspection	20/20 No FWC, no paper towels at the hand washing sink.
ROCKING M RANCH CAFE	Mobile		NACHES	4/30/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFEWAY # 584	Mult Food Service	711 W. 1ST AVENUE	TOPPENISH	4/1/2016	Routine Inspection	5/0 Missing sanitizer in food prep areas
SAKURA TERIYAKI & SUSHI	Restaurant	2000 E. YAKIMA VALLEY HWY.	SUNNYSIDE	4/7/2016	Routine Inspection	33/30 Improper storage of raw meats, room temperature storage of potentially hazardous foods, dirty surfaces in kitchen area
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	4/11/2016	Routine Inspection	25/25 Improper hot holding of PHF
SELAH RED APPLE MARKET	Mult Food Service	121 E. 3RD AVENUE	SELAH	4/6/2016	Routine Inspection	5/15 Missing FWC, inaccurate and missing refrigeration thermometers, no sanitizer used for utensils
SKIPPER'S SEAFOOD & CHOWDER HOUSE	Restaurant	2150 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/5/2016	Routine Inspection	23/20 HW sink missing paper towels, improper cold holding, appliances need cleaning.
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	4/5/2016	Routine Inspection	10/10 Improperly stocked hand wash sinks
SPRUCE STREET COMMISSARY & TASTE & SEE CATERING	Deli/Catering	1103 W SPRUCE	YAKIMA	4/25/2016	Routine Inspection	0/0
ST. JOE'S SNACKBAR	Deli	3112 MAIN ST	UNION GAP	4/21/2016	Routine Inspection	5/5 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STARBUCKS COFFEE # 22090	Espresso Stand	2550 W. NOB HILL BLVD. STE. # 102 - YAKIMA	YAKIMA	4/13/2016	Routine Inspection	0/0
STARBUCKS COFFEE #3370	Espresso Stand	420 S 72ND AVE	YAKIMA	4/11/2016	Routine Inspection	0/0
STOKES BURGER RANCH	Restaurant	706 YAKIMA VALLEY HWY.	SUNNYSIDE	4/20/2016	Routine Inspection	10/10 Improper cold holding of PHF
SU MERCADITO	Mini-mart	320 "B" STREET	MABTON	4/18/2016	Follow-Up Inspection	15/15 HW full of dishes, no thermometer, labels missing on foods.
SU MERCADITO # 3	Mult Food Service	110 ASH - GRANDVIEW	GRANDVIEW	4/21/2016	Compliance Inspection	0/0 All problems from previous inspections have been fixed.
SU MERCADITO #2	Mult Food Service	108 MAIN ST S	GRANGER	4/6/2016	Routine Inspection	45/48 Missing FWCs, food not in good condition, raw meat stored next to RTE food, improperly hot holding PHF, improperly thawing PHF
SU MERCADO	Grocery Store	123 DIVISION ST.	GRANDVIEW	4/12/2016	Routine Inspection	35/35 Workers missing FWC's, HW sink hard to access, possible cross contamination with raw meats, no metal stem thermometer for carnitas.
SUBWAY	Restaurant	631 1ST ST W	WAPATO	4/7/2016	Routine Inspection	0/0
SUBWAY # 13437	Restaurant	501 1ST. ST. - SELAH	SELAH	4/13/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUBWAY # 33723	Restaurant	425 S. ELM	TOPPENISH	4/19/2016	Routine Inspection	0/0
SUBWAY # 46232 (WAL-MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	4/11/2016	Routine Inspection	0/0
SUNNYSIDE QUALITY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE	4/25/2016	Follow-Up Inspection	5/10 No FWC, no bleach in sanitizer.
SWEET BEES	Restaurant	1510 SUMMITVIEW	YAKIMA	4/13/2016	Routine Inspection	0/8 Grocery bag stored on clean dishes, no test strips for dishwasher sanitizer
TACO SHACK	Restaurant	130 E NACHES	SELAH	4/4/2016	Routine Inspection	Routine inspection attempted but facility was not operating due to location change. Routine inspection rescheduled.
				4/13/2016	Routine Inspection	Routine inspection attempted but facility was still in the process of changing locations. Routine inspection was rescheduled.
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	4/27/2016	Routine Inspection	23/15 Inadequate handwashing facilities, inaccurate thermometers, missing sanitizer, kitchen surfaces in disrepair
TAPROOM ON THE AVE.	Restaurant/Lounge	120 E. YAKIMA AVENUE	YAKIMA	4/13/2016	Routine Inspection	0/0
TAQUERIA URUAPAN	Restaurant	1324 S FAIR AVENUE	YAKIMA	4/1/2016	Routine Inspection	50/50 Hands not washed as required, BHC with RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE CHERRY PATCH MINI MART	Mini-mart	101 W. 1ST AVE.	ZILLAH	4/7/2016	Routine Inspection	30/30 Expired FWC, improper hot holding of PHF
THE MURAL	Restaurant	113 TOPPENISH AVE.	TOPPENISH	4/7/2016	Routine Inspection	5/10 Uncovered food on the lower shelves in the refrigerator. No thermometer in the fridge (corrected while I was on-site).
THE ORCHARD INN BED & BREAKFAST	Bed & Breakfast	1207 PECKS CANYON RD	YAKIMA	4/1/2016	Routine Inspection	0/0
THE ORION CINEMA AND MICKEY'S PUB	Restaurant/Lounge	202 E CHESTNUT STR	YAKIMA	4/28/2016	Routine Inspection	25/30 BHC with RTE food, dishwasher was not sanitizing properly
TOM TOM BISTRO	Espresso Stand/Deli	3908 CREEKSIDE LOOP # 130	YAKIMA	4/13/2016	Routine Inspection	0/0
TOM TOM ESPRESSO ON SUMMITVIEW	Espresso Stand/Deli	1502-B SUMMITVIEW	YAKIMA	4/11/2016	Routine Inspection	0/0
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	4/19/2016	Routine Inspection	0/0
TWISTED SISTERS CREATIONS	Mobile		YAKIMA	4/27/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAFFLES CAFFE	Restaurant	7200 W. NOB HILL BLVD.	YAKIMA	4/29/2016	Routine Inspection	30/35 Hands not washed as required, food worker was not using a thermometer to evaluate temperatures of PHF
WALGREENS # 12053	Grocery Store	6400 W. NOB HILL BLVD.	YAKIMA	4/13/2016	Routine Inspection	0/0
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	4/25/2016	Routine Inspection	0/5 Improper thawing of raw meats.
WAPATO MIDDLE SCHOOL	School	1309 KATERI LANE	WAPATO	4/25/2016	Routine Inspection	0/0
WEST VALLEY FRESHMAN CAMPUS	School	9206 ZIER RD	YAKIMA	4/20/2016	Routine Inspection	0/0
WEST VALLEY HIGH SCHOOL	School	9800 ZIER RD.	YAKIMA	4/20/2016	Routine Inspection	0/0
WEST VALLEY JUNIOR HIGH	School	7507 ZIER RD.	YAKIMA	4/20/2016	Routine Inspection	0/0
WEST VALLEY LITTLE LEAGUE	Seasonal Concession	1041 S. 96TH AVE	YAKIMA	4/21/2016	Routine Inspection	5/5 Inaccurate metal stem thermometer.
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	4/20/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	4/21/2016	Routine Inspection	0/0
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	4/13/2016	Routine Inspection	0/0
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	4/15/2016	Routine Inspection	30/30 Raw meat stored next to and above ready to eat food, improper cooling procedures
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	4/27/2016	Routine Inspection	40/43 BHC with RTE food, improperly reheated PHF, improperly thawing PHF
YAKIMA ELK'S LODGE # 318		GOLF COURSE RD.	SELAH	4/26/2016	Routine Inspection	45/50 Improperly stocked hand wash sinks, RTS of PHF, improper chemical storage, missing thermometer in refrigerator
YAKIMA POLICE DEPARTMENT JAIL	Jail	200 3RD ST S	YAKIMA	4/7/2016	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometer
YAKIMA VALLEY AEROMODELERS	Seasonal Concession	3515 CHEYNE ROAD	ZILLAH	4/23/2016	Routine Inspection	0/0
YAKIMA VALLEY JUSTICE CENTER	Jail	1500 PACIFIC	YAKIMA	4/28/2016	Routine Inspection	10/15 Improperly stocked hand wash sink, vinegar spray is not labeled

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA VALLEY VINTNERS	Winery	114 GRANDRIDGE	GRANDVIEW	4/23/2016	Routine Inspection	0/0
ZIRKLE FRUIT COMPANY	Mult Food Service	352 HARRISON	SELAH	4/28/2016	Routine Inspection	45/45 Person In Charge was not knowledgeable about food safety practices, improperly cooling PHF, improperly cold holding PHF