

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN STORE #2362-25128D	Mini-mart	611 W. 1ST	TOPPENISH	10/19/2017	Routine Inspection	0/0
ABARROTAS LA COSTENITA	Grocery Store	0 EUCLID RD & ST HY 1	GRANDVIEW	10/31/2017	Routine Inspection	0/0
				10/31/2017	Routine Inspection	0/0
AHTANUM FOOD MART (2)	Mini-mart	207 AHTANUM RD.	UNION GAP	10/4/2017	Routine Inspection	10/10 - No hot water and handwash sink not properly set up.
AMERICAN LEGION # 36	Restaurant	1120 N. 34TH AVE.	YAKIMA	10/31/2017	Routine Inspection	15/15 Improperly stocked hand wash sink, no metal stem thermometer was available
BI-MART # 636	Grocery Store	110 W. SOUTH HILL RD.	SUNNYSIDE	10/19/2017	Routine Inspection	5/5 Milk and milk products at 45 degrees in refrigerator.
BONAIR WINERY	Winery	500 BONAIR RD.	ZILLA	10/13/2017	Routine Inspection	5/5 FWC expired for 1 employee.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BRANDING IRON RESTAURANT	Restaurant	61311 HIGHWAY 97	TOPPENISH	10/19/2017	Routine Inspection	10/10 Inadequate handwashing facilities- hot water was being turned off due to leaking faucet. Will fix ASAP.
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	10/31/2017	Routine Inspection	5/5 Improperly cold holding PHF
BUENA VISTA MINI MARKET	Mini-mart	701 S. 6TH	SUNNYSIDE	10/25/2017	Routine Inspection	35/35 All foodworkers must have valid FWC. Food must be hot held @135F or above. Thermometer for testing PHFs must be accurate.
BUTCHER'S BEEF PIT	Mobile/Catering	1103 W SPRUCE	YAKIMA	10/20/2017	Routine Inspection	0/0
CIRCLE INN	Tavern	310 S. MAIN ST.	GRANGER	10/27/2017	Routine Inspection	25/36 Missing FWCs, improperly stocked hand wash sink, food not in good condition, inaccurate metal stem thermometer, ice scoops were not available, dishes at bar washed in single compartment sink, no toilet paper available at women's restroom, one toilet missing toilet seat
COCINA ISABEL	Restaurant	303 S. 13TH STREET	SUNNYSIDE	10/25/2017	Routine Inspection	25/25 PHF at room temperature.
COSTCO WHOLESALE #1013	Mult Food Service	2310 LONGFIBER RD. - UNION GAP	UNION GAP	10/31/2017	Routine Inspection	0/0
CROSSMARK - WALMART # 2241	Grocery Store	2675 E. LINCOLN AVE.	SUNNYSIDE	10/20/2017	Routine Inspection	Routine inspection attempted.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DAIRY QUEEN/ORANGE JULIUS - VALLEY MALL	Restaurant	2515 MAIN ST	UNION GAP	10/30/2017	Routine Inspection	10/10 Handwash sink must dispense hot water.
DINEEN FAMILY VINEYARDS	Winery	2980 GILBERT RD. - ZILLAH	ZILLAH	10/13/2017	Routine Inspection	0/0
D'LISH BY DUFFIELDS CATERING	Catering	8007 DUFFIELD RD	MOXEE	10/25/2017	Routine Inspection	0/0
EGLEY'S SPORTS BAR	Tavern	627 E. EDISON AVE.	SUNNYSIDE	10/20/2017	Routine Inspection	5/5 Missing FHC staff, ensure all staff have current FHC, Owner to correct by 15 November
EL TACO LOCO	Restaurant/Cateri ng	19 W YAKIMA AVE.	YAKIMA	10/30/2017	Commissary Inspection	
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	10/6/2017	Routine Inspection	80/80 FWC not current for staff, bare hand contact of tortillas , improper cooling of meats, room temperature of PHF. Reinspection needed.
ELECTRIC BEACH TANNING & ESPRESSO	Espresso Stand	318 7TH ST S	SUNNYSIDE	10/31/2017	Routine Inspection	5/10 All food workers must have current FWCs. Wiping cloths must be stored in sanitizing solution when not in use.
ELLAPHANT THAI KITCHEN	Restaurant/Loung e	1103 W. SPRUCE ST	YAKIMA	10/30/2017	Commissary Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EXPRESS MART / SUBWAY	Restaurant	51 FIRING CENTER RD.	YAKIMA	10/31/2017	Routine Inspection	60/73 PIC was not knowledgeable about food safety practices, missing FWCs, hands not washed as required, improperly hot holding PHF, sandwiches with no pull date in display refrigerator, potential food contamination not prevented during preparation, non-food contact surfaces have not been cleaned thoroughly
FUENTES DE FRUTAS	Juice Bar	12 W WASHINGTON	YAKIMA	10/30/2017	Routine Inspection	10/10 FWC for owner and staff expired, FWC must be current and posted for all staff, owner to contact YHD no later than 15 November when corrected.
GLESENERS MARKET	Mini-mart	1326 FAIR AVE.	YAKIMA	10/31/2017	Routine Inspection	5/5/ All food workers must have current food worker card
GREAT SHANG HAI RESTAURANT	Restaurant	54 W NOB HILL	YAKIMA	10/2/2017	Routine Inspection	90/119 PIC was not knowledgeable about food safety practices, missing FWC, raw meat stored above RTE food, improperly cooling PHF, improperly hot holding PHF, RTS of PHF, rear entrance is not controlled, potential food contamination during storage, improperly storing wiping cloths, improperly eating in kitchen, in-use utensils improperly stored, cutting boards and other food contact surfaces have not been thoroughly cleaned, non-food contact surfaces have not been cleaned thoroughly
HILTON GARDEN INN	Restaurant/Catering	401 E YAKIMA AVE	YAKIMA	10/31/2017	Routine Inspection	0/0
HOWARD JOHNSON PLAZA	Restaurant/Lounge	9 N. 9TH STREET	YAKIMA	10/31/2017	Routine Inspection	0/0
JAVA HEAVEN	Espresso Stand	212 W WALNUT	YAKIMA	10/30/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JEAN'S COTTAGE INN	Restaurant/Catering	3211 MAIN ST	UNION GAP	10/4/2017	Routine Inspection	25/30 Bare hand contact with ready to eat food
JNT CONCESSIONS WINEY DOGS	Deli/Catering	3 N. 6TH AVE. - YAKIMA	YAKIMA	10/31/2017	Routine Inspection	0/0
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	10/4/2017	Routine Inspection	5/10 need current food worker cards. uncovered food in refrigerator
KANA WINERY	Winery	10 S. 2ND STREET	YAKIMA	10/27/2017	Routine Inspection	5/5 FWC missing for some employees
KENTUCKY FRIED CHICKEN / A&W	Restaurant	2325 S 1ST ST	YAKIMA	10/30/2017	Routine Inspection	0/0
Kim's Got Smoke B.B.Q.	Mobile		UNION GAP	10/13/2017	Routine Inspection	0/0
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	10/20/2017	Routine Inspection	Routine inspection attempted. Facility is closed.
LAS PALMAS NIGHTCLUB	Restaurant/Catering	109 S. WAPATO AVE.	WAPATO	10/13/2017	Routine Inspection	5/5 - No food handler cards on-site
MAISON DE PADGETT WINERY	Winery	2231 ROZA DR	ZILLAH	10/13/2017	Routine Inspection	5/5 Staff need FHC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARISCOS ENCENADA # 8 B88592U	Mobile		MOXEE	10/7/2017	Routine Inspection	40/42 Improperly stocked hand wash station, improperly hot holding beef tongue, no metal stem thermometer was available, need to post valid food license in truck
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	10/17/2017	Routine Inspection	28/25 Carne Seca and Cheese at room temperature in the butchery. PHF must be stored at 41 degrees or lower. Owner CDI by voluntarily disposing Carne Seca and placing cheese in the reach-in refrigerator. Sour cream tubs in the butchery at room temperature. PHF must be at 41 degrees or lower. Owner CDI by placing sour cream in the reach-in refrigerator.
MILL CREEK NATURAL FOODS		4315 MAIN ST	UNION GAP	10/9/2017	Routine Inspection	5/5 FWC not available for 1 employee
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	10/9/2017	Routine Inspection	0/5 Onions stored on floor
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	10/9/2017	Routine Inspection	0/0
PANADERIA BAMBI	Bakery	116 S. WAPATO AVE.	WAPATO	10/19/2017	Follow-Up Inspection	0/0
POPEYE'S LOUISIANA KITCHEN	Rest/Lounge/Cate ring	2406 W NOB HILL BLVD	YAKIMA	10/2/2017	Routine Inspection	5/5 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PUPUSERIA SAN VICENTE	Mobile		YAKIMA	10/30/2017	Other Inspection	Attempted inspection at typical location, 1700 N 6th St. Yakima, unable to locate.
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	10/20/2017	Routine Inspection	43/30 Cooked rice at 131 degrees, PHF at room temperature, thawing meat at room temperature. Concerns with potential cross contamination with storage of meat, poultry, sea food, and vegetables next to each other. CDI.
SAFEWAY # 563	Mult Food Service	613 S. 6TH STREET	SUNNYSIDE	10/19/2017	Routine Inspection	0/0
SELAH EXPRESS	Mini-mart	777 NORTH PARK CENTER	SELAH	10/2/2017	Routine Inspection	0/0
SEVERINO CELLARS	Winery	1717 1ST AVE.	ZILLAH	10/13/2017	Routine Inspection	0/0
STIR CRAZY COFFEE SHOP	Espresso/Catering	915 N 4TH ST.	GRANDVIEW	10/7/2017	Catering Routine Inspectio	10/12 No hot water available, no license posted
				10/7/2017	Catering Routine Inspectio	10/10 No hot water available. Closed them. Then reopened them.
STONEHENGE TAVERN	Tavern	603 1ST AVE ZILLAH	ZILLAH	10/13/2017	Routine Inspection	0/0
SUNNYSIDE HIGH SCHOOL CONCESSIONS	Seasonal Concession	1110 S. 6TH ST.	SUNNYSIDE	10/13/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
T. M. MARKET	Mini-mart	417 N CEMETERY RD	SUNNYSIDE	10/25/2017	Routine Inspection	10/10 Cold holding must be below 41F. Thermometer must be available to assess temperature of potentially hazardous foods.
TACOS ISABEL	Mobile	303 S. 13th St - SUNNYSIDE	SUNNYSIDE	10/25/2017	Routine Inspection	5/5 Missing FWC.
TACOS ISABEL 2	Mobile	VARIOUS FIELD LOCATIONS.	SUNNYSIDE	10/25/2017	Routine Inspection	15/15 Missing FWC, PHF at 130 degrees, PHF at 45 degrees.
TAQUERIA EL HUARACHASO	Restaurant	401 S ELM ST.	TOPPENISH	10/17/2017	Routine Inspection	5/5 FWC for owner is expired, FWC must be current for all workers, owner will take course week of 10/23 and contact YHD when corrected
TAQUERIA LOS PRIMOS #5	Mobile		YAKIMA	10/30/2017	Routine Inspection	15/26 Expired FWC, Improper cold holding of PHFs, Employees eating in food prep area, Food contact surfaces not cleaned or maintained, Non-food contact surfaces not cleaned or maintained
TAQUERIA NAYITA'S	Mobile	Roy's Market, 201 S 6th St, Yakima 602 3RD ST. - YAKIMA	YAKIMA	10/30/2017	Routine Inspection	0/0
TAQUITOS EL PORVENIR	Mobile		SUNNYSIDE	10/20/2017	Routine Inspection	25/25 Eggs at room temperature.
THE CHERRY PATCH MINI MART	Mini-mart	101 W. 1ST AVE.	ZILLAH	10/13/2017	Pre-Opening Inspection	No concerns noted - purchase of existing business - no changes to previous operation

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE CREEK ROADHOUSE GRILL AND BAR	Rest/Lounge/Catering	108 ILER ST.	MOXEE	10/16/2017	Routine Inspection	30/33 FWCs missing/expired, bare hand contact with RTE food (CDI), ice scoop stored in ice bin
THE MAJESTIC THEATRE	Snack Bar	1919 S. 14TH ST.	UNION GAP	10/30/2017	Routine Inspection	5/5 Thermometer must be available to temp potentially hazardous foods.
THE VINEYARD CAFE, ESPRESSO & DELI	Restaurant	150 DIVISION ST.	GRANDVIEW	10/25/2017	Other Inspection	Attempted inspection 10/25/2017, at 4:40pm. was already closed, though time on the door said open till 5pm.
TIENDA DEL PUEBLO	Grocery Store	530 FRANKLIN AVE.	SUNNYSIDE	10/19/2017	Routine Inspection	5/5 Sour cream not labeled.
TIETON FARM & CREAMERY	Mobile		TIETON	10/22/2017	Routine Inspection	5/5 Must have thermometer available to test potentially hazardous foods
TOPPENISH INN	Continental Brkfst	515 S. ELM STREET	TOPPENISH	10/17/2017	Routine Inspection	0/0 No concerns noted. Facility has excellent food processes and all staff have received in-depth food training by Serv Safe.
TOPPENISH SCHOOL DISTRICT CONCESSIONS	Seasonal Concession	141 WARD RD	TOPPENISH	10/13/2017	Routine Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer was available
VIBRANT HEALTH	Grocery Store	508 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	10/25/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAPATO HIGH SCHOOL CONCESSIONS	Seasonal Concession	1202 S CAMAS AVE. - WAPATO	WAPATO	10/13/2017	Routine Inspection	0/0
WAREHOUSE DEMO SERVICES # 1013	Grocery Store	2310 LONGFIBER RD. - UNION GAP	UNION GAP	10/31/2017	Routine Inspection	0/0
WEST VALLEY HIGH SCHOOL CONCESSION STAND	Seasonal Concession	9800 ZIER RD.	YAKIMA	10/31/2017	Routine Inspection	0/0
WHISTLIN' JACK LODGE	Mult Food Service	20800 HWY 410	NACHES	10/4/2017	Follow-Up Inspection	30/38 Raw meat stored above RTE food, improperly hot holding PHF, food contact surface has not been cleaned thoroughly, non-food contact surface has not been cleaned thoroughly
				10/23/2017	Routine Inspection	0/0 No repeat red items
XOCHIMILCO TEQUILA BAR #2	Restaurant	2529 MAIN ST. SUITE # D-24 - UNION GAP	UNION GAP	10/27/2017	Routine Inspection	5/5 Beans improperly hot held, CDI