

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
40TH AVE. ESPRESSO	Espresso Stand	1207 N 40TH AVE	YAKIMA	2/10/2010	Routine Inspection	0/0
7-ELEVEN #2307- 22714J	Mini-mart	1711 E. NOB HILL BLVD.	YAKIMA	2/3/2010	Routine Inspection	15/18 - Some workers do not have food worker cards and no paper towels available at handwash sink.
AIR LINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	YAKIMA	2/25/2010	Routine Inspection	15/15 inadequate hand washing facilities, missing a proper metal stem thermometer
ANTOJITOS MEXICANOS RESTAURANT MI TIERRA	Restaurant	3512 SUMMITVIEW AVE	YAKIMA	2/16/2010	Routine Inspection	5/5 Raw chicken stored above raw beef. No other problems.
BASKIN-ROBBINS # 4314 - SO. 1ST STR.	Ice Cream Parlor	1505 S. 1ST STREET	YAKIMA	2/26/2010	Routine Inspection	0/8

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BIRCHFIELD MANOR	Restaurant	2018 BIRCHFIELD RD	YAKIMA	2/26/2010	Routine Inspection	20/33 Missing FWCs, need consumer advisory for raw or undercooked foods, unlabeled chemical
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	2/23/2010	Surveillance Inspection	Inspection to see if they have Queseria Bendita cheese. They did have cheese, but has since been removed. They were notified by the vendor about it's recall.
BOB'S BURGERS & BREW	Restaurant/Lounge	121 N. FAIR AVE	YAKIMA	2/5/2010	Routine Inspection	0/8
BRANDING IRON RESTAURANT	Restaurant	61311 HIGHWAY 97	TOPPENISH	2/12/2010	Routine Inspection	20/25 Missing FWCs, hands not washed as required
BREW ZINSKI'S	Espresso Stand	1212 S. 80TH AVE	YAKIMA	2/17/2010	Routine Inspection	20/30 Missing FWC, ice scoop handle contacted ice, no paper towels at hand wash sink
BUHRMASTER BAKING CO. - SELAH	Bakery	117 E. 3RD AVENUE	SELAH	2/11/2010	Routine Inspection	15/15 - 2 workers need food worker cards and soap and paper towels needed at handwash sink in the food prep area.
C.J.'S CUSTOM MEATS	Meat Market	671 JONES ROAD	WAPATO	2/4/2010	Routine Inspection	10/10 They do not have a HAACP Plan and they have not submitted it to Yakima Health District. Gave 30 days to submit HAACP Plan to Health District.
CAFE OLE	Espresso Stand/Deli	208 1ST AV W	TOPPENISH	2/26/2010	Routine Inspection	20/35 Missing FWC, BHC of RTE foods

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CARNICERIA LOS AMIGOS	Meat Market	205 WAPATO AV S	WAPATO	2/22/2010	Surveillance Inspection	Inspection to see if they have Queseria Bendita cheese. They did not have the cheese nor do they sell this brand of cheese.
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	2/19/2010	Routine Inspection	15/30 Missing FWC, no soap at bar hand wash sink
CENTRO BOTANERO EL PARIAN	Restaurant	1214 6TH ST S	YAKIMA	2/17/2010	Routine Inspection	10/10 Missing paper towels at hand sink in women's restroom.
CLASSIC EVENTS CATERING	Catering	5453 ASHUE RD	WAPATO	2/1/2010	Routine Inspection	15/20 Missing FWC, no paper towels at restroom hand wash sink and kitchen hand wash sink blocked
CLUB 54	Restaurant/Lounge	2014 S. 1ST STREET	YAKIMA	2/3/2010	Routine Inspection	5/10 Metal stem thermometer was not used or available
COCO'S AHTANUM	Mini-mart	1502 LOWER AHTANUM RD	UNION GAP	2/9/2010	Routine Inspection	0/5
COWICHE HARVEST FOODS	Grocery Store	16850 SUMMITVIEW RD	COWICHE	2/10/2010	Routine Inspection	30/35 Missing FWCs, improperly stocked hand wash sink, improperly hot holding burrito, cut melons cold held improperly
DOMINO'S PIZZA # 7164	Restaurant	102 W MEAD AVE	YAKIMA	2/3/2010	Routine Inspection	5/5 - Several food worker cards needed.
DREAM GIRLS	Espresso Stand	10 W YAKIMA AVE.	YAKIMA	2/16/2010	Routine Inspection	15/20 - Ice scoop improperly stored

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EGLEY'S SPORTS BAR	Tavern	627 E. EDISON AVE.	SUNNYSIDE	2/17/2010	Routine Inspection	10/13 Missing FWC, inaccurate metal stem thermometer
EL MEJOR TAQUITO (BLDG.)	Restaurant	544 S. 6TH STREET	SUNNYSIDE	2/18/2010	Routine Inspection	No problems.
EL SIETE MARES	Restaurant/Lounge	811 N 1ST STREET	YAKIMA	2/8/2010	Follow-Up Inspection	5/5 Missing FWCs
				2/23/2010	Compliance Inspection	5/5 Missing FWC
ELI & KATHY'S FAMILY RESTAURANT	Restaurant	813 WINE COUNTRY ROAD	GRANDVIEW	2/25/2010	Routine Inspection	15/15 Hands not washed as required
ERIK'S COFFEE	Espresso Stand	5607 TIETON DR. SUITE # 106	YAKIMA	2/18/2010	Routine Inspection	0/13
ESSENCIA ARTISAN BAKERY	Restaurant/Catering	4 N. 3RD ST.	YAKIMA	2/3/2010	Routine Inspection	10/10 Cold holding display case was at 43F, inaccurate metal stem thermometers.
FRED MEYER	Grocery Store	1206 N. 40TH AVE.	YAKIMA	2/1/2010	Routine Inspection	5/5 Inaccurate metal stem thermometer
FRESH TASTE MEALS		2204-I W. NOB HILL BLVD.	YAKIMA	2/17/2010	Routine Inspection	25/30 Missing FWC, no soap or paper towels at one restroom, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GEORGE'S STEAKHOUSE	Restaurant/Catering	1101 S 3RD AVE.	YAKIMA	2/2/2010	Compliance Inspection	5/5 Missing FWC
				2/16/2010	Compliance Inspection	5/5 Missing FWC
				2/23/2010	Compliance Inspection	5/5 Missing FWC
GOLDEN BULL CHINESE RESTAURANT	Restaurant	106 N. 1ST STREET	SELAH	2/12/2010	Routine Inspection	15/25 - All food worker cards are expired, no paper towels at handwash sink in kitchen, and whole kitchen is dirty.
GREYSTONE RESTAURANT	Restaurant/Lounge	5 N. FRONT STREET	YAKIMA	2/24/2010	Routine Inspection	50/60 Missing FWCs, improperly cooling PHF, hands not washed as required
HIGHLAND QUICK STOP	Mini-mart	16841 SUMMITVIEW RD	COWICHE	2/10/2010	Routine Inspection	5/15 Missing FWC
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	2/4/2010	Routine Inspection	5/10 Missing FWC
INTERNATIONAL MARKET	Grocery Store	512 W 1ST ST.	WAPATO	2/22/2010	Surveillance Inspection	Inspection to see if they have Queseria Bendita cheese. They did not have the cheese nor do they sell this brand of cheese.
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Catering	2710 TERRACE HEIGHTS DRIVE	YAKIMA	2/26/2010	Routine Inspection	15/20 missing/expired FWCs, improper cold holding of PHF, low risk item: improper storage of foods

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA CARRETA MEXICAN RESTAURANT & LOUNGE	Restaurant/Lounge	1006 S. 3RD AVENUE	YAKIMA	2/19/2010	Routine Inspection	0/0
LA VILLA MARKET	Meat Market	218 S. WAPATO AVE.	WAPATO	2/22/2010	Surveillance Inspection	Inspection to see if they have Queseria Bendita cheese. They did have cheese, it was removed while I was there. They were not notified by the vendor about it's recall.
				2/26/2010	Routine Inspection	20/22 inadequate handwashing facilities, improper cold holding of PHF, low risk item: light not working in restroom.
LAMAS BILLIARDS	Snack Bar	405 S. WAPATO AVE.	WAPATO	2/10/2010	Routine Inspection	0/0
LATTE' DA	Espresso Stand	6301 AHTANUM RD	YAKIMA	2/19/2010	Routine Inspection	0/0 No problems.
LUCKY FOOD MART	Mini-mart	226 W. WINE COUNTRY RD.	GRANDVIEW	2/18/2010	Routine Inspection	10/13 No paper towels at one hand wash sink, no soap at the kitchen hand wash sink
				2/25/2010	Follow-Up Inspection	0/0
LUPITA'S BAKERY	Bakery	1300 YAKIMA VALLEY HWY.	SUNNYSIDE	2/18/2010	Routine Inspection	35/40 Handwash sinks not properly stocked, room temperature of PHF's, restroom facility not working, unapproved foods in facility, no separation between personal foods and foods used for facility. Follow up required.
				2/23/2010	Follow-Up Inspection	They have corrected all the problems from previous inspection.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MAJOR'S	Restaurant	1902 S. 3RD AVENUE	UNION GAP	2/16/2010	Routine Inspection	40/40 Hands were not washed as required, BHC of RTE food
				2/24/2010	Follow-Up Inspection	0/0
MC DONALD'S	Restaurant	3907 RIVER ROAD	YAKIMA	2/13/2010	Routine Inspection	0/0
				2/25/2010	Routine Inspection	0/0
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	2/23/2010	Surveillance Inspection	Inspection to see if they have Queseria Bendita cheese. They did have cheese, but has since been removed. They were notified by the vendor about it's recall.
MR. PIZZA	Restaurant	2019 FRUITVALE BLVD.	YAKIMA	2/4/2010	Pre-Opening Inspection	Approved to open.
OUTBACK ESPRESSO	Espresso/Catering	8803 AHTANUM RD.	YAKIMA	2/25/2010	Routine Inspection	20/20 PIC was not certified, missing FWC, unlabeled chemical
OUTBACK STEAKHOUSE	Restaurant/Catering	2412 RUDKIN RD.	UNION GAP	2/24/2010	Routine Inspection	30/35 Missing FWCs, hands not washed as required, unlabeled chemical
OXFORD INN	Continental Brkfst	1603 TERRACE HTS DR.	YAKIMA	2/19/2010	Routine Inspection	0/0
PANADERIA BAMBY	Bakery	107 W. 3RD	WAPATO	2/22/2010	Surveillance Inspection	Inspection to see if they have Queseria Bendita cheese. They did not have the cheese nor do they sell this brand of cheese.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PANADERIA YARITHZI	Bakery	116 S. WAPATO AVE.	WAPATO	2/22/2010	Surveillance Inspection	Inspection to see if they have Queseria Bendita cheese. They did not have the cheese nor do they sell this brand of cheese.
PANADERIA YARITHZI 2	Bakery	4130 HARRAH RD	HARRAH	2/10/2010	Routine Inspection	5/5 No metal stem thermometer
PHO TAN	Restaurant	420 S. 72ND AVE. # 160	YAKIMA	2/4/2010	Routine Inspection	40/40 RTS of PHF, ice scoop handle contacting ice
				2/11/2010	Follow-Up Inspection	0/0
POWERHOUSE GRILL	Restaurant	3807 RIVER RD.	YAKIMA	2/9/2010	Routine Inspection	15/15 Hands not washed as required
RASPADOS ESTILO MORELOS	Ice Cream Parlor	1509-B TIETON DR. - YAKIMA	YAKIMA	2/23/2010	Complaint Inspection	Food worker was steadying the ice with bare hands. Food worker will put on gloves in the future when handling ready to eat foods.
ROADRUNNER GAS	Mini-mart	1820 S. 3RD AVE.	YAKIMA	2/9/2010	Routine Inspection	30/37 Missing FWCs, ice scoop handle contacted ice, improperly stocked hand wash sink
				2/24/2010	Follow-Up Inspection	5/5 Missing FWCs
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	2/24/2010	Routine Inspection	0/0 Check food worker cards with IDs during next inspection
ROY'S MARKET	Mini-mart	201 S 6TH ST.	YAKIMA	2/10/2010	Routine Inspection	0/5



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SALON NAVARRO	Commissary	548 S 6TH ST.	SUNNYSIDE	2/18/2010	Routine Inspection	No one using it right now. It will be used from June through October by Tacos Isabel and El Porvenir.
SAN JUAN RESTAURANT	Restaurant	415 WAPATO AV S	WAPATO	2/26/2010	Routine Inspection	45/48 missing FWCs, inadequate handwashing sinks, room temperature storage of PHF, no metal stem thermometer for temperature monitoring, improper thawing of PHF
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	2/11/2010	Follow-Up Inspection	0/0
SEATTLE'S BEST COFFEE	Restaurant	1700 E WASHINGTON AVE.	UNION GAP	2/12/2010	Routine Inspection	15/15 Missing FWCs, one soap dispenser in men's restroom does not have pump handles
SELAH SANDWICH SHOP	Espresso Stand/Deli	105 W NACHES AVE.	SELAH	2/17/2010	Routine Inspection	0/0
SILVER DOLLAR INN	Tavern	324 B ST.	MABTON	2/12/2010	Follow-Up Inspection	0/0
STARBUCKS COFFEE #3370	Espresso Stand	420 S 72ND AVE	YAKIMA	2/25/2010	Routine Inspection	0/0
STARBUCKS COFFEE COMPANY	Espresso Stand	5621 SUMMITVIEW AVE.	YAKIMA	2/8/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STOP N' GO DRIVE IN	Restaurant	2820 FRUITVALE BLVD.	YAKIMA	2/3/2010	Routine Inspection	55/65 Missing FWC, hands not washed as required, hot water from separate faucets in restroom for employees is too hot, fry sauce and tartar sauce stored at room temperature
				2/19/2010	Follow-Up Inspection	10/10 Need mixing faucet for restroom hand wash sink
STUART ANDERSON'S BLACK ANGUS RESTAURANT	Restaurant	501 N FRONT ST.	YAKIMA	2/5/2010	Routine Inspection	45/45 Missing FWCs, hands not washed as required, improperly hot holding prime rib
				2/26/2010	Follow-Up Inspection	0/0
SUB SHOP OF YAKIMA	Restaurant	6 N. FAIR AVE. SP# 109	YAKIMA	2/10/2010	Routine Inspection	20/20 - Several workers need food worker cards, no soap at handwash sink in food prep area, and digital thermometer is not working.
SUMMITVIEW STATION	Mini-mart	4802 SUMMITVIEW AVE.	YAKIMA	2/16/2010	Routine Inspection	25/30 Missing FWC, no paper towels at hand wash sink, unlabeled bleach water spray
SUNSATION ESPRESSO	Espresso Stand	4801 W. NOB HILL BLVD.	YAKIMA	2/19/2010	Routine Inspection	15/20 Expired FWC's, improper cold holding of PHF's, improper concentration of sanitizer solution.
SUSIE'S SALOON	Tavern	1023 N 1ST ST.	YAKIMA	2/5/2010	Follow-Up Inspection	5/8 Missing FWC
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	2/12/2010	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO BELL # 9461	Restaurant	2124 S. 1ST STREET	YAKIMA	2/3/2010	Routine Inspection	0/0
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	2/8/2010	Compliance Inspection	0/0
THE COFFEE SHOPPE	Espresso Stand	3311 W. NOB HILL BLVD.	YAKIMA	2/26/2010	Routine Inspection	0/0 No problems.
THE DAILY BUZZ	Espresso Stand	610 S 6TH ST.	SUNNYSIDE	2/4/2010	Routine Inspection	15/17 Ice scoop handle and bucket contacting ice inside the ice machine
THE DEPOT RESTAURANT & LOUNGE	Restaurant/Catering	32 N. FRONT ST. # 103	YAKIMA	2/24/2010	Routine Inspection	30/35 Missing FWCs, BHC of RTE food, unlabeled chemicals
				2/24/2010	Complaint Inspection	Inspector observed hot water at all sinks in the restaurant.
THE ICE RINK	Snack Bar	1700 E. BEECH	YAKIMA	2/6/2010	Routine Inspection	15/20 No paper towels at men's restroom, metal stem thermometer was not operating
THE ORCHARD INN	Bed & Breakfast	1207 PECKS CANYON RD	YAKIMA	2/26/2010	Routine Inspection	0/0
TIENDA LA TAPATIA	Grocery Store	802 W. 1ST AVE.	TOPPENISH	2/23/2010	Surveillance Inspection	Inspection to see if they have Queseria Bendita cheese. They did have cheese, but has since been removed. They were notified by the vendor about it's recall.
TOPPENISH COMMUNITY KITCHEN	Deli	201 E. TOPPENISH AVE.	TOPPENISH	2/6/2010	Routine Inspection	15/15 Missing FWC, restroom did not have soap or paper towels

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TRIUMPH TREATMENT SERVICES	Catering	3300 ROOSEVELT AVE.	YAKIMA	2/19/2010	Catering Routine Inspectio	0/0
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	2/10/2010	Routine Inspection	0/5
URM CASH & CARRY	Grocery Store	14 S. 5TH AVENUE	YAKIMA	2/17/2010	Routine Inspection	0/0
V.F.W. (WILLIAM WHARTON POST 379)	Restaurant	118 S 5TH AVE.	YAKIMA	2/12/2010	Routine Inspection	5/5 Need consumer advisory on menu
VALLEY BUFFET	Restaurant	507 1ST AVE.	ZILLAH	2/4/2010	Follow-Up Inspection	5/5 Missing FWCs
WAPATO MARKET PLACE	Grocery Store	109 1ST ST W	WAPATO	2/2/2010	Routine Inspection	0/5
WILEY CITY MARKET	Mini-mart	2929 S. WILEY RD.	YAKIMA	2/3/2010	Routine Inspection	0/0
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	2/8/2010	Follow-Up Inspection	0/0 no repeated issues
YAKIMA COOPERATIVE ASSOCIATION	Mini-mart	2202 S 1ST ST	YAKIMA	2/3/2010	Follow-Up Inspection	5/5 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA COUNTY DEPARTMENT OF FOOD SERVICES	Jail	1711 ENGLEWOOD AVE.	YAKIMA	2/25/2010	Routine Inspection	0/0
ZAGELOW BEEFALO RANCH	Mobile		WAPATO	2/4/2010	Routine Inspection	0/0