

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	5/11/2010	Compliance Inspection	15/15 Missing FWC, improper chemical storage
7-ELEVEN #2362-19305A	Mini-mart	120 N. 1ST STREET	SELAH	5/24/2010	Routine Inspection	10/10 - No hot water in facility. Not allowed to prepare food until hot water is available.
A & A MINI MART & SMOKE SHOP	Mini-mart	708 N. 5TH AVE.	YAKIMA	5/24/2010	Routine Inspection	5/13 - Both workers need FWC and fryer hood needs to be cleaned.
A C DAVIS HIGH SCHOOL	School	212 S. 6TH AVE	YAKIMA	5/13/2010	Routine Inspection	0/0
ABARROTOS LA COSTENITA	Grocery Store	1401 WINE COUNTRY ROAD	GRANDVIEW	5/26/2010	Routine Inspection	15/30 FWC's missing, no hot water at hand wash sink, no labels on cheese, no sanitizer.
ADAMS ELEMENTARY SCHOOL	School	1101 S. CAMAS AVE	WAPATO	5/27/2010	Routine Inspection	0/10 dishwasher not sanitizing properly, hand wash sink with plumbing/maintenance issues

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	5/13/2010	Routine Inspection	0/0
B.J.'S GET & GO	Mini-mart	3101 MAIN STREET	UNION GAP	5/21/2010	Routine Inspection	15/30 Improperly stocked hand wash sink, no metal stem thermometer available
BASKIN-ROBBINS	Ice Cream Parlor	816 SUMMITVIEW AVE.	YAKIMA	5/25/2010	Routine Inspection	0/0
BREWER'S MINI-MART II	Mini-mart	3922 FRUITVALE BLVD.	YAKIMA	5/28/2010	Routine Inspection	15/30 Missing FWCs, unlabeled chemicals
BUSTAMANTE'S PALETERIA & CREAMERY	Ice Cream Parlor	9-A S. TOPPENISH AVENUE	TOPPENISH	5/3/2010	Routine Inspection	0/0 No problems observed.
CAMAS ELEMENTARY SCHOOL	School	910 S. CAMAS	WAPATO	5/27/2010	Routine Inspection	0/0
CARNICERIA COALCOMAN	Meat Market	229 DIVISION ST.	GRANDVIEW	5/12/2010	Routine Inspection	0/0 No problems.
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	5/28/2010	Routine Inspection	0/0
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	5/26/2010	Follow-Up Inspection	20/25 Missing FWCs, hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	5/13/2010	Routine Inspection	0/0
CRUISIN' BILL'S CONVENIENCE CENTER	Mini-mart	702 W YAKIMA AVE.	YAKIMA	5/21/2010	Routine Inspection	10/15 Blocked hand wash sink
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	5/10/2010	Routine Inspection	0/0
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	5/8/2010	Routine Inspection	25/25 BHC was observed, handwash sink missing soap.
EL CONQUISTADOR MEXICAN RESTAURANT	Restaurant/Catering	612 E. EDISON AVE.	SUNNYSIDE	5/19/2010	Routine Inspection	40/45 Raw meats next to RTE foods, improper cooling of PHF's, inaccurate thermometer. ~Follow up needed.
EL GORDO	Mobile		WAPATO	5/14/2010	Pre-Opening Inspection	Establishment may open - keep a close eye on refrigeration unit during next routine inspections.
ELECTRIC BEACH TANNING & ESPRESSO	Espresso Stand	318 7TH ST S	SUNNYSIDE	5/12/2010	Routine Inspection	5/10 Missing FWCs
ESTUDILLO'S FOOD STORES	Grocery Store	2601 SHELLER RD	SUNNYSIDE	5/20/2010	Routine Inspection	10/10 No paper towels in restroom or the back handwash sink.
FRANKLIN MIDDLE SCHOOL	School	410 S. 19TH AVE	YAKIMA	5/13/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GARFIELD ELEMENTARY SCHOOL	School	505 MADISON AV	TOPPENISH	5/19/2010	Routine Inspection	0/0
GEORGE'S STEAKHOUSE	Restaurant/Catering	1101 S 3RD AVE.	YAKIMA	5/9/2010	Catering Routine Inspection	40/45 PIC did not know Food Safety Rules, missing FWC, hands were not washed as required, improperly stocked hand wash station, no metal stem thermometer available
GILBERT ELEMENTARY SCHOOL	School	4400 DOUGLAS DRIVE	YAKIMA	5/10/2010	Routine Inspection	0/0
GUERRA'S DELI & CAFE	Deli	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	5/12/2010	Routine Inspection	10/10 No hot water, limited to sell only prepackaged foods
				5/13/2010	Follow-Up Inspection	10/10 Improper chemical storage
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	5/19/2010	Routine Inspection	0/0
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAH	5/12/2010	Routine Inspection	0/0
IMPERIAL FOOD MARKET	Mini-mart	604 S. 3RD ST.	YAKIMA	5/28/2010	Routine Inspection	50/63 PIC did not answer correctly, missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer available.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	5/26/2010	Routine Inspection	0/0
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	5/6/2010	Follow-Up Inspection	0/0
KIWANIS PARK CONCESSIONS	Snack Bar - Seasonal	E MAPLE ST & FAIR AVE.	YAKIMA	5/28/2010	Routine Inspection	0/0
LA MORENITA CD'S	Mini-mart	315 W. MARTIN LUTHER KING JR. BLVD.	YAKIMA	5/7/2010	Routine Inspection	They now have a 3-compartment sink, hand wash and food prep. All their dishes fit in the 3-compartment sinks. Ok to start cutting fruit.
LA SUPER BAKERY (GRANDVIEW)	Bakery	210 W. 2ND STREET	GRANDVIEW	5/26/2010	Routine Inspection	15/25 BHC w/RTE foods, no sanitizer, mold on walls.
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	5/20/2010	Routine Inspection	25/25 Improper re-heating of PHF's.
LE' CUP	Espresso Stand	5 N. FRONT ST. SUITE # 102	YAKIMA	5/21/2010	Routine Inspection	0/0 Owner is preparing sandwiches and breakfast
LITTLE STORE ON NACHES HEIGHTS	Mini-mart	5521 NACHES HTS RD	YAKIMA	5/3/2010	Routine Inspection	5/10 Improper chemical storage
LUTONG PINOY (FILIPINO FOOD)	Restaurant/Cateri ng	117 S. WAPATO AVE.	WAPATO	5/9/2010	Catering Routine Inspectio	10/10 Missing FWC, no metal stem thermometer available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LYTLE SEAFOODS	Mobile	YAKIMA COUNTY MOBILE - K-MART	YAKIMA	5/22/2010	Routine Inspection	0/0
M & J TAVERN	Tavern	110 W. WINE COUNTRY RD.	GRANDVIEW	5/26/2010	Routine Inspection	0/0
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	5/27/2010	Routine Inspection	15/20 Missing FWCs, improperly stocked hand wash sinks
MARISCOS "EL NAYARIT"	Restaurant	132 S. 2ND STREET	YAKIMA	5/11/2010	Catering Routine Inspection	30/32 Hands not washed as required, no hot water available - they were closed until they obtained hot water, no metal stem thermometer was available
MC ILRATH FAMILY FARMS	Fruit Stand	10 OLD NACHES HIGHWAY	YAKIMA	5/28/2010	Pre-Opening Inspection	approved to open.
MEADOWBROOK FAMILY FUN CENTER	Snack Bar	7200 W. NOB HILL BLVD	YAKIMA	5/12/2010	Routine Inspection	0/0
MELISSA'S CATERING	Mobile		TOPPENISH	5/8/2010	Routine Inspection	5/10 No metal stem thermometer available
MIZ DEE'S B.B.Q. WORKS & CATERING	Restaurant/Cateri ng	523 W. YAKIMA AVE.	YAKIMA	5/9/2010	Routine Inspection	5/5 No metal stem thermometer available
MOLCAJETES FAMILY MEXICAN RESTAURANT	Restaurant	201 DIVISION STREET	GRANDVIEW	5/12/2010	Routine Inspection	10/10 Handwash sink did not have paper towels.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	5/20/2010	Routine Inspection	0/0
PANADERIA SANTOS	Bakery	810 WISCONSIN AVE	TIETON	5/12/2010	Routine Inspection	0/0 improper cold holding of phf
PANADERIA YARITZI DE MOXEE	Bakery	108 E. MOXEE AVE. # 1	MOXEE	5/13/2010	Pre-Opening Inspection	establishment still meets standards
PASTA EXPRESS/ELAINES' CATERING	Restaurant/Cateri ng	1304 N. 1ST STREET	YAKIMA	5/8/2010	Catering Routine Inspectio	0/0
PIK - A - POP # 16	Mini-mart	202 S. 5TH AVE.	YAKIMA	5/28/2010	Routine Inspection	40/53 Hands not washed as required, improperly hot holding PHF
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	5/28/2010	Routine Inspection	0/0
PLAZA THEATRE	Snack Bar	202 E. CHESTNUT	YAKIMA	5/21/2010	Routine Inspection	0/0
RAINIER MARKET	Mini-mart	1003 W NOB HILL BLVD	YAKIMA	5/25/2010	Routine Inspection	20/20 - Both workers need FWC, no soap or paper towels at handwash sink, and no thermometer available to check temperatures.
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	5/13/2010	Follow-Up Inspection	5/10 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RASPADOS DONA CHELITO	Espresso/Catering	511 N. 1ST STR. # 2	YAKIMA	5/11/2010	Routine Inspection	0/5 They are no longer using YakiMex for commissary. They need to install a 3 compartment sink and also have a hand wash sink.
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	5/20/2010	Routine Inspection	10/22 Soap missing at handwash sink, potential food contamination during storage, food prep sink being used to wash dishes.
RICOS TACOS AYLIN	Mobile	111 N. 6th Street in Sunnyside	SUNNYSIDE	5/9/2010	Routine Inspection	95/100 Hands not washed as required, BHC of RTE food, improperly cooling PHF, RTS of PHF, improperly cold holding PHF
				5/19/2010	Follow-Up Inspection	25/25 Reuse of disposable gloves, hand washing sink full with utensils.
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	5/26/2010	Routine Inspection	0/0
ROBERT'S MARKET	Mini-mart	602 MAPLE STREET	TIETON	5/3/2010	Routine Inspection	0/0
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	5/10/2010	Routine Inspection	0/0
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	5/26/2010	Routine Inspection	0/0



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAGE RESTAURANT & WINE BAR	Restaurant/Catering	4000 W. CREEKSIDE LOOP	YAKIMA	5/11/2010	Follow-Up Inspection	5/5 Missing FWCs
				5/28/2010	Compliance Inspection	5/5 Missing FWCs
SCRC & RCRC	School	1106 HATHAWAY A & B	YAKIMA	5/27/2010	Routine Inspection	15/15 - Only 3 of 8 workers have FWC and no paper towels at handwash sink in the kitchen.
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	5/26/2010	Routine Inspection	5/5 - Improper hot holding temperatures.
SENIOR ROADRUNNER	Mini-mart	502 W. 1ST STREET	TOPPENISH	5/20/2010	Routine Inspection	0/0 No problems.
SHERIDAN VINEYARD	Winery	2980 GILBERT RD.	ZILLAH	5/22/2010	Routine Inspection	0/0
SPORTS CENTER LOUNGE	Tavern	108 DIVISION ST.	GRANDVIEW	5/26/2010	Routine Inspection	5/5 Missing FWC
STOKES BURGER RANCH	Restaurant	706 YAKIMA VALLEY HWY.	SUNNYSIDE	5/12/2010	Follow-Up Inspection	15/15 Using cup to scoop ice
SUBWAY # 13437	Restaurant	103 1ST ST N	SELAH	5/20/2010	Routine Inspection	0/0
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	5/12/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	5/12/2010	Routine Inspection	40/40 Improperly hot holding PHF, improperly stocked hand wash sink, missing FWC
				5/26/2010	Follow-Up Inspection	5/5 Missing FWC
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	5/19/2010	Routine Inspection	0/0
TACOS LULU	Mobile		SUNNYSIDE	5/13/2010	Follow-Up Inspection	25/25 Queso fresco without a label, food in refrigerator at 46 degrees.
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	5/12/2010	Compliance Inspection	35/40 Cooked meat at 80 degrees out of refrigerator, raw meat in refrigerator at 52 degrees.
TACOS MARIN	Mobile	#11 E. TOPPENISH AVE. - TOPPENISH	TOPPENISH	5/5/2010	Routine Inspection	30/30 Cooked rice at 80 degrees out of refrigerator (cooling out of refrigerator).
TACOS MICHOACAN	Mobile	Monson Fruit 252 N. Rushmore Road	SELAH	5/9/2010	Routine Inspection	15/15 Missing FWCs, improperly cold holding PHF
TACOS SAHMICH	Restaurant	512 W. 1ST STREET	TOPPENISH	5/5/2010	Follow-Up Inspection	35/45 Needs FWC and permit (Expired), raw meat in refrigerator at 43 degrees, cooked rice at 90 degrees. Needs a reinspection.
				5/5/2010	Follow-Up Inspection	35/45 FWC and license expired, cooked rice at 90 degrees, raw meat in refrigerator at 52 degrees.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA LA PALMA	Mobile	503 E. NOB HILL BLVD. - YAKIMA	YAKIMA	5/13/2010	Routine Inspection	20/20 PIC do not know temperature to keep cold food, no FWC on site, bottle of soft drink in the handwashing sink.
TAQUERIA MEXICANA	Restaurant	105 1/2 S ALDER ST	TOPPENISH	5/3/2010	Routine Inspection	5/5 Inaccurate thermometer.
TERRACE HEIGHTS ELEMENTARY	School	4209 TERRACE HEIGHTS DRIVE	MOXEE	5/24/2010	Routine Inspection	10/10 - No soap in soap dispenser at hand wash sink in the kitchen.
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	5/9/2010	Catering Routine Inspection	5/5 Missing FWCs
THE COFFEE SHACK	Espresso Stand	7111 POSTMARD	MOXEE	5/27/2010	Compliance Inspection	0/0
THE DINOSTORE	Snack Bar - Seasonal	505 MAIN STREET	GRANGER	5/9/2010	Routine Inspection	0/5
THE DOGHOUSE	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	5/28/2010	Routine Inspection	20/30 Missing FWCs, ice scoop handle for ice machine contacting ice
THE ELMS BED & BREAKFAST	Bed & Breakfast	1000 E. BLAINE AVE.	SUNNYSIDE	5/13/2010	Routine Inspection	0/0
THE MARKET PLACE DELI	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	5/3/2010	Routine Inspection	5/10 Inaccurate metal stem thermometer
				5/8/2010	Catering Routine Inspection	10/10 Improperly stocked hand wash station

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE RANCH TAVERN	Tavern	515 FRUITVALE BLVD.	YAKIMA	5/3/2010	Routine Inspection	15/23 Inaccurate metal stem thermometer, unlabeled chemicals
				5/3/2010	Routine Inspection	15/23 Inaccurate metal stem thermometer, unlabeled chemicals
TIENDA LA TAPATIA	Grocery Store	802 W. 1ST AVE.	TOPPENISH	5/20/2010	Routine Inspection	12/5 Shell tags not being properly labeled.
VALLEY VIEW ELEMENTARY	School	515 ZILLAH AVE	TOPPENISH	5/19/2010	Routine Inspection	0/0
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	5/26/2010	Routine Inspection	15/25 Missing FWCs, improperly stocked hand wash sink
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	5/27/2010	Routine Inspection	0/0
WAPATO MIDDLE SCHOOL	School	505 DOVE LANE	WAPATO	5/27/2010	Routine Inspection	0/5 dishwasher issues
WEST VALLEY HIGH SCHOOL	School	9800 ZIER RD.	YAKIMA	5/20/2010	Routine Inspection	25/25 - Improper hot holding temperatures.
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	5/26/2010	Routine Inspection	0/3 kitchen has an ant problem
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	5/12/2010	Routine Inspection	10/10 - Hot water not available at handwash sink.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	5/13/2010	Routine Inspection	0/0
Y.V.C.C. DINING SERVICES (HUB)	Restaurant	1015 S. 16TH AVENUE	YAKIMA	5/26/2010	Routine Inspection	0/13
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	5/12/2010	Routine Inspection	5/5 inaccurate thermometer
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	5/12/2010	Routine Inspection	0/0
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	5/12/2010	Routine Inspection	5/5 inaccurate thermometer