

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
1885 BAR & GRILL @ VAN'S	Restaurant/Catering	208 NACHES AVENUE	NACHES	8/27/2010	Catering Routine Inspection	15/15 Missing FWC, no hot water available for hand washing
				8/27/2010	Catering Follow-Up Inspection	10/10 No soap at the hand wash station
3 RIVERS LAND & SEA FOOD CO.	Mobile	1917 RD. 34 PASCO, WA		8/18/2010	Routine Inspection	No problems
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE	8/5/2010	Follow-Up Inspection	10/10 No hot water at kitchen and at the restroom hand wash sinks
				8/13/2010	Compliance Inspection	0/0
ALL 4 U ESPRESSO & DELI	Espresso Stand/Deli	913 NOB HILL W	YAKIMA	8/18/2010	Pre-Opening Inspection	Ok'd to open on a limited basis - no foods requiring a food prep sink may be prepared or served until there is a divide between HWS and food prep sink and food prep sink is indirectly drained.
APPLE TREE RESTAURANT	Restaurant/Lounge	8804 OCCIDENTAL	YAKIMA	8/11/2010	Routine Inspection	65/75 Missing FWCs, hands not washed as required, RTS of PHF, improperly cold holding PHF, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	8/26/2010	Routine Inspection	0/5
BEST WESTERN AHTANUM INN	Continental Brkfst	2408 RUDKIN RD.	UNION GAP	8/31/2010	Routine Inspection	0/3
BILL'S FAMILY RESTAURANT	Restaurant	704 W 1ST ST.	WAPATO	8/10/2010	Opening Inspection	Approved to open.
BODEGA YAKIMEX	Grocery Store	511 N 1ST ST.	YAKIMA	8/3/2010	Compliance Inspection	5/5 Missing FWC
CARNICERIA LA MICHOACANA	Meat Market	818 WISCONSIN AVE.	TIETON	8/12/2010	Routine Inspection	40/40 Blocked hand washing facilities, improper storage of raw meats, room temperature storage of raw meats (hanging meat strips and sausages) - Regarding recent complaint: The owner stated that she did have a dog but did not allow it in the food market. The owner does understand this is not allowed. A follow-up inspection is scheduled.
CARNITAS SUPREME	Restaurant	5 N. "A" STREET	TOPPENISH	8/7/2010	Routine Inspection	45/50 missing food worker cards, improper methods to prevent bare-hand contact with ready to eat food, improper hot holding of potentially hazardous food, missing sanitizer (low risk item) - follow-up inspection will be waived with the submittal of an approved "time-as-a-control" procedure.
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	8/12/2010	Routine Inspection	20/23 Missing FWCs, improperly stocked hand wash sinks, inaccurate metal stem thermometer
COUNTRY ROCK CAFE	Restaurant	216 NACHES AVE.	NACHES	8/12/2010	Routine Inspection	5/5 - FWC needed

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	8/11/2010	Routine Inspection	85/96 Missing FWC, hands not washed as required, hand wash sink not available for washing hands, improperly cooling PHF, RTS of PHF,
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	8/28/2010	Catering Routine Inspection	5/5 Missing FWC
EL PORVENIR	Bakery	209 S. TOPPENISH AVE.	TOPPENISH	8/16/2010	Routine Inspection	10/13 inadequate hand washing facilities and cleanliness of facility
ESPRESSO ETC.	Espresso Stand	2600 W NOB HILL	YAKIMA	8/20/2010	Routine Inspection	5/13 improper cold holding of PHF, inaccurate temp gauge in refrigeration unit, poor general cleanliness
FIRING CENTER SUBWAY # 48238	Restaurant	51 FIRING CENTER RD.	YAKIMA	8/11/2010	Routine Inspection	10/26 Improperly stocked hand wash sink
FRATERNAL ORDER OF EAGLES #289	Restaurant/Lounge	307 W. CHESTNUT	YAKIMA	8/13/2010	Routine Inspection	40/40 BHC with RTE food, improperly stocked hand wash sink, spoiled milk at bar, metal stem thermometer was not being used
FUEGO LOUNGE	Restaurant	1600 YAKIMA VALLEY HWY	SUNNYSIDE	8/4/2010	Pre-Opening Inspection	Several items need to be done before opening.
				8/6/2010	Opening Inspection	Approved to open.
GASPERETTI'S	Restaurant/Catering	1013 N 1ST ST.	YAKIMA	8/11/2010	Routine Inspection	5/5 - Not keeping shellfish tags for 90 days.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GEARJAMMER TRUCK STOP	Restaurant	2310 RUDKIN RD.	UNION GAP	8/12/2010	Routine Inspection	85/100 Hands not washed as required, BHC with RTE food, improperly cooling PHF, RTS of PHF
				8/27/2010	Follow-Up Inspection	0/0
GEORGE'S STEAKHOUSE	Restaurant/Catering	1101 S 3RD AVE.	YAKIMA	8/28/2010	Routine Inspection	65/68 Improperly cooling PHF, improperly hot holding prime rib, improperly cold holding eggs
GREATER YAKIMA GIRLS SOFTBALL ASSOCIATION	Snack Bar - Seasonal	CARLON PK - GOODLANDER RD.	SELAH	8/5/2010	Routine Inspection	0/0
HIWAY FRUIT	Fruit Stand	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/25/2010	Routine Inspection	0/0
HORIZON'S EDGE WINERY	Winery	4530 E. ZILLAH DR.	ZILLAH	8/13/2010	Routine Inspection	15/15 Missing FWC, no paper towels at restroom hand wash sink
				8/31/2010	Follow-Up Inspection	5/5 Missing FWC
JACK IN THE BOX # 8362	Restaurant	100 W. SOUTH HILL RD.	SUNNYSIDE	8/27/2010	Routine Inspection	5//5 - Several FWC needed.
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	8/12/2010	Follow-Up Inspection	15/20 Improperly stocked hand wash sinks, inaccurate metal stem thermometer
KINGS ROW	Restaurant	210 S. 1ST STREET	SELAH	8/24/2010	Routine Inspection	20/20 - Several FWC needed and handling raw hamburger then RTE food without changing gloves and washing hands.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	8/6/2010	Routine Inspection	40/51 Missing FWCs, hands not washed as required, BHC with RTE food, inaccurate metal stem thermometer
				8/26/2010	Follow-Up Inspection	5/5 Missing FWC
LITTLE CAESARS	Restaurant	2301 W. NOB HILL BLVD.	YAKIMA	8/6/2010	Follow-Up Inspection	0/0
LOS AGAVES RESTAURANT	Restaurant	511 N. 1ST STREET # 12	YAKIMA	8/31/2010	Routine Inspection	10/25 Toxic substance stored next to foods, improper storage of foods.
MATTERHORN MEATS	Meat Market	1313 N 16TH AVE	YAKIMA	8/9/2010	Routine Inspection	10/10 Improperly stocked hand wash sink
Mendozas Taqueria	Mobile		YAKIMA	8/9/2010	Routine Inspection	0/0
MINUTE MART & SMOKE SHOP	Mini-mart	301 S. 13TH STREET	SUNNYSIDE	8/6/2010	Routine Inspection	15/20 - No handwash soap in the restroom and no MST.
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	8/27/2010	Routine Inspection	55/81 Missing FWCs, BHC with RTE food, improperly stocked kitchen hand wash sink, fried rice stored at room temperature
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	8/2/2010	Follow-Up Inspection	30/33 Missing FWC, hands not washed as required, improperly cold holding PHF
				8/23/2010	Compliance Inspection	10/10 Unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH TOWN COFFEEHOUSE	Espresso Stand	28 N 1ST. ST.	YAKIMA	8/31/2010	Routine Inspection	0/10
OLIVE GARDEN ITALIAN RESTAURANT #1352	Restaurant/Catering	222 E YAKIMA AVE.	YAKIMA	8/2/2010	Routine Inspection	25/25 Hands not washed as required, improperly cold holding PHF
OZEKI RESTAURANT	Restaurant	1527 SUMMITVIEW AVE.	YAKIMA	8/11/2010	Routine Inspection	35/35 - Improper hot holding temperatures and unlabeled chemical bottles.
PANADERIA LA MORENITA	Bakery	117 E WALNUT	YAKIMA	8/31/2010	Routine Inspection	5/10 Missing one FWC, inaccurate thermometer in milk refrigerator.
PAPA MURPHY'S PIZZA	Restaurant	4900 TIETON DRIVE	YAKIMA	8/6/2010	Follow-Up Inspection	0/0
PHO TAN	Restaurant	420 S. 72ND AVE. # 160	YAKIMA	8/23/2010	Routine Inspection	15/35 Missing FWC, improper chemical storage
PIONEER KITCHEN	Restaurant/Catering	227 S TOPPENISH AVE.	TOPPENISH	8/3/2010	Compliance Inspection	0/0
QUIZNO'S SUB # 9469	Restaurant	1809 S. 1ST ST.	YAKIMA	8/4/2010	Routine Inspection	15/23 Missing FWCs, improper chemical storage
RIVER RIDGE GOLF COURSE	Restaurant/Lounge	295 GOLF COURSE LOOP	SELAH	8/5/2010	Routine Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROADRUNNER	Mini-mart	1408 N. 1ST STREET	YAKIMA	8/6/2010	Routine Inspection	0/5
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	8/11/2010	Routine Inspection	20/20 - Expired FWC and no hot water in restroom.
ROSEDELL BED & BREAKFAST	Bed & Breakfast	1811 W. YAKIMA AVE.	YAKIMA	8/10/2010	Routine Inspection	20/20 Improperly stocked hand wash sink, improperly cold holding PHF
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	8/25/2010	Routine Inspection	60/70 Missing FWCs, hands not washed as required, raw meats stored above RTE food, improperly cooling noodles, inaccurate metal stem thermometers
				8/25/2010	Complaint Inspection	Carpet will be replaced and servers know that when an utensil is dropped on the floor it needs to be washed, according to Eddie.
SAID'S MARKET & DELI	Mini-mart	315 N 8TH ST.	YAKIMA	8/24/2010	Routine Inspection	15/18 Missing FWC, improperly stocked hand wash sink
				8/24/2010	Complaint Inspection	The food trays in the hot holding case are cleaned every two days. There were no cockroaches seen in the store.
SBARRO PIZZERIA	Restaurant	2529 MAIN ST. SUITE# 266	UNION GAP	8/25/2010	Routine Inspection	15/23 Missing FWC, improperly stocked hand wash sinks
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	8/9/2010	Routine Inspection	30/48 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
				8/26/2010	Follow-Up Inspection	Missing FWC, unlabeled chemicals, no paper towels at bar hand wash sink, undercounter refrigerators are cold holding above 41 F

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH SAVE-ON-FOODS	Grocery Store	800 NORTH PARK CENTRE	SELAH	8/3/2010	Routine Inspection	15/15 - Some workers need FWC and no water at handwash sink in the bakery.
SEVERINO CELLARS	Winery	1717 1ST AVE.	ZILLAH	8/31/2010	Routine Inspection	0/0
SNIPES MOUNTAIN BREWING, INC.	Restaurant	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/5/2010	Routine Inspection	30/35 Missing FWC, hands not washed as required, improperly cold holding PHF
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	8/3/2010	Follow-Up Inspection	10/12 Improperly cold holding PHF with ice
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	8/5/2010	Routine Inspection	55/55 Missing FWC, improperly stocked hand wash sink, spoiled milk in refrigerator, improperly hot holding PHF, inaccurate metal stem thermometer
				8/13/2010	Follow-Up Inspection	10/13 Blocked kitchen hand wash sink
STICKY FINGERS BAKERY & CAFE	Restaurant	217 NACHES AVE.	NACHES	8/12/2010	Routine Inspection	30/30 - Several FWC needed, pooling raw eggs, unlabeled and improperly stored chemicals, and refrigerator not working properly.
STM MARKET	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	8/25/2010	Routine Inspection	0/0
SUBWAY #10324	Restaurant	1607 W. LINCOLN	YAKIMA	8/23/2010	Routine Inspection	0/7

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	8/6/2010	Follow-Up Inspection	15/15 Hands not washed as required
				8/10/2010	Follow-Up Inspection	15/15 Hands not washed as required
SUN - TIDES RESTAURANT	Restaurant	231 PENCE RD.	YAKIMA	8/10/2010	Routine Inspection	45/53 Improperly stocked hand wash sinks, RTS of PHF, unlabeled chemical
				8/24/2010	Follow-Up Inspection	0/0
SUNNYSIDE CITY JAIL	Jail	401 HOMER ST.	SUNNYSIDE	8/25/2010	Routine Inspection	0/0
SUPERMEX OF YAKIMA/POLLO FELIZ	Restaurant/Cateri ng	316 3RD ST S	YAKIMA	8/17/2010	Pre-Opening Inspection	Allowed to open (both grocery and restaurant section)
SUSIE'S SALOON	Tavern	1023 N 1ST ST.	YAKIMA	8/19/2010	Routine Inspection	30/30 improper cooling of PHF
TAQUERIA LOS PRIMOS # 3	Restaurant/Cateri ng	1001 N. 16TH AVE.	YAKIMA	8/28/2010	Catering Routine Inspectio	5/10 No metal stem thermometer available
TERIYAKI GRILLE OF SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	8/3/2010	Routine Inspection	0/0
THE COFFEE SHACK 2	Espresso Stand	915 N 4TH ST.	GRANDVIEW	8/5/2010	Routine Inspection	5/7 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE NINETEENTH HOLE CAFE	Snack Bar	1107 S. 18TH STREET - YAKIMA	YAKIMA	8/23/2010	Routine Inspection	5/5 Metal stem thermometer is inaccurate
TULLEY'S COFFEE @ VALLEY MALL	Espresso Stand	2529 MAIN STR. # 118	UNION GAP	8/9/2010	Routine Inspection	15/33 Missing FWCs, unlabeled chemical
VALLEY VIEW MARKET	Mini-mart	107 W. LINCOLN	SUNNYSIDE	8/25/2010	Routine Inspection	20/20 - Personal items stored in ice machine and metal stem thermometer not accurate.
VILLASENOR'S	Restaurant	601 FRUITVALE BLVD.	YAKIMA	8/10/2010	Routine Inspection	0/15
WINEGLASS CELLARS	Winery	260 N BONAIR	ZILLAH	8/12/2010	Routine Inspection	0/0
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	8/2/2010	Routine Inspection	10/10 - Some missing FWC and no metal stem thermometer available in the deli.
XPRESS MART	Mini-mart	51 FIRING CENTER RD.	YAKIMA	8/11/2010	Routine Inspection	50/60 Missing FWCs, improperly stocked hand wash sink, improper use of time as a control, unlabeled chemical