

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN STORE #2362-25128D	Mini-mart	611 W. 1ST	TOPPENISH	9/9/2010	Routine Inspection	0/5 Missing or expired FWC's.
AHTANUM FOOD MART	Mini-mart	8407 AHTANUM RD.	YAKIMA	9/16/2010	Routine Inspection	0/0
AMERISTAR # 15	Mini-mart	723 E. 1ST AVE.	ZILLAH	9/15/2010	Routine Inspection	25/28 Missing FWCs, improperly stocked hand wash sinks, improperly hot holding PHF, inaccurate metal stem thermometer
APPLE TREE RESTAURANT	Restaurant/Lounge	8804 OCCIDENTAL	YAKIMA	9/1/2010	Follow-Up Inspection	20/25 Missing FWCs, BHC with RTE food
ARCTIC CIRCLE	Restaurant	808 N 1ST ST.	YAKIMA	9/30/2010	Routine Inspection	5/10 - FWC needed.
ASADERO 100 BAR & GRILL	Restaurant	204 E. NACHES AVE.	SELAH	9/29/2010	Routine Inspection	15/20 - Some FWC needed and no handwash soap at the bar handwash sink.
BI-MART # 626	Grocery Store	1207 N. 40TH AVE. - YAKIMA	YAKIMA	9/28/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BINGO BITES	Deli	3112 MAIN ST	UNION GAP	9/20/2010	Routine Inspection	60/73 Missing FWC, BHC with RTE food, eggs stored at room temperature, no metal stem thermometer available, incorrect label on chemical
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	9/10/2010	Routine Inspection	35/56 Missing FWC, hands not washed as required, improperly cold holding PHF, inaccurate metal stem thermometer
BONAIR WINERY	Winery	500 BONAIR RD.	ZILLAH	9/10/2010	Routine Inspection	0/3
BREWLESQUE ESPRESSO II	Espresso Stand	2425 RUDKIN RD. - UNION GAP	YAKIMA	9/15/2010	Routine Inspection	0/5 Ice scoop being stored on dirty counter.
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	9/17/2010	Routine Inspection	10/13 Missing FWC, inaccurate metal stem thermometer
BURGER RANCH OF SELAH	Restaurant	9 1ST ST S	SELAH	9/17/2010	Routine Inspection	0/0
CAMPBELL CATTLE COMPANY RANCH HOUSE & SALOON	Restaurant	8807 AHTANUM RD	YAKIMA	9/21/2010	Routine Inspection	0/5
CHERREE'S ESPRESSO	Espresso Stand	2404 S. THIRD AVE.	UNION GAP	9/17/2010	Routine Inspection	0/0
CHERRY WOOD BED & BREAKFAST	Bed & Breakfast	3271 ROZA DR. - ZILLAH	ZILLAH	9/8/2010	Routine Inspection	10/10 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CLAAR CELLARS	Winery	1001 VINTAGE VALLEY PARKWAY	ZILLAH	9/10/2010	Routine Inspection	15/15 Improperly stocked hand wash sink, missing FWC
COCINA ARIEL	Commissary	807 W. NOB HILL BLVD.	YAKIMA	9/2/2010	Routine Inspection	10/20 Handwash missing paper towels, improper storage of foods.
COFFEE AT TIFFANY'S	Espresso Stand	402 S 1ST ST.	SELAH	9/20/2010	Routine Inspection	5/10 - FWC needs to be updated.
COMFORT INN	Continental Brkfst	911 VINTAGE VALLEY PARKWAY	ZILLAH	9/8/2010	Routine Inspection	0/0
COTTAGE ESPRESSO	Espresso Stand	1101 W. NOB HILL BLVD.	YAKIMA	9/21/2010	Routine Inspection	5/13 Missing FWCs
COWNTRY CAFE'	Restaurant	428 S. "G" STREET	TOPPENISH	9/9/2010	Routine Inspection	40/56 No paper towels at HW sink, room temp storage of PHF's, Inaccurate metal stem thermometer. FOLLOW UP REQUIRED
CREATIVE HEALTH OPTIONS	Serving Site	1510 S. 36TH AVE.	YAKIMA	9/10/2010	Routine Inspection	5/5 - 2 FWC need to be updated.
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	9/14/2010	Follow-Up Inspection	0/2
EL NOA NOA	Restaurant	4671 N TRACK ROAD	WAPATO	9/22/2010	Routine Inspection	20/20 inadequate hand washing facilities (no hot water because circuit breaker couldn't handle water heater and additional appliances), improper cold holding of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL PORTON	Restaurant	905-A VINTAGE VALLEY PARKWAY	ZILLAH	9/10/2010	Routine Inspection	20/25 Hands not washed as required, inaccurate metal stem thermometer
EL TACO LOCO	Restaurant	19 W YAKIMA AVE.	YAKIMA	9/21/2010	Routine Inspection	0/0
FRATERNAL ORDER OF EAGLES		515 S. DIVISION	TOPPENISH	9/8/2010	Routine Inspection	10/21 Unlabeled chemical
GEORGE'S STEAKHOUSE	Restaurant/Catering	1101 S 3RD AVE.	YAKIMA	9/7/2010	Follow-Up Inspection	0/0
GOLDEN NUGGET	Mini-mart	1041 BUENA RD	ZILLAH	9/10/2010	Routine Inspection	5/13 Inaccurate metal stem thermometer
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 'A' ST E	YAKIMA	9/10/2010	Routine Inspection	50/53 Improperly hot holding PHF, PHF stored at room temperature
HOOP'S SPORTS BAR & GRILLE	Tavern	2103 W LINCOLN AVE.	YAKIMA	9/22/2010	Routine Inspection	45/48 Missing FWCs, improperly cooling mashed potatoes, unlabeled chemical
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	9/13/2010	Compliance Inspection	15/20 Improperly stocked hand wash sinks in restrooms, inaccurate metal stem thermometer.
JAVA JITTERS ESPRESSO HOUSE	Espresso Stand	103 W. FREMONT	SELAH	9/23/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KABOB HOUSE	Restaurant	3609 W. NOB HILL BLVD	YAKIMA	9/8/2010	Routine Inspection	50/63 missing FWC, inadequate hand washing facilities, improper hot holding of PHF, missing sanitizer, missing temp guage in refrigerator, ice scoop issue, excessive grease/garbage behind business.
				9/22/2010	Follow-Up Inspection	15/15 inadequate hand wash facility and potential contamination of food (both repeat issues - compliance required)
				9/29/2010	Compliance Inspection	All problems fixed
KENTUCKY FRIED CHICKEN	Restaurant	415 S ELM	TOPPENISH	9/9/2010	Routine Inspection	0/0 No problems
				9/20/2010	Routine Inspection	5/5 missing FWCs
KNIGHTS INN	Continental Brkfst	818 N. 1ST STREET	YAKIMA	9/20/2010	Routine Inspection	5/5 missing FWCs
				9/1/2010	Pre-Opening Inspection	
				9/15/2010	Routine Inspection	5/7 expired FWC, missing license
LA PACHANGA (MOBILE)	Mobile		TIETON	9/1/2010	Pre-Opening Inspection	
				9/15/2010	Routine Inspection	5/7 expired FWC, missing license
LA REVANCHA	Mobile - Seasonal	111 N. 6TH STREET # C	SUNNYSIDE	9/20/2010	Routine Inspection	0/0
LAS PALMAS	Restaurant	109 S. WAPATO AVE.	WAPATO	9/19/2010	Routine Inspection	No problems. Operating at Fiestas Patrias Granger park.
MANHATTAN STATION ESPRESSO	Espresso Stand	921 N. 16TH AVE. - YAKIMA	YAKIMA	9/9/2010	Routine Inspection	10/10 Improperly stocked hand wash sink
				9/29/2010	Routine Inspection	5/5 - Several FWC needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MC DONALD'S RESTAURANT	Restaurant	1601 W LINCOLN	YAKIMA	9/20/2010	Routine Inspection	10/10 no soap at men's restroom sink
MEI WING	Restaurant	2529 MAIN ST. # 258	UNION GAP	9/14/2010	Routine Inspection	65/73 Improperly cooling PHF, blocked hand wash sink, PHF stored at room temperature
				9/28/2010	Follow-Up Inspection	50/50 Improperly stocked hand wash sink, improperly cooling PHF, improperly cold holding PHF
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	9/9/2010	Routine Inspection	15/25 Dirty dishes in HW sink, missing thermometers, potential contamination of foods during storage.
MINER'S DRIVE IN	Restaurant	2415 S. 1ST STREET	UNION GAP	9/22/2010	Routine Inspection	0/11
MOCHA TREE ESPRESSO	Espresso Stand	1018 S. 11TH AVE. - YAKIMA	YAKIMA	9/13/2010	Routine Inspection	5/10 Missing FWC
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	9/14/2010	Follow-Up Inspection	15/28 Missing FWCs, unlabeled chemical
NICK'S MERCADO LATINO # 2	Meat Market	718 S. 6TH STREET	YAKIMA	9/9/2010	Routine Inspection	30/50 Expired FWC's, dirty dishes in HW sink, selling tamales that are made in someone's home, potential food contamination during storage. FOLLOW UP REQUIRED
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	9/16/2010	Routine Inspection	15/20 Missing FWCs, improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ORANGE JULIUS - VALLEY MALL	Restaurant	2515 MAIN ST	UNION GAP	9/13/2010	Routine Inspection	5/15 Missing FWC
OXFORD SUITES	Restaurant	1701 E. YAKIMA AVE.	YAKIMA	9/16/2010	Routine Inspection	15/18 Improperly stocked hand wash sinks, inaccurate metal stem thermometer
				9/23/2010	Follow-Up Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	205 S. 1ST	SELAH	9/7/2010	Routine Inspection	0/0
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	9/17/2010	Routine Inspection	10/10 - Only 1 of 3 workers have FWC and no metal stem thermometer.
PASTA EXPRESS	Restaurant	1304 N. 1ST STREET	YAKIMA	9/28/2010	Routine Inspection	15/25 Bare hand contact with ready to eat food
PATRICIA'S CHOCOLATE EMPORIUM	Espresso Stand	911 VINTAGE VALLEY PARKWAY	ZILLAH	9/10/2010	Routine Inspection	0/0
PIK -A- POP # 15	Mini-mart	1802 E NOB HILL BLVD.	YAKIMA	9/7/2010	Routine Inspection	35/43 Improperly hot holding PHF, improperly cold holding PHF
PIZZA HUT # 11	Restaurant	2002 W. NOB HILL BLVD.	YAKIMA	9/17/2010	Routine Inspection	15/18 Hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	9/9/2010	Routine Inspection	25/28 Improperly stocked hand wash sink, improperly cold holding PHF, inaccurate metal stem thermometer
				9/23/2010	Follow-Up Inspection	0/0
RESER'S FINE FOODS	Grocery Store	605 E. NOB HILL BLVD.	YAKIMA	9/16/2010	Routine Inspection	0/0
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	9/9/2010	Follow-Up Inspection	10/25 Missing FWCs, raw meat stored above RTE food
				9/16/2010	Compliance Inspection	5/5 Missing FWCs
SAFEWAY # 1593	Grocery Store	610 E. WINE COUNTRY RD.	GRANDVIEW	9/15/2010	Routine Inspection	35/48 Improperly stocked hand wash sinks, improperly hot holding PHF
				9/15/2010	Complaint Inspection	Bird droppings were accumulating near the north entrance. The droppings were cleaned. Manager expects the remedy to the bird problem to happen in October 2010.
SAID'S MARKET & DELI	Mini-mart	315 N 8TH ST.	YAKIMA	9/9/2010	Follow-Up Inspection	15/15 Missing FWC, improperly stocked hand wash sink
				9/30/2010	Compliance Inspection	0/0
SBARRO PIZZERIA	Restaurant	2529 MAIN ST. SUITE# 266	UNION GAP	9/7/2010	Follow-Up Inspection	20/25 Missing FWC, hand wash sinks in restrooms hot water timers not set properly, inaccurate metal stem thermometer
SELAH RED APPLE MARKET	Grocery Store	121 E. 3RD AVENUE	SELAH	9/28/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SENIOR NUTRITION PROGRAM - GRANGER LIONS CLUB		109 E. "A" STREET	GRANGER	9/30/2010	Routine Inspection	0/3
SHARI'S RESTAURANT - N. YAKIMA	Restaurant	1401 LAKESIDE COURT	YAKIMA	9/22/2010	Routine Inspection	30/33 - BHC with RTE and not washing hands after handling raw eggs.
STEPPE CELLARS	Winery	1991 CHAFFEE RD. - SUNNYSIDE	SUNNYSIDE	9/17/2010	Routine Inspection	0/0
SUBWAY	Restaurant	905 -B VINTAGE VALLEY PARKWAY	ZILLAH	9/8/2010	Routine Inspection	35/43 PIC answered incorrectly, missing FWCs, improperly hot holding PHF
SUBWAY # 46233	Restaurant	123 E YAKIMA AVE	YAKIMA	9/13/2010	Routine Inspection	5/5 Missing FWC
SUBWAY # 46331	Restaurant	4001 SUMMITVIEW AVE. # 12	YAKIMA	9/2/2010	Routine Inspection	0/0
SUBWAY # 6870	Restaurant	2402 S. 1ST ST. # A-100	YAKIMA	9/30/2010	Routine Inspection	55/66 Missing FWCs, hands not washed as required, improperly hot holding meatballs, improper chemical storage
SUN COUNTRY INN	Snack Bar	1700 1ST ST N	YAKIMA	9/2/2010	Routine Inspection	30/30 Missing FWCs, boiling eggs at owner's home, no receipts for eggs available, improperly cold holding boiled eggs in ice

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUN MART #25	Mini-mart	900 VINTAGE VALLEY PARKWAY	ZILLAH	9/8/2010	Routine Inspection	15/20 Missing FWC, unlabeled chemical
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	9/2/2010	Pre-Opening Inspection	Remodel inspection. Approved to operate.
SUNDANCE ESPRESSO	Espresso Stand	202 S 1ST ST.	SELAH	9/21/2010	Routine Inspection	0/0
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	9/22/2010	Routine Inspection	30/35 - Improper cooling
TAQUERIA EL ESCORPION	Mobile	6th Ave & Walnut at car wash	YAKIMA	9/19/2010	Routine Inspection	50/50 Bare hand contact with ready to eat foods, no washing of vegetables, room temperature storage of cooked beans
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	9/8/2010	Follow-Up Inspection	35/35 - FWC still needed and improper cooling.
TAQUERIA SAHUAYO #2 (SMALL TRUCK)	Mobile	BORTON'S 8:30-9:00 AM & EVANS 10:00-10:15 AM FRONTERAS DEL NORTE NOON-7:30 PM	YAKIMA	9/15/2010	Routine Inspection	0/0
TAQUITOS EL PORVENIR	Mobile	ORCHARDS.	SUNNYSIDE	9/20/2010	Routine Inspection	15/20 No hot water in mobile. Heater was turned off. Waste water tank had reached it's capacity and waste water was being contained in a bucket.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TEQUILA'S MEXICAN RESTAURANT	Restaurant	1 W. YAKIMA AVE. # 34	YAKIMA	9/20/2010	Routine Inspection	15/15 Missing FWC, no hot water at employees' restroom
THE DELI AT PERRY TECH	Espresso Stand/Deli	2011 W. WASHINGTON AVE.	YAKIMA	9/28/2010	Routine Inspection	20/20 FWCs not available, hands not washed as required
THE LUNCH BOX	Restaurant	14 E. "A" STREET	YAKIMA	9/29/2010	Routine Inspection	0/5 One of the refrigerators needs to be cleaned.
WENDY'S	Restaurant	1001 N 1ST ST.	YAKIMA	9/13/2010	Routine Inspection	15/15 Missing FWCs, improperly stocked hand wash sinks
WEST VALLEY DAIRY QUEEN	Restaurant	7410 W. NOB HILL BLVD.	YAKIMA	9/10/2010	Routine Inspection	10/15 Missing FWC's, cold holding PHF's at 44F.
WRAY'S SOUTHGATE	Grocery Store	401 W. NOB HILL BLVD.	YAKIMA	9/27/2010	Routine Inspection	5/5 - Missing several FWC.
XPRESS MART	Mini-mart	51 FIRING CENTER RD.	YAKIMA	9/1/2010	Follow-Up Inspection	5/5 Missing FWC
YAKIMA AVENUE DAIRY QUEEN	Restaurant	801 E YAKIMA AVE.	YAKIMA	9/29/2010	Routine Inspection	0/10 Need to clean up entire kitchen area.
ZESTA CUCINA	Restaurant	5110 TIETON DRIVE # 210	YAKIMA	9/22/2010	Routine Inspection	15/15 - 2 refrigerators and food inside were not at the proper temperature.