

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WACWA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
2ND STREET MINI MART & SMOKE SHOP	Mini-mart	201 AVE. "F"	GRANDVIEW	3/16/2011	Pre-Opening Inspection	Approved to open
7-ELEVEN # 2362-17080B	Mini-mart	1512 SUMMITVIEW	YAKIMA	3/3/2011	Follow-Up Inspection	15/18 Improperly stocked hand wash sinks, inaccurate metal stem thermometer
901 PASTA	Restaurant/Catering	910 SUMMITVIEW AVE. SUITE # 7-A	YAKIMA	3/18/2011	Compliance Inspection	15/15 Hands not washed as required
ADAMS ELEMENTARY SCHOOL	School	1101 S. CAMAS AVE	WAPATO	3/10/2011	Follow-Up Inspection	5/10 Inaccurate metal stem thermometer
AFCUSUSHI @ FRED MEYER # 486	Deli	1206 N. 40TH AVE.	YAKIMA	3/21/2011	Routine Inspection	0/0
				3/28/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AIR LINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	YAKIMA	3/16/2011	Routine Inspection	40/43 Improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometers
AM/PM UNION GAP	Mini-mart	20 E. VALLEY MALL BLVD.	UNION GAP	3/1/2011	Follow-Up Inspection	40/40 Hands not washed as required, improperly stocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage
AMERISTAR STORE # 8	Mini-mart	1005 W. WALLACE WAY	GRANDVIEW	3/8/2011	Compliance Inspection	5/5 Metal stem thermometer is not accurate
APPLE TREE RESTAURANT	Restaurant/Lounge	8804 OCCIDENTAL	YAKIMA	3/9/2011	Routine Inspection	0/0
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Lounge	1505 E. WASHINGTON AVE.	UNION GAP	3/16/2011	Routine Inspection	5/15 Missing FWCs
ARAMARK CORRECTIONAL SERVICES	Jail	111 N FRONT ST.	YAKIMA	3/1/2011	Follow-Up Inspection	5/5 Missing FWCs
ARBY'S RESTAURANT	Restaurant	1227 S 1ST ST.	YAKIMA	3/10/2011	Compliance Inspection	0/0
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	3/14/2011	Routine Inspection	25/25 Improperly hot holding PHF
				3/1/2011	Routine Inspection	30/40 Missing FWCs, Improper use of time as a control for PHF
				3/23/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BASKIN ROBBINS (MOBILE)	Mobile	816 SUMMITVIEW AND YAKIMA SUN DOME(INSIDE)	YAKIMA	3/11/2011	Routine Inspection	5/8 Missing FWC
BRANDING IRON RESTAURANT	Restaurant	61311 HIGHWAY 97	TOPPENISH	3/2/2011	Routine Inspection	0/0
CAFE GRANDE VUE	Deli	1021 W. WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	3/9/2011	Routine Inspection	0/0
CARNICERIA COALCOMAN	Meat Market	229 DIVISION ST.	GRANDVIEW	3/31/2011	Routine Inspection	No problems.
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	3/11/2011	Follow-Up Inspection	25/38 Hands not washed as required, unlabeled chemical, improper chemical storage
CLARION HOTEL	Restaurant/Catering	1507 N 1ST STREET	YAKIMA	3/31/2011	Routine Inspection	40/52 Improperly cooling PHF's, improper cold holding of PHF's, cold holding unit does not close properly. Follow up required.
CLARK'S EMPIRE FOODS	Grocery Store	3361 MAPLEWAY	YAKIMA	3/30/2011	Complaint Inspection	Signs of rodent droppings were observed. Several preventative measures are in place and facility is substantially cleaner than it has been during past inspections. Owner will continue rodent prevention measures.
COCINA ZACATECAS	Mobile		COWICHE	3/2/2011	Routine Inspection	0/8 Refrigerator missing a temperature gauge, Lots of mud outside mobile unit - foot wiping mats required inside and out. Owners have plans to bring in more gravel to solve excessive mud issue.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CONNIE'S RESTAURANT	Restaurant	300 W. 2ND STREET	GRANDVIEW	3/21/2011	Routine Inspection	30/46 Hands not washed as required, BHC with RTE food
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	3/21/2011	Routine Inspection	40/53 Improperly stocked hand wash sinks, improperly hot holding PHF, inaccurate metal stem thermometer
COSTCO WHOLESAL #1013	Grocery Store	2310 LONGFIBER RD. - UNION GAP	UNION GAP	3/2/2011	Routine Inspection	20/28 Hands not washed as required, inaccurate metal stem thermometers
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	3/7/2011	Follow-Up Inspection	35/38 Improperly stocked hand wash sink, improperly hot holding PHF
CRUISIN COFFEE - NOB HILL	Espresso Stand	3202 W. NOB HILL BLVD.	YAKIMA	3/11/2011	Routine Inspection	15/25 Unlabeled chemicals, missing FW/Cs
D.J.'S COFFEE CAFE	Espresso Stand	1001 WASHINGTON AVE.	YAKIMA	3/18/2011	Routine Inspection	0/10 They are connected to city water and are not plumbed to city sewer.
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	3/9/2011	Follow-Up Inspection	They have corrected all the problems from the previous inspection.
DONALD STORE	Mini-mart	2640 DONALD RD. - WAPATO	WAPATO	3/3/2011	Follow-Up Inspection	25/25 Improper hot holding temps. Repeat red violations. Compliance inspection required.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL FARO TAQUERIA	Mobile	VARIOUS ORCHARDS	SUNNYSIDE	3/11/2011	Pre-Opening Inspection	
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	3/25/2011	Routine Inspection	20/28 BHC with RTE foods observed, no thermometers, employee eating lunch while preparing foods.
EL RANCHERO	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	3/17/2011	Routine Inspection	10/10 Items stored in the handwash sink. NO other problems.
EL TAPATIO #6-A	Mobile	800 W. Wine Country Road, Grandview	GRANDVIEW	3/31/2011	Routine Inspection	10/10 Restroom hand wash sink lacking paper towels.
GOODY'S RESTAURANT	Restaurant	1203 N. 1ST STREET	YAKIMA	3/21/2011	Routine Inspection	5/8 Two expired FHC's, dirty fan grate in walk in cooler.
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	3/10/2011	Routine Inspection	0/0
GROMORE TRADING	Mini-mart	14411 WIDE HOLLOW RD	YAKIMA	3/14/2011	Routine Inspection	0/0
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	3/17/2011	Routine Inspection	0/5 Dishwasher sanitizing issue
HIGHLAND HIGH SCHOOL	School	17000 SUMMITVIEW	COWICHE	3/14/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AV E	YAKIMA	3/10/2011	Follow-Up Inspection	0/21
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	3/10/2011	Routine Inspection	0/0
JITTER BUG ESPRESSO	Espresso Stand	11 PENCE RD	YAKIMA	3/3/2011	Routine Inspection	0/5 No temperature gauge in refrigeration unit
JITTERZ ESPRESSO	Espresso Stand	700 YAKIMA VALLEY HWY.	SUNNYSIDE	3/9/2011	Routine Inspection	0/0
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	3/14/2011	Routine Inspection	0/0
K-MART LITTLE CAESAR'S PIZZA STATION	Restaurant	2304 E NOB HILL BLVD	YAKIMA	3/10/2011	Complaint Inspection	Wastewater flows properly; kitchen is clean; no cockroaches were seen.
LA CALIFORNIA	Restaurant	208 1ST AV W	TOPPENISH	3/2/2011	Pre-Opening Inspection	Approved to open with submission of establishment menu and phone #.
LA GUADALUPANA	Restaurant	3990 HARRAH ROAD	HARRAH	3/23/2011	Routine Inspection	10/15 No soap at handwash sink.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	3/3/2011	Follow-Up Inspection	5/15 Raw meat stored above RTE food
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	3/10/2011	Routine Inspection	0/0
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	3/3/2011	Follow-Up Inspection	10/15 Missing FWCs, no metal stem thermometer available
LOS CARRIZOS	Restaurant	1012 E. LINCOLN AVE.	SUNNYSIDE	3/17/2011	Compliance Inspection	5/5 Missing FWC
MAGIC'S PIZZA SHACK	Restaurant	309 S 1ST ST.	SELAH	3/7/2011	Routine Inspection	5/5 Expired food handler cards.
MAJOR'S	Restaurant	1902 S. 3RD AVENUE	UNION GAP	3/7/2011	Routine Inspection	0/0
MANY'S MARKET	Mini-mart	811 W. MEAD	YAKIMA	3/2/2011	Follow-Up Inspection	55/60 PIC was not available, improperly hot holding PHF, RTS of PHF
MARCUS WHITMAN COWICHE ELEMENTARY SCHOOL	School	1181 THOMPSON RD	COWICHE	3/16/2011	Compliance Inspection	0/0
				3/18/2011	Routine Inspection	0/8
				3/14/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARGARET'S APPLE CART DELI	Deli	220 NACHES AVE.	NACHES	3/31/2011	Routine Inspection	5/8 - FWC needed
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	YAKIMA	3/9/2011	Routine Inspection	0/0
MEI WING	Restaurant	2529 MAIN ST. # 258	UNION GAP	3/15/2011	Routine Inspection	30/55 Improperly cooling PHF
MENDOZA'S TAQUERIA	Mobile	In old Thunderbird Casino parking lot	YAKIMA	3/3/2011	Surveillance Inspection	They were found to be operating at a new location. They do not have a commissary kitchen. They are closed until we get documentation that they have an approved kitchen.
MR. PIZZA	Restaurant	2019 FRUITVALE BLVD.	YAKIMA	3/7/2011	Routine Inspection	0/0
MY BROTHER'S PLACE	Mini-mart	810 W. 1ST AVE.	TOPPENISH	3/2/2011	Routine Inspection	0/0
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	3/11/2011	Routine Inspection	15/15 Missing FWCs, improperly stocked hand wash sink, blocked hand wash sink
OBENTO HOUSE	Restaurant	11 N. 11TH AVE #105	YAKIMA	3/8/2011	Follow-Up Inspection	15/15 BHC with RTE food



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ONE STOP MINI MART & SMOKE SHOP	Mini-mart	921 SUMMITVIEW AVE	YAKIMA	3/3/2011	Pre-Opening Inspection	Items needed before opening: Payment for license, adequate floor plan
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	3/10/2011	Routine Inspection	0/0
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	3/4/2011	Routine Inspection	50/76 Food not in good condition, raw meat stored above RTE food, RTS of PHF, unlabeled chemical
PIT STOP	Mini-mart	10121 HWY 12	NACHES	3/11/2011	Follow-Up Inspection	0/3
PIZZA HUT	Restaurant	304 S. 1ST STREET SUITE # 1	SELAH	3/16/2011	Other Inspection	Fire occurred in basement - facility closed until thoroughly cleaned - see report in imaging
PUPUSERIA RESTAURANT	Restaurant	2695 E. LINCOLN AVE # E	SUNNYSIDE	3/31/2011	Routine Inspection	5/5 - FWC needed
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	3/7/2011	Routine Inspection	0/0
RIMROCK LAKE RESORT	Deli	37590 US HWY 12	NACHES	3/24/2011	Pre-Opening Inspection	Ok to open.
				3/17/2011	Routine Inspection	30/40 Missing FWC, improperly hot holding PHF
				3/16/2011	Pre-Opening Inspection	Approved to open

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROADRUNNER GAS	Mini-mart	1820 S. 3RD AVE.	YAKIMA	3/7/2011	Follow-Up Inspection	15/15 Improperly stocked hand wash sink, inaccurate metal stem thermometer
ROUND TABLE PIZZA	Restaurant	1300 N. 40TH AVE. # 109	YAKIMA	3/18/2011	Compliance Inspection	15/15 Missing FWC, improperly stocked hand wash sink
RUSSILLO'S PIZZA & GELATO	Restaurant	1 W. YAKIMA AVE. # 4-6	YAKIMA	3/9/2011	Follow-Up Inspection	5/5 Missing FWCs
SALVATION ARMY	Restaurant	310 N 16TH AVE.	YAKIMA	3/14/2011	Routine Inspection	10/15 Missing FWCs, inaccurate metal stem thermometer
SEATTLE'S BEST COFFEE	Restaurant	1700 E WASHINGTON AVE.	UNION GAP	3/25/2011	Routine Inspection	0/0
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	3/10/2011	Compliance Inspection	0/0
SELAH JUNIOR HIGH SCHOOL	School	411 N. 15T ST.	SELAH	3/25/2011	Routine Inspection	0/0
SHAW & SONS FUNERAL DIRECTORS		201 2ND ST N	YAKIMA	3/14/2011	Routine Inspection	0/0
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	3/21/2011	Routine Inspection	5/5 - Metal stem thermometer needed.
				3/15/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	3/7/2011	Follow-Up Inspection	5/18 Raw meat stored above RTE food
STARBUCKS COFFEE # 9680	Espresso Stand	2409 S 1ST ST	YAKIMA	3/11/2011	Routine Inspection	10/15 Improperly stocked hand wash sink
SU MERCADITO	Mini-mart	320 "B" STREET	MABTON	3/4/2011	Routine Inspection	25/25 Improper hot holding of Chorizo sausage.
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	3/16/2011	Routine Inspection	0/0
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	3/9/2011	Follow-Up Inspection	10/13 Improperly stocked hand wash sink
TACO TIME	Restaurant	1020 S 16TH AVE.	YAKIMA	3/3/2011	Routine Inspection	35/35 Missing FWC, improperly cooling PHF
TACOSTRELLA	Mobile	1301 YAKIMA VALLEY HWY - 4-10 MARKET	SUNNYSIDE	3/24/2011	Routine Inspection	10/15 No hot water in restroom. Oil in bottle not labeled.
TAQUERIA DIANA	Mobile	330 NORTH STREET - MABTON	MABTON	3/4/2011	Routine Inspection	0/0
TARGET STORES T-760	Snack Bar	12 N FAIR AVE.	YAKIMA	3/15/2011	Routine Inspection	5/5 Missing FWCs
TEQUILA'S GRILL	Restaurant/Lounge	1026 1ST ST N	YAKIMA	3/17/2011	Pre-Opening Inspection	Not ready, see scanned report.
				3/21/2011	Pre-Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE RIB SHACK	Restaurant	2511 MAIN ST	UNION GAP	3/10/2011	Routine Inspection	20/25 - Some FWC needed and bare hand contact with food.
THE SPEAKEASY	Restaurant/Lounge	104 S. 3RD STREET - YAKIMA	YAKIMA	3/16/2011	Routine Inspection	20/34 Missing FWCs, blocked hand wash sink, inaccurate metal stem thermometer
TIETON MIDDLE SCHOOL	School	711 FRANKLIN RD	TIETON	3/14/2011	Routine Inspection	0/5 Dishwasher not sanitizing properly
TRIUMPH TREATMENT SERVICES	Catering	3300 ROOSEVELT AVE.	YAKIMA	3/4/2011	Routine Inspection	60/68 Improperly cooling PHF, improperly hot holding PHF, inaccurate metal stem thermometer
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	3/23/2011	Follow-Up Inspection	0/0
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	3/10/2011	Compliance Inspection	30/30 Missing FWC, improperly hot holding PHF
XPRESS MART	Mini-mart	503 FAIR AV	YAKIMA	3/17/2011	Routine Inspection	0/0
YAKIMA ATHLETIC CLUB	Snack Bar	2501 RACQUET LANE	YAKIMA	3/8/2011	Routine Inspection	35/43 Missing FWCs, improperly hot held PHF, inaccurate metal stem thermometer
				3/15/2011	Routine Inspection	5/5 - Several FWC needed.