

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	4/27/2011	Routine Inspection	45/45 Missing FWC, improperly hot holding PHF, no metal stem thermometer available
AIR LINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	YAKIMA	4/15/2011	Follow-Up Inspection	0/5
APPLE TREE RESTAURANT	Restaurant/Lounge	8804 OCCIDENTAL	YAKIMA	4/7/2011	Follow-Up Inspection	5/5 Missing FWCs
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	4/4/2011	Routine Inspection	0/0
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	4/11/2011	Routine Inspection	0/0
B.J.'S COFFEE BARN	Espresso Stand	514 W. 1ST STREET	WAPATO	4/28/2011	Routine Inspection	15/26 Missing FWC, improperly cold holding PHF in ice

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BIG WOLF MINI MARKET	Mini-mart	67831 HIGHWAY 97	WAPATO	4/15/2011	Pre-Opening Inspection	
BIGG O'S DELI & ESPRESSO	Espresso Stand/Deli	503 W. 1ST.	WAPATO	4/28/2011	Routine Inspection	0/0 No problems observed.
BILL'S FAMILY RESTAURANT	Restaurant	704 W 1ST ST.	WAPATO	4/28/2011	Routine Inspection	45/45 Hands not washed as required, improperly stocked hand wash sinks, raw meat stored above RTE food, no metal stem thermometer was available, improper chemical storage
BILL'S PLACE	Tavern	206 S 3RD AVE.	YAKIMA	4/11/2011	Routine Inspection	40/61 Hands not washed as required, BHC with RTE food, raw meat stored above RTE food, no metal stem thermometer available
BIRRIERIA JALISCO	Restaurant	305 W. CHESTNUT	YAKIMA	4/27/2011	Follow-Up Inspection	5/8 Raw meat stored above ready to eat food
BOB'S SMOKEHOUSE B.B.Q.	Cafeteria	546 WOODALL RD.	GRANDVIEW	4/26/2011	Pre-Opening Inspection	approved to open
BODEGA YAKIMEX LA	Grocery Store	511 N 1ST ST.	YAKIMA	4/29/2011	Routine Inspection	0/0
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	4/7/2011	Routine Inspection	5/10 Missing FWCs, missing sanitizer in meat department
CARNICERIA LOS AMIGOS	Meat Market	205 WAPATO AV S	WAPATO	4/6/2011	Routine Inspection	5/15 - FWC needed and whole facility needs to be cleaned.
				4/8/2011	Routine Inspection	20/30 Expired FHC's, Improper cooling, handwash missing paper towels, floor in walk in and wall behind cutting table need replacing.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	4/7/2011	Compliance Inspection	10/23 Improperly stocked hand wash sink
COCO'S AHTANUM	Mini-mart	1504 LOWER AHTANUM RD.	UNION GAP	4/26/2011	Complaint Inspection	Did not observe any food workers smoking. No food preparation happening at time of inspection.
CONNIE'S RESTAURANT	Restaurant	300 W. 2ND STREET	GRANDVIEW	4/20/2011	Follow-Up Inspection	5/15 Raw meat stored above RTE food
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	4/20/2011	Follow-Up Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	4/29/2011	Compliance Inspection	0/0
CRUISIN COFFEE - NOB HILL	Espresso Stand	3202 W. NOB HILL BLVD.	YAKIMA	4/27/2011	Routine Inspection	0/0
				4/5/2011	Follow-Up Inspection	15/15 Hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DALILAH'S ROLLING RESTAURANT	Mobile	Mon. - Fri., Olympic Fruit in Moxee - 8:30 - 9:30am; Roche Fruit 10:00 - 10:30am; Washington Fruit - 11:00 - 11:30am; Franks Tire - Union Gap - 12:30 - 1:00pm, Wed., Thurs. - La Salle - 11:40 - 12:10 pm; Mon., Tues., Fri. - Magic Metals - 12:00 - 12:20pm	YAKIMA	4/15/2011	Routine Inspection	0/0
DONALD STORE	Mini-mart	2640 DONALD RD. - WAPATO	WAPATO	4/1/2011	Compliance Inspection	They have corrected all the problems from the previous inspection.
DOUBLE BARREL BAR & GRILL	Restaurant/Lounge	115 E. NACHES AVE.	SELAH	4/28/2011	Pre-Opening Inspection	Hot water needed at handwash sinks in kitchen and restrooms.
EAGLE HIGH SCHOOL	School	143 WARD RD	TOPPENISH	4/14/2011	Routine Inspection	0/0
EL CONQUISTADOR MEXICAN RESTAURANT	Restaurant/Catering	612 E. EDISON AVE.	SUNNYSIDE	4/21/2011	Routine Inspection	05/05 One cold holding unit is cold holding PHF's at 44F.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL FUMALE	Mobile	Evans Fruit in Tieton - 10:00am; Cowiche Growers - Between 9:15am - 9:45am, CPC - 10:30am	UNION GAP	4/15/2011	Routine Inspection	0/0
EL MEJOR TAQUITO (BLDG.)	Restaurant	544 S. 6TH STREET	SUNNYSIDE	4/8/2011	Routine Inspection	5/8 They do not have a metal stem thermometer. Walk in cooler needs cleaning.
EL SIETE MARES	Restaurant/Lounge	811 N 1ST STREET	YAKIMA	4/21/2011	Commissary Inspection	Commissary kitchen for Taco King, Tacos Aylin, Super Taco. There is enough refrigeration space for taco truck Mariscos Ixtapa de Chely.
FIRING CENTER SUBWAY # 48238	Restaurant	51 FIRING CENTER RD.	YAKIMA	4/26/2011	Routine Inspection	5/10 Missing FWCs, dishwasher without chlorine
GARFIELD ELEMENTARY SCHOOL	School	505 MADISON AV	TOPPENISH	4/6/2011	Routine Inspection	55/61 Missing FWC, hands not washed as required, improperly hot holding PHF, unlabeled chemicals
GEPPETTO'S ITALIAN BISTRO & DELI	Deli	3105 SUMMITVIEW AV	YAKIMA	4/25/2011	Follow-Up Inspection	10/10 Missing FWCs, improperly hot holding PHF
				4/21/2011	Routine Inspection	0/0
				4/14/2011	Routine Inspection	45/63 Missing FWC, hands not washed as required, BHC with RTE food, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANDVIEW HIGH SCHOOL DECA STORE	Snack Bar	1601 W. 5TH ST.	GRANDVIEW	4/13/2011	Routine Inspection	25/30 Improperly stocked hand wash sink, no metal stem thermometer available, improper chemical storage
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	4/11/2011	Routine Inspection	0/0
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	4/20/2011	Routine Inspection	0/0
HIGHLAND QUICK STOP	Mini-mart	16841 SUMMITVIEW RD	COWICHE	4/20/2011	Routine Inspection	45/53 improperly stocked hand wash sink, improper hot holding of PHF, improperly stored chemicals, temperature gauges needed in refrigeration units, kitchen area in need of cleaning/organizing
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAH	4/21/2011	Routine Inspection	0/0
HOOP'S SPORTS BAR & GRILLE	Tavern	2103 W LINCOLN AVE.	YAKIMA	4/6/2011	Routine Inspection	5/28 Missing FWCs
IGLESIA DEL VALLE ASSEMBLIES OF GOD		320 TOPPENISH AVE	TOPPENISH	4/27/2011	Follow-Up Inspection	5/18 Missing FWC
				4/1/2011	Routine Inspection	0/5 Dishwasher is still not sanitizing properly (sanitizing will be done manually until heat booster is repaired)

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Catering	2710 TERRACE HEIGHTS DRIVE	YAKIMA	4/13/2011	Routine Inspection	60/76 Missing FWCs, raw meat stored above RTE food, improperly cooling PHF, improperly cold holding PHF
JAVA HEAVEN	Espresso Stand	212 W WALNUT	YAKIMA	4/1/2011	Routine Inspection	5/5 - FWC needed.
KENTUCKY FRIED CHICKEN	Restaurant	107 S 5TH AVE.	YAKIMA	4/8/2011	Routine Inspection	0/0 No problems observed.
KIKI RESTAURANT	Restaurant	505 W. YAKIMA AVENUE	YAKIMA	4/11/2011	Routine Inspection	0/18
KIRKWOOD ELEMENTARY SCHOOL	School	403 S. JUNIPER	TOPPENISH	4/21/2011	Routine Inspection	0/0
LA BARATA MEAT MARKET	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	4/12/2011	Pre-Opening Inspection	
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	4/14/2011	Routine Inspection	0/0
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	4/11/2011	Routine Inspection	10/15 Broken handwashing sink, no sanitizer available during inspection
MEI WING	Restaurant	2529 MAIN ST. # 258	UNION GAP	4/20/2011	Follow-Up Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MELISSA'S CATERING	Mobile		TOPPENISH	4/8/2011	Surveillance Inspection	They were providing seating for customers at 839 W 1st Ave, Toppenish.
MICHAEL'S ALL - STAR PUB & EATERY	Tavern	402 S. 11TH AVE.	YAKIMA	4/27/2011	Routine Inspection	50/55 Missing FWCs, raw meat stored above RTE food, improperly cooling PHF, improper chemical storage
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	4/7/2011	Routine Inspection	15/15 - Inaccurate thermometer and improper chemical storage.
NEW THAI RESTAURANT	Restaurant	4808 TIETON DRIVE.	YAKIMA	4/12/2011	Routine Inspection	35/53 Missing FWCs, improperly cooling PHF
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	4/11/2011	Routine Inspection	75/96 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, raw meat stored above RTE food, RTS of PHF, no metal stem thermometer available, unlabeled chemical
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	4/25/2011	Follow-Up Inspection	0/0
NORTH PARK LODGE	Continental Brkfst	659 N. WENAS	SELAH	4/5/2011	Routine Inspection	40/40 Missing FWC, hands not washed as required, improperly stocked hand wash sink, unlabeled chemical
NORTH TOWN COFFEEHOUSE SELAH	Espresso Stand	406 S 1ST ST	SELAH	4/5/2011	Routine Inspection	0/0
				4/6/2011	Pre-Opening Inspection	Air gap/break needed for dipper well. Approved to open once item is fixed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ONE STOP MINI MART & SMOKE SHOP	Mini-mart	921 SUMMITVIEW AVE	YAKIMA	4/6/2011	Routine Inspection	5/5 - FWC needed.
OUTBACK ESPRESSO	Espresso/Catering	8803 AHTANUM RD.	YAKIMA	4/7/2011	Follow-Up Inspection	They have unlimited access to restroom facilities.
PANADERIA BETEL	Bakery	1112 1/2 TIETON DR.	YAKIMA	4/14/2011	Pre-Opening Inspection	Need to add baseboard trim in storage room, have thermometers for all cold holding units.
PEPP'R MINT STICK DRIVE IN	Restaurant	4002 MAIN ST	UNION GAP	4/28/2011	Routine Inspection	05/05 Thermometer needed to be calibrated. No other problems observed.
PIETY FLATS WINERY	Winery	2560 DONALD/WAPATO O ROAD	WAPATO	4/28/2011	Routine Inspection	No problems observed.
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	4/20/2011	Routine Inspection	0/0
PIONEER KITCHEN	Restaurant/Catering	227 STOPPENISH AVE.	TOPPENISH	4/8/2011	Routine Inspection	40/53 Improperly stocked hand wash sink, improperly hot holding PHF, raw meat stored above RTE food
PIRATE COVE DAVIS STUDENT STORE	Snack Bar	212 S. 6TH AVE	YAKIMA	4/27/2011	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
				4/7/2011	Routine Inspection	15/15 Improperly hot holding PHF, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT	Restaurant	211 W. 2ND STREET	GRANDVIEW	4/29/2011	Routine Inspection	0/0
PIZZA HUT # 46022	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	4/6/2011	Routine Inspection	0/0
QUESERIA BENDITA		512 S 3RD ST	YAKIMA	4/26/2011	Routine Inspection	0/5
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	4/8/2011	Follow-Up Inspection	25/25 Improperly hot holding PHF
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	4/14/2011	Routine Inspection	0/5
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	4/13/2011	Routine Inspection	0/0
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	4/11/2011	Routine Inspection	0/0
ROSALES PANADERIA	Bakery	107 W. 3RD	WAPATO	4/6/2011	Routine Inspection	25/25 Ten dozen eggs stored out at room temperature.
ROUND TABLE PIZZA	Restaurant	1300 N. 40TH AVE. # 109	YAKIMA	4/4/2011	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFARI RESTAURANT	Restaurant/Lounge	616 EDISON AV E	SUNNYSIDE	4/14/2011	Routine Inspection	15/23 Missing FWCs, improperly stocked hand wash sink
SELAH CONOCO FOOD MART	Mini-mart	301 S. 1ST STREET	SELAH	4/8/2011	Routine Inspection	5/5 - FWC expired and needs to be updated.
SELAH EXPRESS	Mini-mart	777 NORTH PARK CENTER	SELAH	4/27/2011	Routine Inspection	0/0
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	4/20/2011	Routine Inspection	0/0
SQUEEZE INN	Restaurant	611 1ST AVE.	ZILLAH	4/30/2011	Routine Inspection	45/48 Improperly hot holding PHF, improperly stocked hand wash sinks, unlabeled chemical
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	4/8/2011	Routine Inspection	0/5 - Sneeze guards needed on self-service line.
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	4/13/2011	Routine Inspection	0/0
STOP N' GO DRIVE IN	Restaurant	2820 FRUITVALE BLVD.	YAKIMA	4/8/2011	Routine Inspection	0/5 General cleaning needed.
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	4/22/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	4/20/2011	Routine Inspection	10/10 - No hot water at handwash sink.
TACO EL GRANDE	Mobile	1402 S. Fair Ave. Yakima 8AM-9PM	YAKIMA	4/13/2011	Routine Inspection	20/35 Bare hand contact w/RTE foods, no thermometer, no sanitizer, non-food grade hose for potable water, improper waste water disposal.
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	4/28/2011	Routine Inspection	25/30 Expired FHC's, handwash had dishes/foods stored in it, improper cold holding of PHF's, no adequate thermometer, dirty sanitizer water.
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	4/11/2011	Routine Inspection	30/30 Improper cooling of PHF
TANJULI WINERY	Winery	209 N. BONAIR RD	ZILLAH	4/26/2011	Pre-Opening Inspection	Approved to open.
TAQUERIA EL HUARACHASO	Restaurant	512 W. 1ST STREET	TOPPENISH	4/1/2011	Routine Inspection	0/0
TERRACE HEIGHTS ELEMENTARY	School	4300 MAPLE CT.	YAKIMA	4/25/2011	Routine Inspection	0/0
THE SPEAKEASY	Restaurant/Lounge	104 S. 3RD STREET - YAKIMA	YAKIMA	4/7/2011	Follow-Up Inspection	25/30 Missing FWCs, hands not washed as required, inaccurate metal stem thermometer
TIETON DRIVE ESPRESSO	Espresso Stand	1107 TIETON DR		4/6/2011	Pre-Opening Inspection	Approved to open

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TINY'S TAVERN	Tavern	501 W. 1ST STREET	WAPATO	4/7/2011	Routine Inspection	35/38 Missing FWCs, no receipt for food, improper chemical storage, no metal stem thermometer available
TOM - TOM ESPRESSO	Espresso Stand	412 S. 40TH AVENUE	YAKIMA	4/26/2011	Follow-Up Inspection	5/5 Missing FWC
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	4/26/2011	Routine Inspection	0/0
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	4/14/2011	Routine Inspection	0/0
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	4/21/2011	Routine Inspection	0/0
VALLEY VIEW ELEMENTARY	School	515 ZILLAHAVE	TOPPENISH	4/7/2011	Compliance Inspection	0/0
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	4/14/2011	Routine Inspection	0/0
WEST VALLEY JUNIOR HIGH	School	7507 ZIER RD.	YAKIMA	4/19/2011	Routine Inspection	25/30 - Several FWC needed, handwash sink in kitchen not accessible, and chemical spray bottle not labeled.
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	4/22/2011	Routine Inspection	0/0
				4/22/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WINES OF WASHINGTON YAKIMA TASTING ROOM AT WILRIDGE WINE	Winery	250 EHLER RD.	YAKIMA	4/8/2011	Routine Inspection	0/5 Missing a temperature gauge in refrigerator.
WOMAN'S CENTURY CLUB		304 N 2ND ST.	YAKIMA	4/28/2011	Routine Inspection	0/0
YAKIMA CRAFT BREWING CO.	Restaurant	2920 RIVER RD. # 6	YAKIMA	4/25/2011	Routine Inspection	0/8
YUMMY MEATS	Mobile			4/28/2011	Routine Inspection	0/0
ZESTA CUCINA	Restaurant	5110 TIETON DRIVE # 210	YAKIMA	4/14/2011	Routine Inspection	30/30 - Several FWC needed, BHC with ready to eat food, and improper cold holding temperatures.
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	4/21/2011	Routine Inspection	0/0
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	4/21/2011	Routine Inspection	0/0
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	4/21/2011	Routine Inspection	0/0