

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MARKET	Mini-mart	1121 16TH ST S	SUNNYSIDE	11/30/2011	Follow-Up Inspection	25/37 Improperly stocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage
2ND STREET MINI MART & SMOKE SHOP	Mini-mart	201 AVE. "F"	GRANDVIEW	11/30/2011	Routine Inspection	20/20 - No handwash soap in restrooms, improper hot holding temperatures, and no metal stem thermometer.
ABARROTES LA COSTENITA	Grocery Store	1401 WINE COUNTRY ROAD	GRANDVIEW	11/28/2011	Routine Inspection	15/15 Selling foods that are from unapproved sources. Foods were removed.
ALBERTSON'S FOOD CENTER # 249	Grocery Store	1610 W. LINCOLN AVE.	YAKIMA	11/17/2011	Follow-Up Inspection	5/10 Missing FWCs
AM/PM	Mini-mart	1601 W WASHINGTON AVE.	YAKIMA	11/10/2011	Routine Inspection	10/10 - Improper cold holding

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERISTAR # 12	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	11/8/2011	Routine Inspection	0/0
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	11/17/2011	Routine Inspection	0/0
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	11/3/2011	Routine Inspection	0/0
BASKIN-ROBBINS	Ice Cream Parlor	3802 W. NOB HILL BLVD.	YAKIMA	11/30/2011	Routine Inspection	0/8
BEEB'S VALLEY NUTRITION	Grocery Store	2415 S 14TH STREET	UNION GAP	11/21/2011	Routine Inspection	5/5 Expired FHC.
BONAIR WINERY	Winery	500 BONAIR RD.	ZILLAH	11/4/2011	Routine Inspection	15/18 Inaccurate metal stem thermometer, unlabeled chemical
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	11/3/2011	Compliance Inspection	0/8
BURGER KING	Restaurant	2611 W NOB HILL	YAKIMA	11/16/2011	Follow-Up Inspection	5/5 Missing FWCs
C.J.'S CUSTOM MEATS	Meat Market	671 JONES ROAD	WAPATO	11/29/2011	Routine Inspection	0/5 Some ready-to-eat meats found improperly labeled.
CHERREE'S ESPRESSO	Espresso Stand	2404 S. THIRD AVE.	UNION GAP	11/9/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	11/4/2011	Routine Inspection	0/0
CLARION HOTEL	Restaurant/Catering	1507 N 1ST STREET	YAKIMA	11/29/2011	Routine Inspection	10/10 Improper cold holding PHF'S as high as 77F. Foods were disposed of.
COCINA JALICIENSE	Commissary	709 E. NOB HILL BLVD.	YAKIMA	11/2/2011	Routine Inspection	0/0 No problems.
COFFEE CORRAL	Espresso Stand	802 W. 1ST AVE.	TOPPENISH	11/17/2011	Routine Inspection	5/10 Missing FHC, ice scoop being stored inside ice machine.
DENNY'S RESTAURANT # 7869	Restaurant	2603 RUDKIN RD	UNION GAP	11/21/2011	Routine Inspection	10/20 PHF being cold held as high as 51F in some refrigeration units. Various cold holding units missing thermometers. Ice scoop being stored on dirty surface.
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	11/2/2011	Routine Inspection	0/0 No problems.
DOLLAR TREE # 4295	Grocery Store	140 S. 72ND AVE.	YAKIMA	11/18/2011	Routine Inspection	0/0
EL GRULLENSE RESTAURANT & TAQUERIA #2	Restaurant	1514 S 1ST ST	YAKIMA	11/14/2011	Routine Inspection	15/20 Handwash sink had hot water turned off, expired FHC's, onions being stored on ground.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL JALICIENCE	Mobile	608 E. Nob Hill Blvd. Yakima	YAKIMA	11/2/2011	Routine Inspection	No problems.
FAMOUS BURGER & TERIYAKI SANDWICH	Restaurant	401 W. LINCOLN AVE.	YAKIMA	11/4/2011	Routine Inspection	5/5 Cold holding PHF's at 48F.
FIESTA FOODS	Grocery Store	1008 E. NOB HILL BLVD.	YAKIMA	11/7/2011	Compliance Inspection	15/15 Hands not washed as required
FRANKLIN MIDDLE SCHOOL	School	410 S. 19TH AVE	YAKIMA	11/10/2011	Routine Inspection	0/0
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	11/3/2011	Routine Inspection	5/10 - Improper hot holding temperatures.
GAS MAX	Mini-mart	608 WINE COUNTRY ROAD	GRANDVIEW	11/18/2011	Routine Inspection	20/26 Improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer was available
GASPERETTI'S	Restaurant	1013 N 1ST ST.	YAKIMA	11/30/2011	Follow-Up Inspection	0/0
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	11/18/2011	Routine Inspection	15/15 - FWC needed and no paper towels at handwash sink in the bar.
				11/29/2011	Follow-Up Inspection	50/50 Missing FWCs, improperly stocked hand wash sinks, raw meat stored next to ready to eat food, improper use of time as a control, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GREEN OLIVE CAFE' & ESPRESSO	Restaurant	2926 COVEY LANE	SUNNYSIDE	11/7/2011	Routine Inspection	10/15 Cold holding PHF's at 51F, foods being stored on ground.
GUESTHOUSE INN - YAKIMA	Continental Brkfst	1010 E. "A" STREET	YAKIMA	11/9/2011	Routine Inspection	15/15 Missing FWC, unlabeled chemical
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	11/4/2011	Routine Inspection	0/0
HICKORY FARMS # 40117	Deli	2529 MAIN ST. # 183	UNION GAP	11/9/2011	Routine Inspection	5/5 FWCs not available
HILTON GARDEN INN	Restaurant/Catering	401 E YAKIMA AVE	YAKIMA	11/15/2011	Routine Inspection	20/25 - FWC needed and using an improper scoop.
JACK IN THE BOX # 8362	Restaurant	100 W. SOUTH HILL RD.	SUNNYSIDE	11/23/2011	Routine Inspection	5/8 - Several FWC needed.
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Catering	2710 TERRACE HEIGHTS DRIVE	YAKIMA	11/17/2011	Routine Inspection	0/0
JENNY MAE'S GLUTEN - FREE GOODIES	Bakery	8308 AHTANUM RD	YAKIMA	11/16/2011	Routine Inspection	0/0
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	11/14/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JOY GARDEN	Restaurant	5605 TIETON DR.	YAKIMA	11/8/2011	Routine Inspection	0/5
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	11/3/2011	Routine Inspection	0/6
KANA WINERY	Winery	6 S 2ND ST.	YAKIMA	11/8/2011	Routine Inspection	0/0 No problems.
KIRKWOOD ELEMENTARY SCHOOL	School	403 S. JUNIPER	TOPPENISH	11/28/2011	Routine Inspection	0/0
LA BARATA - WAPATO	Meat Market	304 S. WAPATO AVE.	WAPATO	11/17/2011	Routine Inspection	0/5 Foods stored on ground.
LA CABANA RESTAURANT	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	11/28/2011	Routine Inspection	0/0 No problems
LA CASITA	Mobile	Borton's at 8:20AM then Gilbert warehouse in Wiley City	UNION GAP	11/16/2011	Routine Inspection	5/5 improper hot holding of PHF
LA NACIONAL	Grocery Store	506 S. 1ST STREET	YAKIMA	11/18/2011	Routine Inspection	5/5 missing FWCs
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	11/14/2011	Routine Inspection	40/50 Expired FHC's, handwash sink not stocked, PHF's being stored at room temp, no sanitizer. Follow up required.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA SUPER BAKERY (GRANDVIEW)	Bakery	210 W. 2ND STREET	GRANDVIEW	11/28/2011	Routine Inspection	0/5 Spray bottle with oil needed to be properly labeled.
LINCOLN AVENUE ESPRESSO BAR	Espresso Stand	1801 W LINCOLN AVE [®]	YAKIMA	11/9/2011	Routine Inspection	20/30 Two out of five FWC are expired, BHC with RTE foods, ice scoop stored inside ice machine, no sanitizer made up.
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	11/28/2011	Routine Inspection	0/0
LITTLE CAESARS # 202	Restaurant	2301 W. NOB HILL BLVD.	YAKIMA	11/16/2011	Follow-Up Inspection	0/0
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	11/17/2011	Routine Inspection	0/0
MAJOR'S	Restaurant	1705 W. LINCOLN AVE.	YAKIMA	11/8/2011	Routine Inspection	45/48 - Several FWC needed, improper handwashing, inadequate handwash facilities, inaccurate metal stem thermometer, unlabeled chemical bottle.
MARISCOS IXTAPA DE CHELY	Mobile		SUNNYSIDE	11/15/2011	Surveillance Inspection	Operator has to go outside the mobile unit to turn on water pump for hand sink. Instructions were given to fix this immediately.
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	YAKIMA	11/9/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	11/10/2011	Routine Inspection	0/0
MELISSA'S CATERING	Mobile		TOPPENISH	11/17/2011	Routine Inspection	0/0 No problems.
MOLCAJETES FAMILY MEXICAN RESTAURANT	Restaurant	201 DIVISION STREET	GRANDVIEW	11/28/2011	Routine Inspection	5/8 Expired FWC.
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	11/18/2011	Routine Inspection	55/65 - Improper cooling, room temperature storage of food, improper thawing, several cockroaches found, and whole facility needs to be cleaned.
NEW HONG KONG RESTAURANT	Restaurant	918 W. HIGHWAY 12	GRANDVIEW	11/18/2011	Routine Inspection	30/30 Improperly cooling PHF
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	11/21/2011	Pre-Opening Inspection	Establishment acceptable for level 3 food service.
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	11/2/2011	Routine Inspection	0/0
OBENTO HOUSE	Restaurant	11 N. 11TH AVE #105	YAKIMA	11/8/2011	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	11/17/2011	Routine Inspection	0/0
OXFORD SUITES	Restaurant	1701 E. YAKIMA AVE.	YAKIMA	11/17/2011	Routine Inspection	20/23 Missing FWC, hands not washed as required
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	Restaurant	206 E. WINE COUNTRY RD.	GRANDVIEW			
PAPA MURPHY'S PIZZA	Restaurant/Catering	64 W. NOB HILL BLVD.	YAKIMA	11/28/2011	Routine Inspection	25/30 BHC w/RTE foods, using food prep sink as handwash, improper cooling of PHF's, potential food contamination during storage.
PEPE'S BAKERY OF YAKIMA	Bakery	605 E. NOB HILL BLVD.	YAKIMA	11/8/2011	Routine Inspection	15/20 Missing FWCs, improper chemical storage
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	11/14/2011	Routine Inspection	No problems.
PIZZA HUT / WINGSTREET	Restaurant	2680 YAKIMA VALLEY HWY. # 1	SUNNYSIDE	11/4/2011	Routine Inspection	0/0
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	11/23/2011	Routine Inspection	10/10 - No paper towels in restroom.
				11/2/2011	Routine Inspection	35/49 Improperly hot holding PHF, improperly cold holding PHF
				11/29/2011	Follow-Up Inspection	5/5 Improperly cold holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUALITY MART	Mini-mart	616 S 3RD ST.	YAKIMA	11/18/2011	Routine Inspection	25/25 inadequate hold holding of PHF
RAJ & CO.	Mini-mart	4708 TIETON DR	YAKIMA	11/3/2011	Routine Inspection	5/5 - Need a metal stem thermometer.
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	11/30/2011	Routine Inspection	0/0
RITE AID # 4063	Grocery Store	12 N 9TH AVE.	YAKIMA	11/7/2011	Routine Inspection	0/0
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	11/30/2011	Routine Inspection	0/0
RODEWAY INN & SUITES	Continental Brkfst	510 N. 1ST. ST.	YAKIMA	11/7/2011	Routine Inspection	10/10 Improperly cold holding PHF
SAFEWAY # 1593	Grocery Store	610 E. WINE COUNTRY RD.	GRANDVIEW	11/9/2011	Routine Inspection	5/5 Missing FWCs
SANTIAGOS	Restaurant/Cateri ng	111 E YAKIMA AVE.	YAKIMA	11/8/2011	Routine Inspection	35/48 Improper hot holding, room temperature storage, missing thermometers, raw meats improperly being thawed, ice machine needs cleaning. Follow up required.
SECOND STREET GRILL	Restaurant/Loung e	28 N 2ND ST.	YAKIMA	11/29/2011	Routine Inspection	All problems from previous inspection have been corrected.
				11/7/2011	Routine Inspection	15/20 Missing FWCs, unlabeled chemical, improper chemical storage
				11/29/2011	Follow-Up Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	11/14/2011	Routine Inspection	0/0
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	11/10/2011	Routine Inspection	0/0
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	11/28/2011	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - SUNNYSIDE SENIOR CENTER		1400 FEDERAL WAY	SUNNYSIDE	11/18/2011	Routine Inspection	5/5 Missing FWCS
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	11/17/2011	Routine Inspection	0/0
SILVER CREEK BAR & GRILL	Tavern	108 ILLER ST.	MOXEE	11/28/2011	Follow-Up Inspection	5/13 No metal stem thermometer available
SILVER DOLLAR CAFE	Restaurant	30501 HWY 24	SUNNYSIDE	11/15/2011	Routine Inspection	0/0
SMITTY'S CAR WASH & MINI MART	Mini-mart	304 W. MEAD AVE.	YAKIMA	11/2/2011	Routine Inspection	0/0 No problems.
SMITTY'S CONOCO-STORE #190	Mini-mart	301 N 1ST ST.	YAKIMA	11/29/2011	Routine Inspection	No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SNIPES MOUNTAIN BREWING, INC.	Restaurant	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/17/2011	Routine Inspection	45/55 Improperly cooling PHF, missing FWCs, blocked hand wash sink
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	11/7/2011	Follow-Up Inspection	5/18 Raw meat stored above RTE food
				11/16/2011	Compliance Inspection	0/10
STANTON HIGH SCHOOL	School	901 N. WHITMAN ST.	YAKIMA	11/15/2011	Routine Inspection	0/0
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	11/4/2011	Routine Inspection	20/33 Improperly stocked hand wash sink, improper chemical storage
SUBWAY # 46331	Restaurant	4001 SUMMITVIEW AVE. # 12	YAKIMA	11/28/2011	Routine Inspection	0/10
SUN COUNTRY INN	Snack Bar	1700 1ST ST N	YAKIMA	11/7/2011	Routine Inspection	10/10 Improperly cold holding PHF with ice
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	11/17/2011	Routine Inspection	0/0
SUNDQUIST CAFE	Snack Bar	1015 S. 16TH AVE.	YAKIMA	11/2/2011	Compliance Inspection	5/5 Inaccurate metal stem thermometer
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	11/17/2011	Routine Inspection	35/35 No water at temporary hand wash sink (in process of obtaining), improperly hot held PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	11/17/2011	Routine Inspection	30/41 Missing FWCs, improperly hot holding PHF
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	11/4/2011	Routine Inspection	0/0
TAQUERIA EL ESCORPION	Mobile	6th Ave & Walnut at car wash	YAKIMA	11/18/2011	Routine Inspection	0/0
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA	11/16/2011	Follow-Up Inspection	0/5
THE COFFEE SHOPPE	Espresso Stand	3311 W. NOB HILL BLVD.	YAKIMA	11/2/2011	Routine Inspection	0/0 No problems.
THE VINEYARD	Restaurant	150 DIVISION ST.	GRANDVIEW	11/4/2011	Routine Inspection	15/18 Improperly stocked hand wash sink, metal stem thermometer was not available
TIENDA DEL PUEBLO	Grocery Store	530 FRANKLIN AVE.	SUNNYSIDE	11/7/2011	Routine Inspection	0/0 No problems observed.
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	11/10/2011	Routine Inspection	0/0
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	11/3/2011	Routine Inspection	0/5 repeated problem - missing sneeze guard

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TORTA CUBANA	Restaurant	1003 W NOB HILL BLVD	YAKIMA	11/14/2011	Pre-Opening Inspection	Approved to open after license payment, repair of hand washing sink, designation of refrigeration space and submission of a signed contract from building owner.
UNION GAP CARNICERIA	Meat Market	909 LOWER AHTANUM RD	UNION GAP	11/21/2011	Routine Inspection	0/0 No problems observed.
UNION GAP MIDDLE SCHOOL	School	3201 S. 4TH ST.	UNION GAP	11/9/2011	Routine Inspection	0/0
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	11/28/2011	Follow-Up Inspection	15/15 Improperly stocked hand wash sink, inaccurate metal stem thermometers
V.F.W. (WILLIAM WHARTON POST 379)	Restaurant	118 S 5TH AVE.	YAKIMA	11/3/2011	Pre-Opening Inspection	Approved to open after payment is recieved for health permit.
VALLEY VIEW ELEMENTARY	School	515 ZILLAH AVE	TOPPENISH	11/28/2011	Routine Inspection	0/0
VICKIE'S CAFE	Restaurant	802 WISCONSIN AVENUE	TIETON	11/30/2011	Routine Inspection	5/8 missing a thermometer, some cleaning needed on non-food contact surfaces
VITAMIX ROAD SHOW	Serving Site	2310 LONGFIBER RD. - UNION GAP	UNION GAP	11/21/2011	Routine Inspection	20/22 Hands not washed as required, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	11/4/2011	Routine Inspection	0/0
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	11/21/2011	Routine Inspection	see special note
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	11/28/2011	Routine Inspection	0/0
XPRESS MART	Mini-mart	51 FIRING CENTER RD.	YAKIMA	11/17/2011	Follow-Up Inspection	15/15 Missing FWCs, unlabeled chemical
YAKIMA VALLEY TECHNICAL SKILLS CENTER	Chef's School	1120 S. 18TH ST.	YAKIMA	11/2/2011	Routine Inspection	0/11
ZILLAH FOOD CENTER	Grocery Store	145 1ST AVE.	ZILLAH	11/17/2011	Follow-Up Inspection	0/0
ZINGIS MONGOLIAN B.B.Q.	Restaurant	2810 E. LINCOLN AVE	SUNNYSIDE	11/9/2011	Routine Inspection	10/10 Improperly stocked hand wash sink