

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MARKET	Mini-mart	1121 S. 16TH ST.	SUNNYSIDE	12/14/2011	Follow-Up Inspection	35/40 Improperly stocked hand wash sinks, improperly hot holding PHF
3 RIVERS LAND & SEA FOOD CO.	Mobile	1917 RD. 34 PASCO, WA		12/21/2011	Compliance Inspection	25/28 Improperly hot holding PHF
A C DAVIS HIGH SCHOOL	School	212 S. 6TH AVE	YAKIMA	12/29/2011	Compliance Inspection	30/30 Missing FWC, improperly hot holding PHF
A MIDSUMMER NIGHT CATERING	Catering	608 PICKENS RD	YAKIMA	12/14/2011	Routine Inspection	0/0
				12/9/2011	Routine Inspection	0/0
				12/22/2011	Routine Inspection	15/15 Food from unapproved source
				12/22/2011	Catering Routine Inspectio	0/0
ABARROTES CASA MIA	Mini-mart	200 N. 1ST STREET	SUNNYSIDE	12/1/2011	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	12/2/2011	Routine Inspection	0/0
ADAMS ELEMENTARY SCHOOL	School	1101 S. CAMAS AVE	WAPATO	12/15/2011	Routine Inspection	0/0
AHOY FISH & CHIPS	Restaurant	913 W. YAKIMA AVE.	YAKIMA	12/12/2011	Follow-Up Inspection	0/0 - All items from routine inspection have been corrected.
AHTANUM GENERAL STORE	Mini-mart	8301 AHTANUM	YAKIMA	12/29/2011	Routine Inspection	30/30 Improper hot holding of PHF, no thermometer
ALBERTSON'S FOOD CENTER # 249	Grocery Store	1610 W. LINCOLN AVE.	YAKIMA	12/7/2011	Compliance Inspection	0/0
AMERISTAR # 15	Mini-mart	723 E. 1ST AVE.	ZILLA	12/29/2011	Routine Inspection	10/15 Improperly stocked hand wash sink
ANTOJITOS MEXICANOS RESTAURANT MI TIERRA	Restaurant	3512 SUMMITVIEW AVE	YAKIMA	12/15/2011	Routine Inspection	0/0
APPLE BIN SHELL	Mini-mart	3707 W. NOB HILL BLVD.	YAKIMA	12/13/2011	Routine Inspection	25/25 - Improper hot holding temperatures.
BENCH MARK SHELL	Mini-mart	1202 N 1ST ST.	YAKIMA	12/9/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BI-MART # 605	Grocery Store	309 S. 5TH AVE. - YAKIMA	YAKIMA	12/27/2011	Routine Inspection	0/0
BI-MART # 626	Grocery Store	1207 N. 40TH AVE. - YAKIMA	YAKIMA	12/19/2011	Routine Inspection	0/0
BI-MART # 636	Grocery Store	110 W. SOUTH HILL RD.	SUNNYSIDE	12/29/2011	Routine Inspection	0/0
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	12/14/2011	Routine Inspection	5/5 Missing FWCs
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	12/8/2011	Routine Inspection	15/18 Missing FWC, blocked hand wash sink
CAMAS ELEMENTARY SCHOOL	School	910 S. CAMAS	WAPATO	12/29/2011	Follow-Up Inspection	30/30 Missing FWC, RTS of PHF
CAROUSEL FRENCH CUISINE	Restaurant	25 N. FRONT STREET	YAKIMA	12/15/2011	Routine Inspection	0/0
CHRISTIE'S CAKES	Bakery	1624 S. 27TH AVE.	YAKIMA	12/1/2011	Compliance Inspection	0/0
CLARK'S EMPIRE FOODS	Grocery Store	3361 MAPLEWAY	YAKIMA	12/20/2011	Routine Inspection	0/0
				12/21/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	12/22/2011	Routine Inspection	0/0 No problems.
COMFORT INN	Continental Brkfst	911 VINTAGE VALLEY PARKWAY	ZILLA	12/8/2011	Routine Inspection	55/60 Missing FWCs, improperly hot held PHF, RTS of PHF
COTTAGE ESPRESSO	Espresso Stand	1101 W. NOB HILL BLVD.	YAKIMA	12/29/2011	Follow-Up Inspection	5/5 Missing FWC
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	12/27/2011	Routine Inspection	15/20 Missing FWCs, improperly stocked hand wash sink
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	12/9/2011	Routine Inspection	0/0
DOLLAR TREE STORE # 2753	Grocery Store	2660 YAKIMA VALLEY HWY	SUNNYSIDE	12/2/2011	Routine Inspection	0/0
DON'S DONUTS & JULIE'S JAVA	Bakery	1024 W. NOB HILL BLVD.	YAKIMA	12/8/2011	Routine Inspection	0/0
EDISON MARKET	Mini-mart	1520 E EDISON	SUNNYSIDE	12/19/2011	Routine Inspection	0/0
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	12/22/2011	Routine Inspection	30/30 - Expired FWC, no paper towels at handwash sink, no metal stem thermometer, and milk on the shelf up to a month past the pull date.
				12/8/2011	Routine Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL MEJOR TAQUITO	Mobile	821 Yakima Valley HWY Sunnyside	SUNNYSIDE	12/1/2011	Routine Inspection	0/0 No problems.
EL PORTON	Restaurant	905-A VINTAGE VALLEY PARKWAY	ZILLA	12/9/2011	Routine Inspection	0/0
EL RANCHITO	Restaurant	1319 E. 1ST AVENUE	ZILLA	12/21/2011	Routine Inspection	35/40 One handwash sink missing soap, improper hot holding of PHF's.
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	12/1/2011	Routine Inspection	10/10 Handwash in womens restroom has broken hot water valve.
ELITE EXPRESS	Mini-mart	2501 TERRACE HGTS, DR.	YAKIMA	12/12/2011	Routine Inspection	10/13 Missing FWCs, inaccurate metal stem thermometer
ESTUDILLO'S FOOD STORES	Grocery Store	2601 SHELLER RD	SUNNYSIDE	12/28/2011	Follow-Up Inspection	0/0
GOLDEN NUGGET	Mini-mart	1041 BUENA RD	ZILLA	12/1/2011	Routine Inspection	0/3 Restroom is in need of repair.
GOURMET TRIO DELI & EXPRESSO / C. & L. CATERING	Deli/Catering	1304 N. 1ST STREET	YAKIMA	12/8/2011	Routine Inspection	25/25 Improperly hot holding PHF
				12/27/2011	Routine Inspection	0/8

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	12/19/2011	Compliance Inspection	40/43 Missing FWCs, procedures for time as a control were not available, unlabeled chemicals
GRAND CINEMAS - YAKIMA VALLEY	Snack Bar	3400 PICARD PLACE	SUNNYSIDE	12/28/2011	Compliance Inspection	5/5 Missing FWC
HICKORY FARMS # 40117	Deli	2529 MAIN ST. # 183	UNION GAP	12/22/2011	Routine Inspection	0/0
HIGHLAND QUICK STOP	Mini-mart	16841 SUMMITVIEW RD	COWICHE	12/1/2011	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLA	12/5/2011	Routine Inspection	0/3 dirty kitchen
HOKUS POKUS BEER & DELI	Mini-mart	2401-B W. NOB HILL BLVD.	YAKIMA	12/7/2011	Routine Inspection	0/0
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 'A' STE	YAKIMA	12/27/2011	Routine Inspection	0/5 No sanitizer available.
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	12/13/2011	Routine Inspection	25/28 Improperly hot holding PHF
				12/21/2011	Follow-Up Inspection	30/30 Improper cooking time and temperature of PHF, metal stem thermometer was not used to evaluate temperature of PHF
				12/8/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOWARD JOHNSON PLAZA	Restaurant/Lounge	9 N. 9TH STREET	YAKIMA	12/20/2011	Routine Inspection	0/0
JACK IN THE BOX # 8300	Restaurant	2317 S 1ST STREET	YAKIMA	12/14/2011	Routine Inspection	0/0 No problems.
JACK IN THE BOX # 8315	Restaurant	1002 N. 1ST STREET	YAKIMA	12/27/2011	Routine Inspection	5/5 Missing FWCs
JAMES GANG TAVERN	Tavern	2101 S 3RD AVE	YAKIMA	12/12/2011	Routine Inspection	0/0
JAN MELHORN'S CATERING ETC	Catering	1408 CITY RESERVOIR RD	YAKIMA	12/1/2011	Routine Inspection	0/0
JITTERS	Espresso Stand/Deli	5906 SUMMITVIEW AVE.	YAKIMA	12/15/2011	Routine Inspection	5/15 Cook has expired FWC, various refrigerators missing thermometers, ice scoop being stored inside ice machine.
KABOB HOUSE	Restaurant	3609 W. NOB HILL BLVD	YAKIMA	12/21/2011	Routine Inspection	30/30 Improper hot holding of PHF, missing metal stem thermometer
LA FAVORITA	Grocery Store	600 BAILEY AVE.	GRANGER	12/2/2011	Routine Inspection	10/10 Handwash sink missing paper towels.
LA JAIBA MEXICAN RESTAURANT	Restaurant	302 MAIN STREET	GRANGER	12/2/2011	Routine Inspection	30/30 Improper hot holding of PHF's, no consumer advisory.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA SUPER BAKERY (SUNNYSIDE)	Bakery	111 N. 6TH ST. # B	SUNNYSIDE	12/1/2011	Routine Inspection	0/0 No problems.
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	12/8/2011	Routine Inspection	0/0
LOS NARANJOS BAKERY	Bakery	100 E. 3RD ST.	GRANGER	12/2/2011	Routine Inspection	10/10 Improper cold holding of PHF's.
MAIN STREET MARKET	Grocery Store	3202 MAIN STREET	UNION GAP	12/1/2011	Routine Inspection	No items cited. See notes on inspection report regarding potential items to watch for.
MC GUIRE'S IRISH RESTAURANT & PUB	Tavern	4807 TIETON DR	YAKIMA	12/9/2011	Routine Inspection	15/15 BHC with RTE foods.
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	12/6/2011	Routine Inspection	0/0
MOCHA TREE ESPRESSO	Espresso Stand	1018 S. 11TH AVE. - YAKIMA	YAKIMA	12/19/2011	Routine Inspection	10/15 Unlabeled chemical
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	12/2/2011	Routine Inspection	Missing a kitchen hand wash sink.
MT. CLEMANS CHEVRON	Mini-mart	9881 U.S. HWY. 12	NACHES	12/14/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	12/15/2011	Follow-Up Inspection	30/30 - Improper cooling.
NEW HOPE COMMUNITY CHURCH	Church Kitchen	29 CHANNEL DRIVE	YAKIMA	12/20/2011	Routine Inspection	0/0
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	12/21/2011	Routine Inspection	35/40 Missing FWCs, raw meat stored above RTE food, RTS of PHF
NEW YORK TERIYAKI - MOXEE	Restaurant	214 E. MOXEE AVE.	MOXEE	12/28/2011	Routine Inspection	0/10
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	12/22/2011	Routine Inspection	25/28 - Room temperature storage of cooked noodles.
NEW YORK TERIYAKI & BURGERS	Restaurant	822 N 1ST ST.	YAKIMA	12/22/2011	Routine Inspection	25/28 Improper hot holding of PHF's, improper thawing of PHF's.
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	12/21/2011	Routine Inspection	5/10 Raw meat stored above ready to eat meat.
ON THE GO - SENIOR CAFE (SUNNYSIDE SENIOR CENTER)		1400 FEDERAL WAY	SUNNYSIDE	12/2/2011	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ON THE GO - SENIOR CAFE (NACHES LIONS ST. JOHN'S PARISH)	Serving Site	206 MOXEE AVENUE	NACHES	12/14/2011	Routine Inspection	0/0
ON THE GO - SENIOR CAFE (SOUTHEAST COMMUNITY CENTER)	Serving Site	1211 S. 7TH ST.	YAKIMA	12/1/2011	Routine Inspection	10/20 Improperly stocked hand wash sink
ORANGE JULIUS - VALLEY MALL	Restaurant	2515 MAIN ST	UNION GAP	12/15/2011	Routine Inspection	15/25 Hands not washed as required
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	12/15/2011	Routine Inspection	0/0
PANADERIA DELICIAS	Bakery	1401 FRUITVALE BLVD	YAKIMA	12/21/2011	Routine Inspection	5/10 Missing FWCs, no sanitizer available
PAPA MURPHY'S PIZZA	Restaurant	211 S. CHESTNUT ST.	TOPPENISH	12/27/2011	Routine Inspection	0/0
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	12/30/2011	Routine Inspection	5/5 Missing FWC
PATRICIA'S CHOCOLATE EMPORIUM	Espresso Stand	911 VINTAGE VALLEY PARKWAY	ZILLA	12/14/2011	Routine Inspection	15/20 Food obtained from unapproved source

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	12/27/2011	Routine Inspection	10/15 Improperly stocked hand wash sinks
PIK-A-POP # 11	Mini-mart	1524 YAKIMA VALLEY HWY.	SUNNYSIDE	12/6/2011	Routine Inspection	35/38 Missing FWC, improperly hot holding PHF, inaccurate metal stem thermometer
				12/21/2011	Follow-Up Inspection	5/5 No metal stem thermometer was available
				12/29/2011	Compliance Inspection	5/5 Inaccurate metal stem thermometer
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	12/9/2011	Compliance Inspection	0/0
RESTAURANTE & CENADURIA CONCHITAS	Restaurant	606 S 36TH AVE	YAKIMA	12/21/2011	Routine Inspection	0/5
RITE AID # 5297	Grocery Store	2519 MAIN STREET	UNION GAP	12/30/2011	Routine Inspection	0/0
RITE AID # 5298	Grocery Store	5606 SUMMITVIEW AVE.	YAKIMA	12/30/2011	Routine Inspection	0/0
RITE AID # 5300	Grocery Store	2010 YAKIMA VALLEY HWY,SUITE C-1	SUNNYSIDE	12/6/2011	Routine Inspection	0/0
RIVERSIDE CHRISTIAN SCHOOL	Snack Bar	721 KEYS RD.	YAKIMA	12/9/2011	Routine Inspection	5/5 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROADRUNNER	Mini-mart	1408 N. 1ST STREET	YAKIMA	12/22/2011	Routine Inspection	10/13 Improperly stocked hand wash sink
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	12/8/2011	Routine Inspection	0/0
RUSH COFFEE	Espresso Stand	4801 W. NOB HILL BLVD.	YAKIMA	12/9/2011	Routine Inspection	0/0
SALSITA ANTOJITOS MEXICANOS	Restaurant	902 S. FAIR AVE.	YAKIMA	12/8/2011	Routine Inspection	5/5 Raw meats being stored above RTE foods.
SANCHEZ'S MARKET	Mini-mart	502 S. 2ND STREET	YAKIMA	12/27/2011	Routine Inspection	0/10 Restroom handwash sink missing paper towels.
SCRC & RCRC	School	1106 HATHAWAY A & B	YAKIMA	12/14/2011	Routine Inspection	0/0
SKIPPER'S SEAFOOD & CHOWDER HOUSE	Restaurant	2150 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/21/2011	Routine Inspection	10/10 Improper washing of vegetables.
SNIPES MOUNTAIN BREWING, INC.	Restaurant	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/8/2011	Follow-Up Inspection	5/15 Raw meat stored above RTE food
SOUTHEAST COMMUNITY CENTER	Restaurant	1211 S. 7TH ST.	YAKIMA	12/16/2011	Routine Inspection	25/25 Improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ST. JOE'S SNACKBAR	Deli	3112 MAIN ST	UNION GAP	12/29/2011	Routine Inspection	10/20 Improper chemical storage
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	12/5/2011	Routine Inspection	0/0
STEMS	Winery	399 E. YAKIMA AVE.	YAKIMA	12/20/2011	Routine Inspection	0/0
SUBWAY	Restaurant	905 -B VINTAGE VALLEY PARKWAY	ZILLA	12/9/2011	Routine Inspection	15/18 Missing FWCs, unlabeled chemicals
				12/22/2011	Routine Inspection	0/5 Missing FWC's.
				12/29/2011	Follow-Up Inspection	0/3
SUBWAY # 3842	Restaurant	2301 W. NOB HILL BLVD. SUITE # 9	YAKIMA	12/19/2011	Routine Inspection	0/0
SUBWAY # 46233	Restaurant	123 E YAKIMA AVE	YAKIMA	12/1/2011	Routine Inspection	15/20 Missing FWCs, improperly labeled chemical
				12/29/2011	Follow-Up Inspection	0/3
SUBWAY # 6870	Restaurant	2402 S. 1ST ST. # A-100	YAKIMA	12/5/2011	Routine Inspection	15/20 Missing FWCs, improper chemical storage
				12/19/2011	Follow-Up Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	12/2/2011	Routine Inspection	0/0
SUN COUNTRY INN	Snack Bar	1700 1ST ST N	YAKIMA	12/2/2011	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
SUN MART # 21	Mini-mart	10173 HWY 12	NACHES	12/14/2011	Routine Inspection	25/25 - Improper hot holding temperatures.
SUN MART #25	Mini-mart	900 VINTAGE VALLEY PARKWAY	ZILLA	12/29/2011	Routine Inspection	15/28 Inaccurate metal stem thermometer, improper chemical storage
TAMMY'S MEXICAN RESTAURANT	Restaurant	1009 N. 1ST STREET	YAKIMA	12/21/2011	Routine Inspection	0/6 Improper thawing of PHF, very dirty refrigerator
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	12/20/2011	Routine Inspection	75/80 BHC with RTE foods, no working handwash sink, no sanitizer made up, improper hot holding of PHF's, room temperature storage of PHF's. Office conference needed.
TAQUERIA MANZANILLO	Restaurant	2500 YAKIMA VALLEY HWY	SUNNYSIDE	12/22/2011	Routine Inspection	5/8 - Raw meat stored above lettuce.
TAQUERIA URUAPAN	Restaurant	1324 S. 10TH STREET.	YAKIMA	12/15/2011	Routine Inspection	15/15 Improper re-heating of PHF's.
THE COFFEE SHACK 2	Espresso Stand	915 N 4TH ST.	GRANDVIEW	12/8/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE FLOWER GARDEN	Winery	3201 SUMMITVIEW AVE.	YAKIMA	12/15/2011	Routine Inspection	0/0
THE LITTLE BAKE SHOP AT JOHNSON ORCHARDS	Bakery	4906 SUMMITVIEW AV	YAKIMA	12/9/2011	Routine Inspection	0/0
THE RIDGE STUDENT STORE @ WEST VALLEY HIGH SCHOOL	Snack Bar	9800 ZIER RD.	YAKIMA	12/12/2011	Routine Inspection	0/0
TORTAS SUPREME	Restaurant	325 YAKIMA VALLEY HWY.	SUNNYSIDE	12/13/2011	Pre-Opening Inspection	
TREE TOP STORE & VISITOR'S CENTER	Espresso Stand/Deli	204 E. 2ND AVE.	SELAH	12/8/2011	Routine Inspection	0/0
WALGREENS # 09911	Grocery Store	4001 SUMMITVIEW AVE. # 3	YAKIMA	12/22/2011	Routine Inspection	0/0
WALGREENS # 12275	Grocery Store	610 W. YAKIMA AVE	YAKIMA	12/21/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAL-MART # 5078-01 (NOB HILL BLVD.)	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	12/13/2011	Routine Inspection	20/20 Improperly stocked hand wash sinks, improper chemical storage
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	12/21/2011	Follow-Up Inspection	0/5
WAPATO MIDDLE SCHOOL	School	505 DOVE LANE	WAPATO	12/15/2011	Routine Inspection	0/0
WAPATO XPRESS MART	Mini-mart	631 1ST ST W	WAPATO	12/15/2011	Routine Inspection	0/0
WASHINGTON MIDDLE SCHOOL	School	510 S. 9TH ST.	YAKIMA	12/15/2011	Routine Inspection	45/48 PIC was not knowledgeable about food safety, improperly stocked hand wash sinks, improperly hot holding PHF, metal stem thermometer is not used to evaluate temperature of PHF
WENDY'S	Restaurant	1001 N 1ST ST.	YAKIMA	12/21/2011	Follow-Up Inspection	25/27 Improperly hot holding PHF
WEST VALLEY JUNIOR HIGH	School	7507 ZIER RD.	YAKIMA	12/27/2011	Compliance Inspection	10/10 Blocked hand wash sink
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	12/2/2011	Routine Inspection	0/0
				12/7/2011	Complaint Inspection	No mold observed in cups.
				12/2/2011	Routine Inspection	10/10 Student hand washing sink not functioning.
				12/2/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE ²	YAKIMA	12/5/2011	Routine Inspection	0/0
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	12/2/2011	Routine Inspection	30/41 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food
WHITE HOUSE CAFE	Restaurant	3602 KERN ROAD	YAKIMA	12/14/2011	Follow-Up Inspection	5/5 Missing FWC
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	12/9/2011	Routine Inspection	0/10 Ice scoop stored inside ice machine. Refrigerator needs general cleaning.
WRAY'S MEADOWBROOK	Grocery Store	7200 W. NOB HILL BLVD.	YAKIMA	12/9/2011	Routine Inspection	0/0
YAKIMA AVENUE DAIRY QUEEN	Restaurant	801 E YAKIMA AVE.	YAKIMA	12/15/2011	Routine Inspection	20/30 Handwash sink in deli missing paper towels, improper cold holding of PHF's, thermometers missing, no sanitizer made up.
YAKIMA GROCERY OUTLET	Grocery Store	2109 S. 1ST STREET	YAKIMA	12/15/2011	Routine Inspection	0/5 General cleaning needed throughout establishment. They are moving the walk in cooler; the drive thru window will now be there.
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	12/8/2011	Routine Inspection	0/0
				12/7/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	12/7/2011	Routine Inspection	0/0
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	12/7/2011	Routine Inspection	0/0