

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERISTAR STORE # 8	Mini-mart	1005 W. WALLACE WAY	GRANDVIEW	8/15/2012	Follow-Up Inspection	0/3
BASKIN ROBBINS (MOBILE)	Mobile	816 SUMMITVIEW AND YAKIMA SUN DOME(INSIDE)	YAKIMA	8/9/2012	Routine Inspection	10/10 Improper cold holding
BEST WESTERN AHTANUM INN	Continental Brkfst	2408 RUDKIN RD.	UNION GAP	8/29/2012	Routine Inspection	5/8 - Metal stem thermometer is inaccurate and improper thawing.
BREWER'S MINI-MART II	Mini-mart	3922 FRUITVALE BLVD.	YAKIMA	8/17/2012	Routine Inspection	15/24 Food not in good condition, inaccurate metal stem thermometer
BURGER KING	Restaurant	2611 W NOB HILL	YAKIMA	8/27/2012	Complaint Inspection	Manager stated that the shelf is sanitized that comes in contact with the raw chicken and raw beef patties. There were no bugs observed under the sink.
				8/27/2012	Routine Inspection	5/13 Missing FWCS

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	8/29/2012	Routine Inspection	0/0
EL MERCADO GRANDVIEW	Grocery Store	206 N EUCLID	GRANDVIEW	8/13/2012	Follow-Up Inspection	5/10 Raw meat stored next to RTE food
ESPERANZA'S MEXICAN FOOD	Mobile	Highland area warehouses	TIETON	8/20/2012	Routine Inspection	30/35 No hot water at hand wash sink, hands not washed as required, no metal stem thermometer
GEORGE'S WOK & GRILL	Restaurant	1210 S. 80TH AVE.	YAKIMA	8/22/2012	Routine Inspection	0/0
GREEN OLIVE CAFE' & ESPRESSO	Restaurant/Catering	2926 COVEY LANE	SUNNYSIDE	8/23/2012	Routine Inspection	0/5 Refrigerators missing thermometers.
GUERRA'S DELI & CAFE	Deli/Catering	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	8/15/2012	Routine Inspection	15/15 Improperly cold holding PHF, inaccurate metal stem thermometer
HIWAY FRUIT	Fruit Stand	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/23/2012	Routine Inspection	30/30 Improper hot holding of PHF's, no thermometer to check temperature of hot foods.
HOMESTRETCH ESPRESSO & BEVERAGE	Espresso Stand	2890 ALLEN RD.	SUNNYSIDE	8/23/2012	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Jahr's European Sausage & Custom Cutting	Meat Market	160 RANCHETTE LN	SELAH	8/23/2012	Routine Inspection	0/0
JERRY'S VALLEY MEATS	Meat Market	2561 SUNNYSIDE MABTON RD	SUNNYSIDE	8/8/2012	Routine Inspection	0/0
LA CABANA RESTAURANT	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	8/9/2012	Routine Inspection	10/20 Improper cold holding of PHF's, no sanitizer.
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	8/6/2012	Routine Inspection	50/63 Missing FWCs, hands not washed as required, BHC with RTE food, no soap or paper towels at the hand wash sinks, inaccurate metal stem thermometer
LA PACHANGA (MOBILE)	Mobile		TIETON	8/23/2012	Follow-Up Inspection	15/20 Missing FWC, improperly stocked hand wash sink
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	8/20/2012	Routine Inspection	5/5 Inaccurate metal stem thermometer
LARA'S BAKERY	Bakery	7 WASHINGTON AV	TOPPENISH	8/7/2012	Compliance Inspection	0/0
LINCOLN MARKET	Mini-mart	1517 LINCOLN AVE	SUNNYSIDE	8/29/2012	Routine Inspection	35/40 Using cotton towels to dry hands, 10 dozen eggs with temperature abuse, no sanitizer.
LITTLE STORE ON NACHES HEIGHTS	Mini-mart	5521 NACHES HTS RD	YAKIMA	8/8/2012	Routine Inspection	10/13 Food not in good condition
				8/22/2012	Routine Inspection	10/15 Food not in good condition

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LONGMIRE'S T & T LOUNGE	Tavern	307 S. 1ST STREET	SELAH	8/7/2012	Routine Inspection	15/28 Missing FWCs, raw meat stored above RTE food, inaccurate metal stem thermometer
LUTONG PINOY (FILIPINO FOOD)	Restaurant/Catering	1510 SUMMITVIEW AV	YAKIMA	8/25/2012	Catering Routine Inspection	25/30 Improperly hot holding PHF
MARISCOS IXTAPA DE CHELY	Mobile	At tire store in Mabton across from Mama JZ	SUNNYSIDE	8/8/2012	Routine Inspection	0/5
MARISCOS MAR & TIERRA # 2	Mobile		WAPATO	8/9/2012	Routine Inspection	40/40 No paper towels or hot water at the hand wash sink, improperly hot holding PHF, no metal stem thermometer was available
MARISCOS MAR & TIERRA # 4	Mobile		WAPATO	8/16/2012	Follow-Up Inspection	15/15 No hot water available at the hand wash sink, inaccurate metal stem thermometer
MC DONALD'S	Restaurant	3907 RIVER ROAD	YAKIMA	8/10/2012	Routine Inspection	40/40 No soap or hot water were available at the hand wash sink, pork and tongue burrito were improperly hot held, no metal stem thermometer was available
MEADOWBROOK FAMILY FUN CENTER	Snack Bar	7200 W. NOB HILL BLVD	YAKIMA	8/28/2012	Routine Inspection	20/28 Missing FWCs, hands not washed as required
MEL'S DINER	Restaurant	314 N. 1ST STREET	YAKIMA	8/22/2012	Routine Inspection	0/5 Ice scoop being stored in ice bin.
				8/29/2012	Routine Inspection	10/15 Missing FWCs, raw meat stored above RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MERCADO LA PLAZITA & CARNICERIA	Meat Market	715 W. WINE COUNTRY RD.	GRANDVIEW	8/22/2012	Routine Inspection	20/25 - 2 FWC needed and ice scoop was buried in ice in the ice machine.
MEXICAN FRUIT	Mobile	2201 E. EDISON - SUNNYSIDE SCHUCK'S PARKING LOT	GRANDVIEW	8/13/2012	Follow-Up Inspection	15/15 Missing FWC, improperly cold holding cut watermelon
MEXICAN FRUIT # 2	Mobile	8 RANCHRITE RD. - YAKIMA	GRANDVIEW	8/23/2012	Compliance Inspection	15/15 Hands not washed as required
MINUTE MART & SMOKE SHOP	Mini-mart	301 S. 13TH STREET	SUNNYSIDE	8/16/2012	Routine Inspection	15/15 Missing FWC, no paper towels available at hand sink
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	8/8/2012	Routine Inspection	10/10 - Improper hot holding temperatures and no metal stem thermometer.
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	8/7/2012	Routine Inspection	15/15 - Bare hand contact with sliced apples.
NORTH TOWN COFFEEHOUSE	Espresso Stand	28 N 1ST. ST.	YAKIMA	8/21/2012	Routine Inspection	15/15 Missing FWC, improperly hot holding PHF, inaccurate metal stem thermometer
OLD WESTERN MARKET	Mini-mart	102 E TOPPENISH AVE.	TOPPENISH	8/10/2012	Routine Inspection	0/0
				8/6/2012	Routine Inspection	0/7

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PANDA GARDEN RESTAURANT	Restaurant	3210 PICARD PLACE	SUNNYSIDE	8/8/2012	Routine Inspection	30/48 Missing FWC, Ice scoop handle contacting ice in ice machine, unlabeled chemicals
				8/23/2012	Follow-Up Inspection	75/96 Missing FWC, ice scoop handle contacting ice in ice machine, improperly cooling PHF, RTS of PHF
PAPA MURPHY'S PIZZA	Restaurant/Catering	64 W. NOB HILL BLVD.	YAKIMA	8/25/2012	Catering Routine Inspection	5/10 No metal stem thermometer was available
PEEK-A-BREW ESPRESSO # 2	Espresso Stand	2524 RUDKIN RD.	UNION GAP	8/9/2012	Routine Inspection	30/35 - No paper towels at either handwash sink, spoiled milk, and refrigerator at 51 degrees and milk inside at 55 degrees.
PEPE'S BAKERY	Bakery	636 DECATUR AVE.	SUNNYSIDE	8/13/2012	Routine Inspection	35/45 No soap or paper towels at hand wash sinks, eggs stored at room temperature
PUPUSERIA RESTAURANT	Restaurant/Catering	2695 E. LINCOLN AVE # E	SUNNYSIDE	8/29/2012	Routine Inspection	35/48 Missing FWC, BHC with RTE food, improperly stocked hand wash sink, metal stem thermometer was not used to evaluate PHF
QUICK - PICK	Mini-mart	401 SELM	TOPPENISH	8/29/2012	Routine Inspection	0/0
QUIZNO'S SUB # 9469	Restaurant	1809 S. 1ST ST.	YAKIMA	8/1/2012	Routine Inspection	0/0
RASPADOS DONA CHELITO	Espresso/Catering	511 N. 1ST STR. # 2	YAKIMA	8/24/2012	Routine Inspection	15/15 Improper cold holding of PHF's, missing thermometer.
				8/29/2012	Follow-Up Inspection	They are making tamales in Mi Pueblito. They get frozen and stored at Dona Chelitos and cooked as needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RED LOBSTER RESTAURANT # 597	Restaurant	905 N. 1ST STREET	YAKIMA	8/31/2012	Routine Inspection	0/0
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	8/23/2012	Routine Inspection	20/30 Expired FWC's, improper cold holding of PHF's.
RIMROCK LAKE RESORT	Deli	37590 US HWY 12	NACHES	8/3/2012	Routine Inspection	0/0
RIVER RIDGE GOLF COURSE	Restaurant/Lounge	295 GOLF COURSE LOOP	SELAH	8/3/2012	Routine Inspection	0/0
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	8/6/2012	Follow-Up Inspection	15/23 Missing FWCs, improperly cold holding watermelon & honey dew melon
SALVATION ARMY	Restaurant	310 N 16TH AVE.	YAKIMA	8/10/2012	Routine Inspection	5/0 dishwasher not sanitizing properly
SAN JUAN RESTAURANT	Restaurant	415 WAPATO AV S	WAPATO	8/9/2012	Follow-Up Inspection	0/15
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	8/28/2012	Routine Inspection	10/33 Missing FWCs, raw meat stored above RTE food
SILVER LAKE WINERY	Winery	1500 VINTAGE RD	ZILLA	8/15/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	8/29/2012	Routine Inspection	0/0
STANTON HIGH SCHOOL	School	802 RIVER RD.	YAKIMA	8/27/2012	Pre-Opening Inspection	New school at new location. Approved to open.
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	8/22/2012	Routine Inspection	0/2
STICKY FINGERS BAKERY & CAFE	Restaurant	217 NACHES AVE.	NACHES	8/23/2012	Routine Inspection	0/9
STOKES BURGER RANCH	Restaurant	706 YAKIMA VALLEY HWY.	SUNNYSIDE	8/15/2012	Routine Inspection	20/20 Missing FWCs, BHC with RTE food
SU MERCADO	Grocery Store	123 DIVISION ST.	GRANDVIEW	8/22/2012	Routine Inspection	25/30 - No FWC available, no paper towels at handwash sink in men's restroom, and chemical spray bottle not labeled.
SUBWAY # 18869	Restaurant	1300 N. 40TH AVE. # 117	YAKIMA	8/22/2012	Routine Inspection	10/18 Improper chemical storage
SUBWAY # 39961	Restaurant	2675 E. LINCOLN AVE.	SUNNYSIDE	8/6/2012	Routine Inspection	5/8 Missing FWC
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	8/8/2012	Follow-Up Inspection	60/65 Missing FWC, hands not washed as required, BHC with RTE food, RTS of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUN - TIDES RESTAURANT	Restaurant	231 PENCE RD.	YAKIMA	8/3/2012	Routine Inspection	25/25 - FWC needed, BHC with ready to eat food, and bag of lettuce laying on raw hamburger.
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	8/16/2012	Routine Inspection	35/43 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer
SUNTIDES MARKET & GAS	Mini-mart	11 PENCE RD	YAKIMA	8/29/2012	Follow-Up Inspection	30/30 Missing FWC, improperly hot holding PHF
SUPER TACOS	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	8/1/2012	Routine Inspection	30/30 missing/expired FWCs, improperly hot held PHF
SWEET BEEZ CAFE	Restaurant/Catering	130 E NACHES	SELAH	8/31/2012	Routine Inspection	0/0
TACO EL GRANDE	Mobile	1402 S. Fair Ave. Yakima 8AM-9PM	YAKIMA	8/7/2012	Routine Inspection	55/55 Missing FWCs, hands not washed as required, improperly cooling roast beef, raw meat stored above RTE food
TACOS EL DORADO	Mobile	SAME	SUNNYSIDE	8/16/2012	Compliance Inspection	10/10 Missing FWC, improper handling of pooled eggs 0/0
				8/23/2012	Routine Inspection	5/10 Expired FWC's, potential food contamination.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	8/8/2012	Follow-Up Inspection	10/15 Improperly cold holding PHF
				8/13/2012	Compliance Inspection	10/10 Improperly cold holding raw meat
				8/23/2012	Compliance Inspection	40/40 Improperly cooling tongue meat, improperly cold holding rice
				8/29/2012	Compliance Inspection	0/0
TAQUERIA CAMINO REAL	Restaurant/Catering	1112 1/2 TIETON DR.	YAKIMA	8/25/2012	Catering Routine Inspection	5/5 Missing FWC (catering at Town of Tieton Park)
TAQUERIA EL HUARACHASO	Restaurant	401 SELM ST.	TOPPENISH	8/29/2012	Routine Inspection	No problems.
TAQUERIA LA CABANA	Restaurant	1205 N. 1ST STREET	YAKIMA	8/24/2012	Routine Inspection	45/45 Improper cooling of PHF's, hands not washed as required.
TAYON'S MARKET	Grocery Store	810 W. WINE COUNTRY RD.	GRANDVIEW	8/9/2012	Routine Inspection	5/5 Thermometer needed to check proper hot holding temperatures.
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	8/25/2012	Catering Follow-Up Inspection	30/30 Chicken improperly hot held, no metal stem thermometer is being used
THE CAKE DECORATOR SHOPPE	Bakery	5609 SUMMITVIEW AVE	YAKIMA	8/2/2012	Routine Inspection	0/0
THE FUEL YARD	Espresso Stand	314 1ST AVE.	ZILLA	8/13/2012	Routine Inspection	5/15 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE MARKET PLACE DELI / TOM TOM ESPRESSO	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	8/30/2012	Routine Inspection	0/5 The dishwasher does not dispense sanitizer.
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	8/9/2012	Follow-Up Inspection	5/10 Metal stem thermometer was not used to evaluate food temperatures
WASHINGTON FRUIT PLACE	Fruit Stand	1209 PECKS CANYON RD.	YAKIMA	8/1/2012	Routine Inspection	0/0
WHITLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	8/24/2012	Follow-Up Inspection	45/56 BHC with RTE food, hands not washed as required, no metal stem thermometer was available, unlabeled chemicals
XPRESS MART	Mini-mart	51 FIRING CENTER RD.	YAKIMA	8/22/2012	Routine Inspection	10/10 Inadequate handwash facilities