

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN #2307-27470C	Mini-mart	810 YAKIMA AV E	YAKIMA	1/4/2013	Routine Inspection	5/5 - FWC needed.
AM/PM	Mini-mart	1601 W WASHINGTON AVE.	YAKIMA	1/31/2013	Routine Inspection	0/0
AM/PM UNION GAP	Mini-mart	20 E. VALLEY MALL BLVD.	UNION GAP	1/11/2013	Routine Inspection	0/0 No problems observed.
AMERISTAR # 12	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	1/7/2013	Follow-Up Inspection	0/0
BARREL HOUSE	Restaurant	22 N 1ST ST.	YAKIMA	1/31/2013	Routine Inspection	0/0
BIG WOLF MINI MARKET	Mini-mart	67831 HIGHWAY 97	WAPATO	1/18/2013	Routine Inspection	10/10 - FWC needed and improper hot holding.
BLACK ROCK CREEK SNACK BAR	Snack Bar	31 RAY RD	SUNNYSIDE	1/17/2013	Routine Inspection	10/10 inaccessible hand washing sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	1/10/2013	Routine Inspection	50/68 Missing FWCs, food not in good condition, raw meat stored next and above RTE food, RTS of PHF, inaccurate metal stem thermometer
BOOMER'S BAR & GRILLE	Restaurant/Catering	1719 S 1ST ST	YAKIMA	1/25/2013	Catering Routine Inspection	Catering at Holy Family Gym for a crab feed/prime rib dinner.
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	1/31/2013	Routine Inspection	15/15 Expired FWCs, inadequate handwashing facilities
BURGER KING # 9876	Restaurant	3201 PICARD PLACE	SUNNYSIDE	1/17/2013	Routine Inspection	0/0
BURGER RANCH OF SELAH	Restaurant	9 1ST ST S	SELAH	1/14/2013	Routine Inspection	0/0 No problems noted.
CAFFE CAPRI @ VALLEY MALL	Espresso Stand	2529 MAIN STR. # 118	UNION GAP	1/4/2013	Routine Inspection	10/15 Improper cold holding of PHF's, improper thawing of PHF's. Also the name has changed from Tully's Coffee to Capri Coffee.
CASA VITTORE	Deli	210 YAKIMA AV E	YAKIMA	1/15/2013	Routine Inspection	0/5 Sanitizer being improperly made.
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	1/15/2013	Routine Inspection	0/5 Sanitizer being improperly made.
CHINA TOWN CAFE	Restaurant	14 E. "A" STREET	YAKIMA	1/15/2013	Complaint Inspection	They have hot water available in the restrooms. No foul odor is coming from the restrooms.
				1/31/2013	Routine Inspection	5/8 missing/expired FWCs, dirty surfaces

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	1/22/2013	Routine Inspection	45/45 Food not in good condition, improperly hot holding PHF, improperly cold holding PHF
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	1/2/2013	Routine Inspection	25/30 PHF improperly hot held
CROSSROAD MARKET	Snack Bar	4641 N. TRACK RD.	WAPATO	1/29/2013	Routine Inspection	0/0 No problems.
DENNY'S RESTAURANT # 7869	Restaurant	2603 RUDKIN RD <sup>2</sup>	UNION GAP	1/4/2013	Routine Inspection	20/25 Missing FWCs, hands not washed as required
DOLLAR TREE #4985	Mini-mart	300 W 1ST AVE	TOPPENISH	1/16/2013	Routine Inspection	0/0
DREAMGIRLS ESPRESSO	Espresso Stand	1323 S. 8TH STREET	YAKIMA	1/15/2013	Routine Inspection	15/20 Expired FWC's, missing paper towels at handwash, ice scoop being stored in ice bin.
EARLY CHILDHOOD CENTER	School	600 E. "E" STREET	GRANGER	1/10/2013	Routine Inspection	5/10 Missing food thermometer, missing temperature gauge in refrigerator.
EDISON MARKET	Mini-mart	1520 E EDISON	SUNNYSIDE	1/9/2013	Follow-Up Inspection	0/3
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	1/2/2013	Routine Inspection	10/10 Handwash in bar needs soap.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL PASTOR RESTAURANT	Restaurant	315 W. WALNUT	YAKIMA	1/29/2013	Routine Inspection	10/10 - Some FWC needed and raw meat stored above ready to eat food.
EL PORVENIR	Bakery	209 S. TOPPENISH AVE.	TOPPENISH	1/31/2013	Routine Inspection	20/22 - FWC needed and BHC with bread and butter.
FIFTH AVE DELI	Deli	415 W. WALNUT	YAKIMA	1/30/2013	Routine Inspection	30/33 - Improper cooling and thawing of soup.
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	1/9/2013	Routine Inspection	40/47 - FWC needed, paper towels for handwash sinks needed, improper hot holding temperatures, and several car batteries stored in kitchen.
FRATERNAL ORDER OF EAGLES	Restaurant/Loung e	100 E. SOUTH HILL RD.	SUNNYSIDE	1/31/2013	Follow-Up Inspection	0/0
FUENTES DE FRUTAS	Juice Bar	12 W WASHINGTON	YAKIMA	1/9/2013	Follow-Up Inspection	5/5 Missing FWC
GASPERETTI'S	Restaurant/Cateri ng	1013 N 1ST ST.	YAKIMA	1/15/2013	Routine Inspection	0/0
GEARJAMMER TRUCK STOP	Restaurant	2310 RUDKIN RD.	UNION GAP	1/17/2013	Routine Inspection	0/0 No problems.
				1/3/2013	Routine Inspection	30/43 Improper cooling of potentially hazardous foods, missing temperature gauges in refrigeration units, no sanitizer available in food preparation areas, cleanliness issues. See report in imaging for more details.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GIBBONS SODA FOUNTAIN	Snack Bar	113 TOPPENISH AVE.	TOPPENISH	1/16/2013	Routine Inspection	35/35 - Improper storage of raw meat and improper cooling.
GRANDVIEW HIGH SCHOOL DECA STORE	Snack Bar	1601 W. 5TH ST.	GRANDVIEW	1/23/2013	Routine Inspection	15/15 Non-operable digital metal stem thermometer, improper chemical storage
GRANGER TRAVEL PLAZA	Mini-mart	1221 BAILEY AVE	GRANGER	1/11/2013	Follow-Up Inspection	25/30 Improper hot holding of PHF's, no sanitizer.
GROMORE TRADING	Mini-mart	14411 WIDE HOLLOW RD	YAKIMA	1/8/2013	Routine Inspection	25/25 Improperly hot holding PHF
HERITAGE UNIVERSITY	Restaurant	3240 FORT	TOPPENISH	1/28/2013	Follow-Up Inspection	0/5
HIGHLAND HIGH SCHOOL CONCESSIONS	Seasonal Concession	17000 SUMMITVIEW	COWICHE	1/4/2013	Opening Inspection	Approved to open.
HILTON GARDEN INN	Restaurant/Catering	401 E YAKIMA AVE	YAKIMA	1/4/2013	Follow-Up Inspection	30/35 PIC answered incorrectly, missing FWC, hands not washed as required, inaccurate metal stem thermometer
JACK IN THE BOX # 8362	Restaurant	100 W. SOUTH HILL RD.	SUNNYSIDE	1/11/2013	Follow-Up Inspection	5/5 Inaccurate metal stem thermometer
				1/14/2013	Routine Inspection	0/0
				1/17/2013	Routine Inspection	5/8 Missing FWCs, dirty non-food contact surfaces

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JOHNNY'S PIZZA	Restaurant	608 MAPLE STREET	TIETON	1/2/2013	Pre-Opening Inspection	Approved to open
JOY GARDEN	Restaurant	5605 TIETON DR.	YAKIMA	1/31/2013	Routine Inspection	10/33 Raw meat stored next to RTE food, inaccurate metal stem thermometer
KIMBERLY'S	Restaurant	2011 W. WASHINGTON AVE.	YAKIMA	1/31/2013	Routine Inspection	0/0
LA BARATA - WAPATO	Meat Market	304 S. WAPATO AVE.	WAPATO	1/9/2013	Routine Inspection	5/5 - Improper hot holding temperatures.
LA MILPA MARKET	Mini-mart	602 1/2 W NOB HILL BLVD.	YAKIMA	1/18/2013	Routine Inspection	0/0
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	1/31/2013	Routine Inspection	55/55 - FWC needed, BHC with ready-to-eat food, no paper towels at handwash sinks, and room temperature storage of meat.
LITTLE CAESARS # 202	Restaurant	2301 W. NOB HILL BLVD.	YAKIMA	1/31/2013	Routine Inspection	10/10 Inadequate handwashing facilities
LOS HERNADEZ TAMALES	Restaurant	3706 MAIN ST	UNION GAP	1/8/2013	Routine Inspection	5/13 Improper cold holding of PHF's, improper storage of "in-use" utensils.
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	1/11/2013	Follow-Up Inspection	15/20 Food not in good condition, raw meats stored next to RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MC DONALD'S	Restaurant	739 W. 1ST AVENUE	TOPPENISH	1/2/2013	Routine Inspection	0/5
				1/7/2013	Routine Inspection	15/15 - No hot water in restrooms.
				1/16/2013	Routine Inspection	35/35 Missing FWCs, hands not washed as required, BHC with RTE food
MC DONALD'S RESTAURANT	Restaurant	1601 W LINCOLN	YAKIMA	1/28/2013	Routine Inspection	0/6
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	1/3/2013	Follow-Up Inspection	55/55 Tamales cooling improperly, corn dogs & tamales hot holding improperly
				1/18/2013	Compliance Inspection	0/5
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	1/7/2013	Routine Inspection	20/28 - No soap at handwash sink, RTE stored on top of raw meat, and no metal stem thermometer.
NACHES VALLEY HIGH SCHOOL CONCESSION STAND	Seasonal Concession	101 W. 5TH ST.	NACHES	1/19/2013	Routine Inspection	5/5 No food worker with a valid food worker card present in the booth.
NEW HOPE INDUSTRIES	Catering	1224 N 1ST ST	YAKIMA	1/18/2013	Routine Inspection	15/15 Missing FWCs, improper chemical storage
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	1/28/2013	Routine Inspection	55/65 Missing FWCs, hands not washed as required, raw meat stored above RTE food, improperly cooling PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
OZEKI RESTAURANT	Restaurant	1527 SUMMITVIEW AVE.	YAKIMA	1/31/2013	Routine Inspection	5/5 Sanitizer issues
PAPA MURPHY'S PIZZA	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	1/4/2013	Routine Inspection	0/0
PASTIME	Tavern	125 E. NACHES	SELAH	1/2/2013	Routine Inspection	0/17 Dishwasher not reaching proper sanitizing temperature. Floor and ceiling in need to repair.
PATRICIA'S CHOCOLATE EMPORIUM	Espresso Stand	911 VINTAGE VALLEY PARKWAY	ZILLA	1/3/2013	Routine Inspection	0/0 No problems observed.
PEACH TREE RETIREMENT	Retirement Housing	2800 W. VIOLA - YAKIMA	YAKIMA	1/31/2013	Routine Inspection	5/5 Missing/expired FWCs
PIZZA HUT	Restaurant	823 W ZILLAH RD. # 200	ZILLA	1/18/2013	Routine Inspection	0/0
PRONTO MARKET	Grocery Store	103 S. MAIN	GRANGER	1/18/2013	Routine Inspection	25/32 - FWC needed, improper storage of raw meat, and 3-comp sink needed.
REXFORD MANOR RETIREMENT COMMUNITY	Retirement Housing	1010 N. 34TH AVENUE	YAKIMA	1/8/2013	Opening Inspection	They have a homestyle refrigerator which will only be used for vegetables and bread in the freezer. They may operate with this condition.
RITE AID # 4063	Grocery Store	12 N 9TH AVE.	YAKIMA	1/31/2013	Routine Inspection	0/0



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RITE AID # 5300	Grocery Store	2010 YAKIMA VALLEY HWY,SUITE C-1	SUNNYSIDE	1/30/2013	Routine Inspection	0/0
RIVERSTONE SHORTBREAD	Bakery	3108 W WASHINGTON AVE	YAKIMA	1/24/2013	Pre-Opening Inspection	
ROADRUNNER	Mini-mart	705 W. 1ST STREET	WAPATO	1/9/2013	Routine Inspection	0/0
ROSAUERS FOOD AND DRUG CENTER #39	Grocery Store	410 S. 72ND AVENUE	YAKIMA	1/9/2013	Follow-Up Inspection	0/5
RUSH COFFEE	Espresso Stand	4801 W. NOB HILL BLVD.	YAKIMA	1/15/2013	Routine Inspection	0/5 Plumbing issues.
RUSSILLO'S PIZZA & GELATO	Restaurant/Catering	1 W. YAKIMA AVE. # 4	YAKIMA	1/31/2013	Routine Inspection	5/5 missing thermometer
SAFEWAY FUEL STATION # 462	Mini-mart	216 N. 5TH AVE.	YAKIMA	1/9/2013	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - RESPITE ADULT DAY CENTER		1604 W YAKIMA AVE	YAKIMA	1/31/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SHARI'S RESTAURANT - UNION GAP	Restaurant	16 E VALLEY MALL BLVD.	UNION GAP	1/11/2013	Routine Inspection	35/51 Improperly stocked hand wash sink, improperly washing tomatoes, improperly cold holding pies, inaccurate metal stem thermometer
SILVER CREEK BAR & GRILL	Tavern	108 ILER ST.	MOXEE	1/31/2013	Follow-Up Inspection	0/0
SPUR TAVERN	Tavern	3980 HARRAH RD.	HARRAH	1/16/2013	Routine Inspection	15/30 Missing FWC, pooling eggs, inaccurate metal stem thermometer
STOP-N-GO EXPRESS-O	Espresso Stand	3005 MAIN STREET	UNION GAP	1/22/2013	Routine Inspection	25/25 Missing FWC, ice scoop handle contacting ice, raw meat stored above RTE food
SUBWAY #17791	Restaurant	613 N 1ST ST.	YAKIMA	1/3/2013	Routine Inspection	0/0
SUNNY SPOT	Restaurant	1850 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/11/2013	Routine Inspection	5/5 Missing FWC
TACO BORRACHO RESTAURANT	Rest/Lounge/Catering	503 S. FAIR AVE. SUITE # 100	YAKIMA	1/17/2013	Routine Inspection	15/15 FWCs, improper hot holding of PHF, improper cold holding of PHF
TACOS APATZINGAN	Restaurant/Catering	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/14/2013	Routine Inspection	0/5
				1/9/2013	Routine Inspection	55/68 Hands not washed as required, improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS EL REY	Restaurant	1218 S. 6TH STREET	YAKIMA	1/30/2013	Routine Inspection	25/25 Improper hot holding of PHF.
TAMMY'S MEXICAN RESTAURANT	Restaurant	1010 N. 1ST STREET	YAKIMA	1/7/2013	Follow-Up Inspection	5/5 Raw meat stored above ready to eat food
TAQUERIA CAMINO REAL	Restaurant/Catering	1112 1/2 TIETON DR.	YAKIMA	1/22/2013	Routine Inspection	0/5
TERIYAKI ZONE	Restaurant	325 YAKIMA VALLEY HWY.	SUNNYSIDE	1/3/2013	Pre-Opening Inspection	
THE CITY MIX	Restaurant	101 S. RIVARD #B	MOXEE	1/3/2013	Pre-Opening Inspection	Ok to open.
THE DAILY BUZZ	Espresso/Catering	610 S 6TH ST.	SUNNYSIDE	1/8/2013	Pre-Opening Inspection	Approved to open. Special food prep sink allowed on a trial basis. See report in imaging for more information.
THE DOG HAUS	Mobile		YAKIMA	1/31/2013	Pre-Opening Inspection	Now Level 2. Adding wraps, bagels, and breakfast burritos.
THE SPEAKEASY	Restaurant/Lounge	104 S. 3RD STREET - YAKIMA	YAKIMA	1/30/2013	Routine Inspection	0/0
TOPPENISH SCHOOL DISTRICT CONCESSIONS	Seasonal Concession	143 WARD RD	TOPPENISH	1/31/2013	Routine Inspection	0/0
				1/19/2013	Routine Inspection	45/47 PIC did not know food safety rules, missing food worker with valid food worker card, no hand wash setup, hot dogs stored on the counter at room temperature, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TOWER CAFE	Espresso Stand/Deli	402 E YAKIMA AVE. #100	YAKIMA	1/14/2013	Routine Inspection	5/5 - Expired FWC
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	1/9/2013	Follow-Up Inspection	10/10 Missing FWCs, metal stem thermometer is inaccurate
WHIPS	Espresso Stand	622 2ND AVE	ZILLA	1/29/2013	Routine Inspection	0/5 Back refrigerator needs thermometer.
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE, L.L.C.	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	1/3/2013	Follow-Up Inspection	5/5 Missing FWC
WRAY'S SOUTHGATE	Grocery Store	401 W. NOB HILL BLVD.	YAKIMA	1/30/2013	Routine Inspection	10/10 Missing FWCs, raw meat stored next to RTE food
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	1/23/2013	Routine Inspection	5/8 - FWC needed.