

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
3D AM/PM	Mini-mart	1801 E NOB HILL	YAKIMA	10/16/2013	Routine Inspection	0/0
41ST STREET ESPRESSO	Espresso Stand	4112 1/2 TERRACE HGTS, DR.	YAKIMA			
7-ELEVEN STORE #2362-25128D	Mini-mart	611 W. 1ST	TOPPENISH	10/24/2013	Routine Inspection	0/0
7-ELEVEN #2362-14435E	Mini-mart	3908 TERRACE HGTS DR	YAKIMA	10/28/2013	Routine Inspection	5/13 Inaccurate metal stem thermometer
ABAROTES LA COSTENITA	Grocery Store	1401 WINE COUNTRY ROAD	GRANDVIEW	10/30/2013	Routine Inspection	20/20 Missing FWC, inadequate hand washing facilities, inaccurate metal stem thermometer
APPLE BARREL SHELL GAS	Mini-mart	2021 FRUITVALE BLVD.	YAKIMA	10/10/2013	Routine Inspection	No problems.
				10/1/2013	Routine Inspection	25/43 Expired FWC, handwash missing soap/towels, improper hot holding, no thermometer, no sanitizer, general cleaning needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ARCTIC CIRCLE	Restaurant	3912 W NOB HILL	YAKIMA	10/23/2013	Routine Inspection	0/0
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	10/18/2013	Routine Inspection	0/0
BLUE HILLS TAQUERIA	Restaurant	1509-B TIETON DR. - YAKIMA	YAKIMA	10/1/2013	Routine Inspection	25/35
BOOMER'S BAR & GRILLE	Restaurant/Cateri ng	1719 S 1ST ST	YAKIMA	10/17/2013	Routine Inspection	10/5 Improperly stored raw meats, dishwasher not sanitizing
BREWER'S MINI- MART II	Mini-mart	3922 FRUITVALE BLVD.	YAKIMA	10/21/2013	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometers
CI MART CHEVRON	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	10/30/2013	Routine Inspection	85/90 PIC did not answer correctly, missing FWC, hands not washed as required, food not in good condition, improperly hot holding PHF, improperly cold holding PHF, metal stem thermometer not being used to evaluate hot food temperatures
COFFEE CORRAL	Espresso Stand	802 W. 1ST AVE.	TOPPENISH	10/31/2013	Routine Inspection	15/15 - FWC needed and soap and paper towels needed at hand wash sink.
CONQUISTADOR	Restaurant/Cateri ng	214 S. 6TH ST. UNIT # 7	SUNNYSIDE	10/1/2013	Routine Inspection	30/40 Expired FWC's, BHC w/RTE foods, no sanitizer.
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	10/22/2013	Routine Inspection	45/45 Improperly stocked hand wash sink, improperly hot holding PHF, improperly cold holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	10/25/2013	Routine Inspection	30/30 Improperly cooling PHF
DOUBLE SHOT	Espresso Stand	2800 TERRACE HTS DRIVE	YAKIMA	10/7/2013	Routine Inspection	0/0
EARLY CHILDHOOD CENTER	School	601 EAST "E" STREET	GRANGER	10/15/2013	Routine Inspection	0/0
EL MERCADO GRANDVIEW	Grocery Store	206 N EUCLID	GRANDVIEW	10/24/2013	Routine Inspection	25/30 Food not in good condition, raw meat stored above ready to eat food, improperly cold holding PHF
EL MIRADOR MEXICAN RESTAURANT	Restaurant	418 W. WALNUT	YAKIMA	10/17/2013	Routine Inspection	30/33 - Several FWC needed and BHC with ready to eat food.
ELI & KATHY'S FAMILY RESTAURANT	Restaurant	813 WINE COUNTRY ROAD	GRANDVIEW	10/9/2013	Routine Inspection	25/30 Hands not washed as required
GILBERT ELEMENTARY SCHOOL	School	4400 DOUGLAS DRIVE	YAKIMA	10/9/2013	Routine Inspection	25/30 Hands not washed as required
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	10/25/2013	Routine Inspection	0/0
				10/15/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	10/15/2013	Routine Inspection	0/0
GRANGER SCHOOL DISTRICT CONCESSIONS	Seasonal Concession	315 MENTZER AVE	GRANGER	10/25/2013	Routine Inspection	Need locking spigot for hand washing container, need to have ice up to level of food being cold held, wash hands before putting on gloves
GRANGER TRAVEL PLAZA	Mini-mart	1221 BAILEY AVE	GRANGER	10/28/2013	Routine Inspection	0/5 Mice dropping under equipment.
HAROLD'S GENERAL MERCHANDISE	Grocery Store	4080 HARRAH RD	HARRAH	10/29/2013	Routine Inspection	0/0 No problems observed.
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	10/16/2013	Routine Inspection	5/5 - Improper hot holding temperatures.
HOLY CROSS ORTHODOX CHURCH	Bakery	706 STEWART ST	YAKIMA	10/17/2013	Routine Inspection	0/0
JITTERS	Espresso Stand/Deli	5906 SUMMITVIEW AVE.	YAKIMA	10/29/2013	Routine Inspection	30/40 Food not in good condition, improperly cold holding shelled boiled eggs, unlabeled chemical
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 15T ST	SELAH	10/23/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JOHNNY'S PIZZA	Restaurant	12550 HWY. 12	NACHES	10/18/2013	Pre-Opening Inspection	Approved to open with the following corrections: Food prep sink be indirectly drained, ice machine properly plumbed, install soap & towel dispensers.
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	10/30/2013	Routine Inspection	40/45 Hands not washed as required, blocked hand wash sink, raw meat stored above RTE food,
KENTUCKY FRIED CHICKEN	Restaurant	415 S ELM	TOPPENISH	10/31/2013	Routine Inspection	5/5 - Several FWC needed.
KOIS FUSION BISTRO	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	10/29/2013	Routine Inspection	30/35 - Raw meat stored above vegetables and eggs at 63 degrees.
LA BARATA	Meat Market	317 B ST	MABTON	10/23/2013	Routine Inspection	10/20 Raw meat stored next to RTE food, no metal stem thermometer was available
LA FONDA	Restaurant	606 S 36TH AVE	YAKIMA	10/3/2013	Routine Inspection	10/10 The hot water valve is broken. They have notified the landlord.
LA GUADALUPANA	Restaurant	3990 HARRAH ROAD	HARRAH	10/29/2013	Routine Inspection	10/15 The handwash sink is plugged in kitchen. Walls needs to be easily cleanable. They now have two dumpsters.
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	10/9/2013	Routine Inspection	55/55 - FWC needed, chorizo drying at room temperature, improper hot holding temperatures.
LA MONARCA	Mobile		YAKIMA	10/1/2013	Follow-Up Inspection	10/10 No hot water available, limited them that they could not prepare foods
				10/1/2013	Follow-Up Inspection	0/0 They have hot water now. OK to prepare foods.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LARA'S BAKERY	Bakery	7 WASHINGTON AV	TOPPENISH	10/11/2013	Follow-Up Inspection	They've corrected all problems from previous inspection.
LINCOLN AVENUE ESPRESSO BAR	Espresso Stand	1801 W LINCOLN AVE	YAKIMA	10/7/2013	Routine Inspection	5/5 - Several FWC either needed or expired.
LINCOLN MARKET	Mini-mart	1517 LINCOLN AV E	SUNNYSIDE	10/23/2013	Routine Inspection	20/25 Missing FWC, food not in good condition, inaccurate metal stem thermometer
M & J TAVERN	Tavern	110 W. WINE COUNTRY RD.	GRANDVIEW	10/24/2013	Routine Inspection	15/15 Missing FWC, improperly stocked hand wash sink
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	10/18/2013	Routine Inspection	0/0
MARISCOS MAR & TIERRA # 4	Mobile		WAPATO	10/31/2013	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sink, no metal stem thermometer was available
MC DONALD'S - WAL-MART	Restaurant	1600 E. CHESTNUT	YAKIMA	10/11/2013	Routine Inspection	8/0 no sanitizer available, dirty surfaces
MT. ADAMS SCHOOL DISTRICT # 209	Seasonal Concession	551 SIGNAL PEAK	WHITE SWAN	10/4/2013	Routine Inspection	15/17 PIC not knowledge about food safety practices, missing FWCs, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NANA KATE'S	Espresso Stand/Deli	432 E GOODLANDER RD.	SELAH	10/2/2013	Pre-Opening Inspection	Several things need to be done before opening. Check items at routine inspection.
NINO'S MEXICAN GRILL	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	10/28/2013	Follow-Up Inspection	They have corrected problems from previous inspection.
ON THE GO - SENIOR CAFE (UNION GAP)		1000 AHTANUM RD.	UNION GAP	10/15/2013	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant/Catering	64 W. NOB HILL BLVD.	YAKIMA	10/11/2013	Routine Inspection	0/0
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	10/10/2013	Routine Inspection	40/50 Improper hot holding of PHF's, no valid FWC's, no sanitizer, potential contamination of ice. Follow-up required.
QUICK - PICK	Mini-mart	401 S ELM	TOPPENISH	10/11/2013	Routine Inspection	0/0 No problems.
RED LOBSTER RESTAURANT # 597	Restaurant	905 N. 1ST STREET	YAKIMA	10/14/2013	Routine Inspection	0/0
RICO'S TACOS	Restaurant	1221 BAILEY AVE SUITE C	GRANGER	10/16/2013	Routine Inspection	55/55 BHC with RTE food, improper reheating PHF, inaccurate metal stem thermometer, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	10/25/2013	Routine Inspection	0/0
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	10/21/2013	Follow-Up Inspection	5/5 Missing FWC
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	10/15/2013	Routine Inspection	0/0
SABOR CAFE & GRILL	Restaurant	150 DIVISION ST.	GRANDVIEW	10/24/2013	Routine Inspection	30/35 Vegetables are washed in the hand wash sink, raw meat stored above RTE food, improperly cold holding PHF, inaccurate metal stem thermometer
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	10/14/2013	Routine Inspection	0/0
SELAH RED APPLE MARKET	Grocery Store	121 E. 3RD AVENUE	SELAH	10/17/2013	Routine Inspection	0/10
SHARI'S RESTAURANT - N. YAKIMA	Restaurant	1401 LAKESIDE COURT	YAKIMA	10/2/2013	Routine Inspection	10/15 Improper cold holding of PHF's.
SU MERCADITO # 3	Grocery Store	110 ASH - GRANDVIEW	GRANDVIEW	10/28/2013	Routine Inspection	5/10 Expired FWC's, food (onions) stored on ground.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUBWAY # 46233	Restaurant	123 E. YAKIMA AVE.	YAKIMA	10/21/2013	Routine Inspection	30/38 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
SUBWAY #10324	Restaurant	1607 W. LINCOLN	YAKIMA	10/21/2013	Routine Inspection	5/13 Missing FWCs
SUGAR SHACK	Espresso Stand	1302 FAIR AVE.	YAKIMA	10/16/2013	Routine Inspection	5/5 - FWC needed.
SUNNYSIDE CHRISTIAN SCHOOL CONCESSIONS	Seasonal Concession	1820 SHELTER ROAD	SUNNYSIDE	10/18/2013	Routine Inspection	15/15 Improperly stocked hand wash sink, metal stem thermometer was inaccurate
SUNNYSIDE HIGH SCHOOL CONCESSIONS	Seasonal Concession	1110 S. 6TH ST.	SUNNYSIDE	10/18/2013	Routine Inspection	0/0
SUNTOWN COFFEE CO.	Espresso Stand/Deli	1829 S 1ST STREET SUITE "B"	SUNNYSIDE	10/9/2013	Pre-Opening Inspection	Went from Level 1 to Level 2. Now preparing sandwiches, wraps, and salad. Added a food prep sink.
TACO BELL # 5089	Restaurant	716 E YAKIMA AVE	YAKIMA	10/30/2013	Routine Inspection	No problems observed
TACO TIME	Restaurant	701 W YAKIMA AVE.	YAKIMA	10/3/2013	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	10/9/2013	Routine Inspection	15/15 No hot water at hand wash sink, inaccurate metal stem thermometer
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	10/9/2013	Follow-Up Inspection	5/5 Inaccurate metal stem thermometer
TAQUERIA EL ESCORPION	Mobile	6th Ave & Walnut at car wash	YAKIMA	10/1/2013	Follow-Up Inspection	They have corrected all violations from previous inspection.
TAQUERIA LOS PRIMOS # 5	Restaurant	2712 S. 1ST STREET	UNION GAP	10/15/2013	Follow-Up Inspection	0/0
TAQUERIA MEXICANA	Restaurant	105 1/2 S ALDER ST	TOPPENISH	10/9/2013	Routine Inspection	25/30 - PIC failed, missing FWCs, improper cold holding of PHF, no thermometer, no sanitizer available.
TAQUERIA SAHUAYO # 1	Mobile	Various		10/28/2013	Routine Inspection	55/55 Missing FWC, BHC with RTE food, improperly cooling beans
TAYON'S MARKET	Grocery Store	810 W. WINE COUNTRY RD.	GRANDVIEW	10/10/2013	Commissary Inspection	They are using their commissary kitchen!
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA	10/28/2013	Routine Inspection	0/0 No problems.
TOM - TOM ESPRESSO	Espresso Stand	412 S. 40TH AVENUE	YAKIMA	10/15/2013	Routine Inspection	0/0
				10/29/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
UNION GAP DISTRICT# 2 SCHOOL	School	3201 S. 4TH ST.	UNION GAP	10/14/2013	Routine Inspection	0/0
WAPATO HIGH SCHOOL CONCESSIONS	Seasonal Concession	1103 S. WASCO	WAPATO	10/4/2013	Routine Inspection	10/10 Missing FWC, improperly hot holding PHF
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	10/16/2013	Routine Inspection	0/0
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	10/25/2013	Routine Inspection	0/0
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	10/31/2013	Routine Inspection	5/8 Missing FWC
YAKIMA AVENUE DAIRY QUEEN	Restaurant	801 E YAKIMA AVE.	YAKIMA	10/31/2013	Complaint Inspection	Some places in the kitchen need to be cleaned. They started to clean as I left the restaurant.
YAKIMA SPEEDWAY	Snack Bar - Seasonal	1600 PACIFIC AVE.	YAKIMA	10/3/2013	Routine Inspection	0/8 Possible contamination of ice, dirty refrigerators/drawers.
				10/5/2013	Follow-Up Inspection	20/20 Hands not washed as required, inaccurate metal stem thermometer