

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
2ND STREET MINI MART & SMOKE SHOP	Mini-mart	201 AVE. "F"	GRANDVIEW	12/4/2013	Routine Inspection	0/0
A C DAVIS HIGH SCHOOL	School	212 S. 6TH AVE	YAKIMA	12/16/2013	Routine Inspection	0/0
ADAMS ELEMENTARY SCHOOL	School	1309 S. CAMAS	WAPATO	12/12/2013	Routine Inspection	0/0
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	12/16/2013	Routine Inspection	0/0
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	12/9/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	12/6/2013	Routine Inspection	0/0
BLACK ANGUS STEAKHOUSE	Restaurant	501 N FRONT ST.	YAKIMA	12/5/2013	Routine Inspection	15/28 Improper reheating procedures for hot holding
BURGER KING	Restaurant	2611 W NOB HILL	YAKIMA	12/3/2013	Routine Inspection	5/10 Missing FWCs
CATS LITERACY CENTER	School	107 BUENA WAY #10	TOPPENISH	12/5/2013	Routine Inspection	0/0
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	12/6/2013	Routine Inspection	0/5 DW temp gauge not working
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	12/8/2013	Routine Inspection	0/0
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	12/9/2013	Routine Inspection	0/5 Dishwasher temp gauge inoperable.
DUTCH BROS. COFFEE	Espresso Stand	2630 YAKIMA VALLEY HWY. - SUNNYSIDE	SUNNYSIDE	12/18/2013	Routine Inspection	0/0
EAGLE HIGH SCHOOL	School	143 WARD RD	TOPPENISH	12/5/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL PORTAL MEXICAN RESTAURANT	Restaurant/Lounge	601 FRUITVALE BLVD.	YAKIMA	12/2/2013	Routine Inspection	35/40 BHC with RTE foods, handwash missing paper towels, potential contamination of PHF's. Follow up needed.
GARFIELD ELEMENTARY SCHOOL	School	505 MADISON AV	TOPPENISH	12/13/2013	Routine Inspection	0/0
GOLDEN BULL CHINESE RESTAURANT	Restaurant	106 N. 1ST STREET	SELAH	12/5/2013	Follow-Up Inspection	25/25 - Improper cooling.
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	12/9/2013	Routine Inspection	0/5 DW temp gauge inoperable
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	12/9/2013	Routine Inspection	0/0
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	12/9/2013	Routine Inspection	0/0
HICKORY FARMS # 40117	Deli	2529 MAIN ST. # 183	UNION GAP	12/9/2013	Routine Inspection	0/0
HIGHLAND HIGH SCHOOL	School	17000 SUMMITVIEW	COWICHE	12/11/2013	Routine Inspection	5/5 - Several workers need FWC.
HIGHWAY ESPRESSO	Espresso Stand	10118 U.S. HIGHWAY 12	NACHES	12/4/2013	Routine Inspection	0/0
				12/31/2013	Routine Inspection	0/6

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAHA	12/11/2013	Routine Inspection	0/0
JACK IN THE BOX # 8300	Restaurant	2317 S 1ST STREET	YAKIMA	12/27/2013	Other Inspection	Discussed recent pipe breakage with store manager. According to manager, the store was closed during brief flooding. Store was never without running water during open hours.
JENNY MAE'S	Bakery	730 N. 16TH AVE. # 2	YAKIMA	12/20/2013	Routine Inspection	5/5 - Eggs are being pooled and not used immediately.
KIRKWOOD ELEMENTARY SCHOOL	School	403 S. JUNIPER	TOPPENISH	12/13/2013	Routine Inspection	0/0
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	12/18/2013	Follow-Up Inspection	10/10 - Improper hot holding temperatures and FWC needed.
LA NACIONAL	Grocery Store	506 S. 1ST STREET	YAKIMA	12/10/2013	Routine Inspection	0/0
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	12/5/2013	Routine Inspection	0/0
MARCUS WHITMAN COWICHE ELEMENTARY SCHOOL	School	1181 THOMPSON RD	COWICHE	12/4/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MCDONALD'S RESTAURANT	Restaurant	19 E. YAKIMA AVE.	YAKIMA	12/12/2013	Pre-Opening Inspection	AFTER THEY PAY FEES, APPROVED TO OPEN
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	12/13/2013	Routine Inspection	25/25 - Improper hot holding temperatures.
MERCEDES AND FAMILY II	Restaurant	5603 TIETON DRIVE	YAKIMA	12/3/2013	Routine Inspection	10/20 Missing FWCs, inaccurate metal stem thermometer
MOLCAJETES FAMILY MEXICAN RESTAURANT	Restaurant	201 DIVISION STREET	GRANDVIEW	12/4/2013	Routine Inspection	35/35 - Several FWC have expired and improper cooling.
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	12/18/2013	Routine Inspection	5/5 - FWC needed.
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	12/18/2013	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	12/18/2013	Routine Inspection	5/5 - Improper cold holding temperatures.
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	12/18/2013	Routine Inspection	0/0
NANA KATE'S	Espresso Stand/Deli	432 E GOODLANDER RD.	SELAH	12/2/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH TOWN COFFEEHOUSE	Espresso Stand	32 N. FRONT ST. SUITE # 101	YAKIMA	12/4/2013	Pre-Opening Inspection	Approved to open
OLIVE GARDEN ITALIAN RESTAURANT #1352	Restaurant/Catering	222 E YAKIMA AVE.	YAKIMA	12/18/2013	Routine Inspection	0/0
ON THE GO - SENIOR CAFE (SUNNYSIDE SENIOR CENTER)		1400 FEDERAL WAY	SUNNYSIDE	12/13/2013	Routine Inspection	10/10 Missing FWC, inaccurate metal stem thermometer
ON THE GO - SENIOR CAFE (NACHES LIONS ST. JOHN'S PARISH)	Serving Site	206 MOXEE AVENUE	NACHES	12/11/2013	Routine Inspection	0/0
ON THE GO - SENIOR CAFE (SELAH CIVIC CENTER)	Serving Site	216 S 1ST ST.	SELAH	12/10/2013	Routine Inspection	5/0 Warewashing sanitizing problems
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	12/6/2013	Routine Inspection	0/0
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	12/12/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	12/6/2013	Routine Inspection	0/0
PIT STOP	Mini-mart	10121 HWY 12	NACHES	12/31/2013	Routine Inspection	25/25 Missing FWC, improperly stocked hand wash sink, food not in good condition
RESTAURANTE EL FARO	Restaurant	111 N. 6TH STREET # C	SUNNYSIDE	12/18/2013	Routine Inspection	15/15 - FWC needed and no paper towels at handwash sink in kitchen.
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	12/20/2013	Routine Inspection	0/0
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	12/4/2013	Routine Inspection	0/0
SELAH CHEVRON	Mini-mart	313 S. 1ST STREET	SELAH	12/6/2013	Pre-Opening Inspection	Added Mexican food. Now Level 3. Need soap dispenser for handwash sink, need a food prep sink, and all bare wood must be covered.
SELAH MINI MART/GYROS	Mini-Mart/Catering	103 S 1ST ST	SELAH	12/13/2013	Routine Inspection	40/55 - Handwash sink not accessible, improper hot holding temperatures, no metal stem thermometer.
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	12/24/2013	Follow-Up Inspection	0/0
				12/6/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	12/10/2013	Routine Inspection	0/0
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	12/13/2013	Routine Inspection	0/0
STANTON ACADEMY	School	802 RIVER RD.	YAKIMA	12/16/2013	Routine Inspection	0/0
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	12/16/2013	Routine Inspection	0/0
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	12/16/2013	Routine Inspection	0/0
SUNSHINE MART	Grocery Store	6712 TIETON DR	YAKIMA	12/6/2013	Routine Inspection	0/0
TIETON MIDDLE SCHOOL	School	711 FRANKLIN RD	TIETON	12/4/2013	Routine Inspection	0/0
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	12/5/2013	Routine Inspection	0/0
TOPPENISH PRE-SCHOOL	School	407 S. JUNIPER	TOPPENISH	12/19/2013	Routine Inspection	0/0
						25/28 PIC was not knowledgeable about food safety practices, missing FWCs, no hand wash sink in the restroom, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	12/5/2013	Routine Inspection	0/0
VALLEY VIEW ELEMENTARY	School	515 ZILLAH AVE	TOPPENISH	12/5/2013	Routine Inspection	0/0
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	12/12/2013	Routine Inspection	0/0
WAPATO MIDDLE SCHOOL	School	1309 KATERI LANE	WAPATO	12/12/2013	Routine Inspection	0/0
WEST VALLEY JUNIOR HIGH	School	7507 ZIER RD.	YAKIMA	12/11/2013	Routine Inspection	10/10 missing paper towels at hand washing sink
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	12/11/2013	Routine Inspection	0/0
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	12/20/2013	Routine Inspection	0/0
YAKIMA VALLEY JUSTICE CENTER	Jail	1500 PACIFIC	YAKIMA	12/20/2013	Routine Inspection	0/0
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	12/11/2013	Routine Inspection	5/5 - Inaccurate metal stem thermometer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	12/11/2013	Routine Inspection	10/10 - Moldy cheese found in refrigerator.
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	12/11/2013	Routine Inspection	0/0