

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
3RD STREET MARKET	Mini-mart	604 S. 3RD ST.	YAKIMA	8/13/2014	Routine Inspection	0/0
7-ELEVEN #2307-22714J	Mini-mart	1711 E. NOB HILL BLVD.	YAKIMA	8/6/2014	Routine Inspection	5/5 Missing FWCs
AGATE FIELD VINEYARD	Winery	2911 ROZA DR	ZILLAH	8/21/2014	Routine Inspection	0/0
AIR LINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	YAKIMA	8/4/2014	Routine Inspection	45/45 Improperly stocked hand wash sink, food not in good condition, improperly hot holding PHF
ALBERTSON'S FOOD CENTER # 239	Grocery Store	401 S 40TH AVE.	YAKIMA	8/27/2014	Routine Inspection	0/15 Missing thermometers, sanitizer needed.
ALLEN'S MARKET	Mini-mart	160 S. WAPATO RD.	WAPATO	8/12/2014	Routine Inspection	25/30 Improperly stocked hand wash sink, no coliform sample test taken for water system

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ANTOJITOS LUCY	Restaurant/Catering	1205 N. 1ST STREET	YAKIMA	8/1/2014	Catering Routine Inspection	25/25 Missing FWC, improperly stocked hand wash sink, improperly cold holding cut watermelon
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	8/18/2014	Follow-Up Inspection	5/5 Missing FWC
BASKIN-ROBBINS	Ice Cream Parlor	816 SUMMITVIEW AVE.	YAKIMA	8/6/2014	Routine Inspection	5/5 Missing FWCs
BERT'S PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	8/20/2014	Routine Inspection	35/40 Raw meat stored above RTE food, improperly hot holding PHF, inoperable metal stem thermometer
BEST WESTERN LINCOLN INN	Snack Bar	1614 N. 1ST STREET	YAKIMA	8/14/2014	Follow-Up Inspection	0/0
BILL'S PLACE	Tavern	206 S 3RD AVE.	YAKIMA	8/20/2014	Routine Inspection	5/10 - 4 FWC missing.
BIRCHFIELD MANOR	Restaurant/Catering	2018 BIRCHFIELD RD	YAKIMA	8/21/2014	Routine Inspection	20/30 Missing FWCs, raw meat stored above RTE food, unlabeled chemical
BLACK ROCK CREEK SNACK BAR	Snack Bar	31 RAY RD	SUNNYSIDE	8/1/2014	Routine Inspection	0/0
BLUE HILLS TAQUERIA	Restaurant	1509-B TIETON DR. - YAKIMA	YAKIMA	8/6/2014	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BOOTLEGGERS COVE	Restaurant/Lounge	608 MAPLE STREET	TIETON	8/5/2014	Routine Inspection	75/80 Hands not washed as required, BHC with RTE food, blocked hand wash sink, food not in good condition, inaccurate metal stem thermometer
BRANDING IRON RESTAURANT	Restaurant	61311 HIGHWAY 97	TOPPENISH	8/8/2014	Routine Inspection	15/15 - Several FWC needed and refrigerator and food inside was at 49 degrees.
BURGER KING # 9876	Restaurant	3201 PICARD PLACE	SUNNYSIDE	8/1/2014	Routine Inspection	0/0
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	8/6/2014	Routine Inspection	55/66 Missing FWCs, hands not washed as required, improperly cold holding PHF, improperly cold holding cut tomatoes and cut lettuce, inaccurate metal stem thermometer, unlabeled chemical
CARL'S JR.	Restaurant	2208 S. 1ST STREET	YAKIMA	8/28/2014	Routine Inspection	10/20 Missing FWCs, raw meat stored above RTE food
				8/28/2014	Complaint Inspection	Reviewed temperature logs. Chicken tenders were hot holding 160 F or more. Chicken tenders hot holding 135 F or more during inspection.
CARNICERIA LOS AMIGOS	Meat Market	205 WAPATO AV S	WAPATO	8/29/2014	Routine Inspection	30/56 Improperly stocked hand wash sink, raw meat stored above ready to eat food, inaccurate metal stem thermometer, unlabeled chemical, improper chemical storage
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	8/22/2014	Routine Inspection	45/63 FWC were not available, hands not washed as required, raw meat stored next to RTE food, improper chemical storage

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CITY OF TOPPENISH SWIM POOL	Seasonal Concession	0 A ST N/LINCOLN AV	TOPPENISH	8/12/2014	Routine Inspection	0/0 No problems.
COLLEGE MART	Mini-mart	1106 W NOB HILL BLVD	YAKIMA	8/6/2014	Routine Inspection	40/40 Food not in good condition, improperly hot holding PHF, no metal stem thermometer available
COUNTRYSIDE CATERING & THE FLOUR SHOP CAFE	Bakery	810 W. 2ND STREET	GRANDVIEW	8/19/2014	Routine Inspection	0/0
CREAGLE CONCESSIONS	Mobile/Catering	611 S. 74TH AVE.	YAKIMA	8/1/2014	Routine Inspection	0/0
D-LISH MINI DONUTS	Mobile		YAKIMA	8/1/2014	Routine Inspection	0/0
DONALD STORE	Mini-mart	2600 DONALD-WAPATO RD.	WAPATO	8/14/2014	Routine Inspection	25/46 Hands not washed as required
DOWNTOWN SUPER FOODS	Grocery Store	316 3RD ST S	YAKIMA	8/11/2014	Routine Inspection	40/40 Missing FWCs, raw meat stored above ready to eat food, improperly hot holding PHF, inaccurate metal stem thermometer
DRIFT INN	Restaurant	10450 HWY 12	NACHES	8/12/2014	Routine Inspection	35/38 - FWC needed, improper cooling, inaccurate metal stem thermometer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EGLEY'S SPORTS BAR	Tavern	627 E. EDISON AVE.	SUNNYSIDE	8/23/2014	Routine Inspection	Attempted inspection. No sign of business operation. May be because of street construction. Next inspection scheduled for June 2015.
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	8/1/2014	Routine Inspection	0/10 - Bugs/insects found in several places in restaurant.
EL COMPADRE	Restaurant	1012 E. LINCOLN AVE.	SUNNYSIDE	8/25/2014	Routine Inspection	15/15 Inaccessible hand wash sink, inaccurate thermometer.
EL PARRILLON LOCO de TOM AND GERRY	Restaurant	511 N. 1ST STREET # 12	YAKIMA	8/20/2014	Routine Inspection	10/20 Missing FWCs, raw meat stored above RTE food
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	8/4/2014	Routine Inspection	5/10- Expired FWC.
ESPRESSO EXPRESS	Espresso Stand	3706 TIETON DR	YAKIMA	8/12/2014	Routine Inspection	5/5 - FWC needed.
ESSENCIA ARTISAN BAKERY	Restaurant/Catering	4 N. 3RD ST.	YAKIMA	8/20/2014	Routine Inspection	15/20 Missing FWCs, improperly cold holding PHF
EXPRESS MART / SUBWAY	Restaurant	51 FIRING CENTER RD.	YAKIMA	8/18/2014	Follow-Up Inspection	20/28 Missing FWCs, improperly stocked hand wash sinks, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	8/7/2014	Routine Inspection	45/55 Missing FWCs, improperly stocked hand wash sinks, raw meat stored above RTE food, improperly hot holding PHF
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	8/11/2014	Routine Inspection	0/3
FILIPINO AMERICAN COMMUNITY OF THE YAKIMA VALLEY	Snack Bar	211 W. 1ST STREET	WAPATO	8/21/2014	Routine Inspection	25/30 Improperly cooling PHF
FRUITILANDIA LA HUERTA	Ice Cream Parlor	1500 HWY 12	SUNNYSIDE	8/1/2014	Routine Inspection	No problems.
GASPERETTI'S	Restaurant/Catering	1013 N 1ST ST.	YAKIMA	8/19/2014	Routine Inspection	15/15 They are not keeping shell tags, various cold holding units are not keeping PHF's at proper temperatures.
GEARJAMMER TRUCK STOP	Restaurant	2310 RUDKIN RD.	UNION GAP	8/12/2014	Routine Inspection	60/78 Missing FWCs, hands not washed as required, raw meat stored above RTE food, RTS of PHF
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST	YAKIMA	8/19/2014	Routine Inspection	10/15 Cold holding unit is keeping PHF's at improper temperatures.
GRANGER TRAVEL PLAZA	Mini-mart	1221 BAILEY AVE	GRANGER	8/4/2014	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GREEN OLIVE CAFE' & ESPRESSO	Restaurant/Catering	2926 COVEY LANE	SUNNYSIDE	8/1/2014	Routine Inspection	25/25 Improper cooling of PHF's.
GUESTHOUSE INN - YAKIMA	Continental Brkfst	1010 E. "A" STREET	YAKIMA	8/27/2014	Routine Inspection	25/25 Improper use of "Time as Control".
HERITAGE UNIVERSITY	Cafeteria	3240 FORT	TOPPENISH	8/8/2014	Pre-Opening Inspection	Several things still need to be done before approval.
				8/20/2014	Opening Inspection	Approved to open.
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AVE	YAKIMA	8/15/2014	Routine Inspection	25/30 Missing FWCs, improperly stocked hand wash sink, shellfish tags not kept for 90 days, raw meat stored above RTE food
HOLY TRINITY EPISCOPAL CHURCH		327 E EDISON AVE	SUNNYSIDE	8/21/2014	Routine Inspection	0/0
HOMESTRETCH ESPRESSO & BEVERAGE	Espresso Stand	2890 ALLEN RD.	SUNNYSIDE	8/1/2014	Routine Inspection	0/0 No problems.
HORIZON'S EDGE WINERY	Winery	4530 E. ZILLAH DR.	ZILLAH	8/29/2014	Routine Inspection	5/5 Missing FWC
HOT T ESPRESSO - GRANGER	Espresso Stand	1221 BAILEY AVE SUITE C	GRANGER	8/4/2014	Routine Inspection	10/15 No paper towels at handwash sink, no sanitizer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
IN & OUT MINI MART	Mini-mart	1513 TIETON DR	YAKIMA	8/14/2014	Routine Inspection	45/45 PIC was not knowledgeable about food safety rules, missing FWCs, improperly stocked hand wash sinks, improperly hot holding PHF
JACK IN THE BOX # 8300	Restaurant	2317 S 1ST STREET	YAKIMA	8/18/2014	Routine Inspection	5/8 FWC's not available, one toilet was clogged.
KENTUCKY FRIED CHICKEN	Restaurant	107 S 5TH AVE.	YAKIMA	8/6/2014	Routine Inspection	8/0 missing temperature control equipment, dirty kitchen
LA FAVORITA	Grocery Store	600 BAILEY AVE.	GRANGER	8/4/2014	Routine Inspection	0/0 No problems.
LA MONTANA	Juice Bar	1408 E NOB HILL BLVD	YAKIMA	8/4/2014	Routine Inspection	10/10 No soap or paper towels at the restroom hand wash sink
LATINO MARKET	Mini-mart	502 W. 1ST STREET	TOPPENISH	8/1/2014	Routine Inspection	0/5
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	8/19/2014	Follow-Up Inspection	5/5 Missing FWCs
LITTLE CAESARS # 205	Restaurant	2010 YAKIMA VALLEY HWY. # A-2	SUNNYSIDE	8/27/2014	Routine Inspection	10/10 - No paper towels at handwash sink.
LOS AMIGOS NATURAL JUICES	Juice Bar	1009 N. 1ST STREET	YAKIMA	8/21/2014	Pre-Opening Inspection	They want to move up to a level 3 and sell tacos. They do have the necessary equipment to do so.



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LOTUS CHINESE RESTAURANT	Restaurant	901 W. 1ST AVENUE	TOPPENISH	8/12/2014	Routine Inspection	30/30 Missing FWC, BHC with RTE food
LYTLE SEAFOODS	Mobile	YAKIMA COUNTY MOBILE - K-MART	YAKIMA	8/23/2014	Routine Inspection	0/0
MAJOR'S	Restaurant	1902 S. 3RD AVENUE	UNION GAP	8/21/2014	Routine Inspection	35/45 Improperly stocked hand wash sink, raw meat stored above RTE food, improperly cold holding ham, improper chemical storage
				8/22/2014	Routine Inspection	55/66 Hands not washed as required, raw meat stored above ready to eat food, improperly cold holding PHF, inaccurate metal stem thermometer, improper chemical storage
MARISCOS MAR & TIERRA # 4	Mobile		WAPATO	8/25/2014	Routine Inspection	40/40 PIC failed, inadequate handwashing facilities, improper hot holding of PHF
MAX'S BAR & GRILL	Tavern	1107 S. 3RD STREET	YAKIMA	8/8/2014	Routine Inspection	20/20 Improper cold holding of PHF's, expired FWC.
MC DONALD'S	Restaurant	3907 RIVER ROAD	YAKIMA	8/26/2014	Complaint Inspection	20/25 Improperly stocked hand wash sink, improper chemical storage
MERCADO LA PLAZITA & CARNICERIA	Meat Market	715 W. WINE COUNTRY RD.	GRANDVIEW	8/19/2014	Routine Inspection	15/18 - No FWC available and no paper towels at handwash sink.
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	8/14/2014	Follow-Up Inspection	5/5 Raw meat stored next RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MEXICAN FRUIT # 2	Mobile	8 RANCHRITE RD. - YAKIMA	GRANDVIEW	8/7/2014	Routine Inspection	0/0
MI PUEBLO SUPER MARKET	Grocery Store	511 N 1ST ST.	YAKIMA	8/19/2014	Routine Inspection	10/10 Expired FWC's, inaccurate thermometer.
MILL CREEK NATURAL FOODS		4315 MAIN ST	UNION GAP	8/27/2014	Routine Inspection	0/0
MONGOLIAN GRILL	Restaurant	1628 E. WASHINGTON AVE.	UNION GAP	8/18/2014	Routine Inspection	5/11 Missing FWCs
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	8/20/2014	Routine Inspection	15/18 They removed their main HW sink and need to put one back in the food prep area, improper thawing of raw meats, cooks do have have access to thermometers.
NEW YORK TERIYAKI & BURGERS	Restaurant	822 N 1ST ST.	YAKIMA	8/28/2014	Routine Inspection	70/73 Missing FWC, improperly cooling PHF, RTS of PHF, inaccurate metal stem thermometer, no consumer advisory posted for raw or undercooked foods
NILE VALLEY GAME PROCESSING	Meat Market	4721 S.R. 410	NACHES	8/8/2014	Routine Inspection	0/0
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	8/19/2014	Routine Inspection	25/48 Missing FWCs, improperly stocked hand wash sink, food not in good condition, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH TOWN COFFEEHOUSE	Restaurant/Catering	32 N. FRONT ST. # 103	YAKIMA	8/8/2014	Routine Inspection	0/0
OASIS 100% NATURAL	Juice Bar	1704 MEAD AVE	UNION GAP	8/18/2014	Routine Inspection	0/0
OLD TOWN PUMP SALOON	Restaurant/Lounge	3716 MAIN STREET	UNION GAP	8/6/2014	Routine Inspection	0/0
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	8/21/2014	Routine Inspection	60/60 Hands not washed as required, BHC with RTE food, raw meat above RTE food, inaccurate metal stem thermometer
ORCHARD PARK	Retirement Housing	620 N. 34TH AVENUE	YAKIMA	8/22/2014	Routine Inspection	35/40 HW paper towels not available, improper cooling of PHF's, no sanitizer. Follow-up needed.
OUTBACK STEAKHOUSE	Restaurant/Catering	2412 RUDKIN RD.	UNION GAP	8/21/2014	Routine Inspection	10/10 Improper cold holding of PHF's
PANADERIA BAMBI	Bakery	116 S. WAPATO AVE.	WAPATO	8/11/2014	Routine Inspection	25/30 Missing FWCs, improperly stocked hand wash sink, improperly cold holding PHF
PANADERIA DELICIAS # 2	Bakery	2301 W NOB HILL BLVD	YAKIMA	8/12/2014	Routine Inspection	0/0
PARADISOS DEL SOL	Winery	3230 HIGHLAND DR	ZILLAH	8/21/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PEEK-A-BREW ESPRESSO # 2	Espresso Stand	2524 RUDKIN RD.	UNION GAP	8/6/2014	Routine Inspection	0/0
PEPP'R MINT STICK DRIVE IN	Restaurant	4002 MAIN ST	UNION GAP	8/28/2014	Routine Inspection	25/33 Missing FWCs, raw meats stored above RTE food, inaccurate metal stem thermometer, mislabeled chemical, improper chemical storage
PORTSIDE CONOCO	Mini-mart	1829 S 1ST STREET	SUNNYSIDE	8/7/2014	Routine Inspection	15/15 Missing FWCs, raw meat stored above RTE food, inaccurate metal stem thermometer
RAJ & CO.	Mini-mart	4708 TIETON DR	YAKIMA	8/13/2014	Complaint Inspection	10/10 PIC not knowledgeable about food cooking temperatures, missing FWC
RITE AID # 5297	Grocery Store	2519 MAIN STREET	UNION GAP	8/18/2014	Routine Inspection	0/0
RIVER CANYON	Espresso Stand	344 E. GOODLANDER RD. - SELAH	SELAH	8/28/2014	Routine Inspection	30/35 - No FWC and improper storage of ice scoops.
RIVER RIDGE GOLF COURSE	Restaurant/Lounge	295 GOLF COURSE LOOP	SELAH	8/11/2014	Routine Inspection	0/0
ROADRUNNER	Mini-mart	1408 N. 1ST STREET	YAKIMA	8/6/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROADRUNNER GAS	Mini-mart	1820 S. 3RD AVE.	YAKIMA	8/20/2014	Follow-Up Inspection	None of the items from routine inspection were corrected. Operating meat market and taco food without valid license and adequate sinks. Not allowed to do any food prep until further notice.
				8/21/2014	Compliance Inspection	0/0 - All items corrected. Approved to reopen.
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	8/19/2014	Routine Inspection	10/10 Missing FWC, no metal stem thermometer was available
SALSITA ANTOJITOS MEXICANOS	Restaurant	902 S. FAIR AVE.	YAKIMA	8/18/2014	Routine Inspection	0/0 No problems.
SANCHEZ TACOS	Mobile	116 S WAPATO ROAD, WAPATO	WAPATO	8/11/2014	Routine Inspection	25/25 PIC was not certified, missing FWC, improperly cold holding PHF, non-functional metal stem thermometer
SCHWAN'S HOME SERVICE, INC.		1502 PIERCE STREET	UNION GAP	8/20/2014	Routine Inspection	0/0
SHIRLEY'S CAKES	Bakery	10 ECHO CT	YAKIMA	8/4/2014	Routine Inspection	0/3
SILHOUETTE MEXICAN JUICE BAR	Fruit Stand	1404 FRUITVALE BV	YAKIMA	8/21/2014	Routine Inspection	0/0 No problems.
SKATELAND FUN CENTER	Snack Bar	2506 OLD TOWN RD	UNION GAP	8/23/2014	Routine Inspection	5/5 No thermometers available.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SKY BAR & LOUNGE	Restaurant/Lounge	13 S. 1ST ST.	YAKIMA	8/22/2014	Routine Inspection	30/20 Missing FWC, inadequate handwashing facilities, Improper cold holding of PHF, potential food contamination, missing sanitizer
SNYDER'S BAKERY	Bakery	31 N 4TH AVE.	YAKIMA	8/4/2014	Routine Inspection	0/0
SQUEEZE INN	Restaurant	611 1ST AVE.	ZILLAH	8/27/2014	Routine Inspection	30/35 Missing FWC, no receipts for salmon, food not in good condition
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	8/15/2014	Routine Inspection	0/0
STEPPE CELLARS	Winery	1991 CHAFFEE RD. - SUNNYSIDE	SUNNYSIDE	8/30/2014	Routine Inspection	0/0 No problems.
SUN - TIDES RESTAURANT	Restaurant	231 PENCE RD.	YAKIMA	8/12/2014	Routine Inspection	0/0
SUNNYSIDE INN BED & BREAKFAST	Bed & Breakfast	804 E EDISON AVE.	SUNNYSIDE	8/14/2014	Routine Inspection	0/5 Testing strips for dishwasher are needed to assure it is reaching adequate disinfecting temperatures.
TACO EL GRANDE	Mobile/Catering	910 E NOB HILL	YAKIMA	8/29/2014	Routine Inspection	0/6
TACOS ARIEL	Mobile	809 W Nob Hill BLVD	YAKIMA	8/19/2014	Routine Inspection	50/53 BHC with RTE food, improperly stocked hand wash sink, improperly cold holding PHF, inaccurate metal stem thermometer
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	8/1/2014	Catering Routine Inspection	10/10 Missing FWCs, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	8/18/2014	Routine Inspection	30/53 Improper handwashing, improper thawing of raw meats, insect entrance not controlled, no sanitizer, back area very dirty, employee restroom very dirty.
TAMMY'S MEXICAN RESTAURANT	Restaurant	1010 N. 1ST STREET	YAKIMA	8/28/2014	Routine Inspection	70/75 No soap at the kitchen hand wash sink, raw meat stored above RTE food, improperly cooling PHF, RTS of PHF, inaccurate metal stem thermometer
TAQUERIA EL RINCONSITO # 13	Restaurant	1001 N 1ST ST.	YAKIMA	8/29/2014	Routine Inspection	5/5 - Some FWC needed.
TAQUERIA SAHUAYO # 1	Mobile	Various		8/12/2014	Routine Inspection	15/15 Missing FWC, improperly stocked hand wash station
TAZZAH	Restaurant/Catering	1502-B SUMMITVIEW	YAKIMA	8/15/2014	Routine Inspection	0/0
TERIYAKI GRILLE	Restaurant	901 W. YAKIMA AVE. SUITE# 6-B	YAKIMA	8/19/2014	Routine Inspection	25/35 RTS of PHF
THE COFFEE SHACK	Espresso Stand	7111 POSTMARD	MOXEE	8/14/2014	Routine Inspection	0/0 No problems.
THE DAILY BUZZ	Espresso Stand/Deli	610 S 6TH ST.	SUNNYSIDE	8/7/2014	Routine Inspection	0/0
THE ELMS BED & BREAKFAST	Bed & Breakfast	1000 BLAINE AVE.	SUNNYSIDE	8/7/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE LITTLE BAKE SHOP AT JOHNSON ORCHARDS	Bakery	4906 SUMMITVIEW AV	YAKIMA	8/22/2014	Routine Inspection	No problems.
THE ORCHARD INN BED & BREAKFAST	Bed & Breakfast	1207 PECKS CANYON RD	YAKIMA	8/29/2014	Routine Inspection	0/0 No problems.
THE TACO SHACK	Restaurant	130 E NACHES	SELAH	8/18/2014	Follow-Up Inspection	0/3
THE VINEYARD CAFE, ESPRESSO & DELI	Restaurant	150 DIVISION ST.	GRANDVIEW	8/13/2014	Routine Inspection	30/40 Missing FWCs, improperly stocked hand wash sink, no metal stem thermometer was available, chemical was mislabeled
TRES AMIGOS AY CARAMBA	Restaurant	1300 N. 40TH AVE. # 107 - YAKIMA	YAKIMA	8/11/2014	Routine Inspection	15/21 Improperly stocked hand wash sink, non-functioning metal stem thermometer
TWO MOUNTAIN WINERY	Winery	2151 CHEYNE RD	ZILLAH	8/21/2014	Routine Inspection	0/0
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	8/18/2014	Routine Inspection	5/10 Missing FWC
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	8/25/2014	Routine Inspection	0/0 No problems.



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
V.F.W. (WILLIAM WHARTON POST 379)	Restaurant	118 S 5TH AVE.	YAKIMA	8/21/2014	Routine Inspection	65/75 Improperly stocked hand wash sink, improperly cooling turkey, improperly reheated mashed potatoes, inaccurate metal stem thermometer, unlabeled chemicals
WAPATO CITY JAIL	Jail	202 3RD ST E	WAPATO	8/14/2014	Routine Inspection	30/35 Missing FWC, improperly stocked hand wash sink, non-functional metal stem thermometer, unlabeled chemicals
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	8/15/2014	Routine Inspection	15/18 - No hand wash soap at hand wash sink. Metal stem thermometer needed, and raw chicken thawing on the counter.
WHISTLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	8/8/2014	Compliance Inspection	15/15 Raw meat stored above RTE food, improperly cold holding PHF
WRAY'S MEADOWBROOK	Grocery Store	7200 W. NOB HILL BLVD.	YAKIMA	8/26/2014	Routine Inspection	20/25 Oyster tags are not being dated, separation needed between different raw meats.
WRAY'S SOUTHGATE	Grocery Store	401 W. NOB HILL BLVD.	YAKIMA	8/6/2014	Routine Inspection	25/33 Missing FWCs, improperly stocked hand wash sinks, improper chemical storage
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	8/29/2014	Routine Inspection	35/40 Improper cooling of PHF's, improper cold holding. Follow up required.
YAKIMA CRAFT BREWING CO.	Restaurant	2920 RIVER RD. # 6	YAKIMA	8/28/2014	Routine Inspection	5/5 FWC's not posted.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA VALLEY HOTEL & CONFERENCE CENTER	Restaurant	1507 N 1ST STREET	YAKIMA	8/25/2014	Routine Inspection	10/10 Soap dispenser missing at HW station.
YAKIMA VALLEY VINTNERS	Winery	114 GRANDRIDGE	GRANDVIEW	8/15/2014	Routine Inspection	0/0
ZIGGYS MARKET AND SMOKE SHOP	Mini-mart	225 W WINE COUNTRY ROAD	GRANDVIEW	8/21/2014	Follow-Up Inspection	Same out-of-compliance issues from routine inspection on 7/31