

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MINUTE MART	Mini-mart	1121 S. 16TH ST.	SUNNYSIDE	9/11/2014	Routine Inspection	20/20 Inadequate HW sink, improper hot holding of PHF's
AIR LINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	YAKIMA	9/29/2014	Follow-Up Inspection	0/0
ANTOJITOS LUCY	Restaurant/Cateri ng	1205 N. 1ST STREET	YAKIMA	9/6/2014	Catering Routine Inspectio	0/0
APPLE BARREL SHELL GAS	Mini-mart	2021 FRUITVALE BLVD.	YAKIMA	9/10/2014	Routine Inspection	15/20 Inadequate HW sink, expired FWC's.
BLUE BARN FARM	Grocery Store	1791 ROZA DRIVE	ZILLAH	9/5/2014	Routine Inspection	10/10 Improperly stocked hand wash station
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	9/29/2014	Follow-Up Inspection	10/15 Unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CAFE AMORE	Espresso Stand	14 N. 7TH AVE	YAKIMA	9/10/2014	Routine Inspection	5/5 Improper cold holding of milk.
CENTERPLATE	Catering	10 N. 8TH STREET	YAKIMA	9/11/2014	Other Inspection	Kitchen was inspected after a small fire occurred in kitchen. Allowed to continue food service after a thorough cleaning. See requirement on report in imaging.
CI MART CHEVRON	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	9/25/2014	Routine Inspection	10/15 Improperly stocked hand wash sink
CITY OF YAKIMA HARMAN CENTER	Cafeteria	101 N. 65TH AVE.	YAKIMA	9/18/2014	Routine Inspection	0/0
COFFEE AT TIFFANY'S	Espresso Stand	402 S 1ST ST.	SELAH	9/11/2014	Routine Inspection	0/0
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	9/24/2014	Routine Inspection	5/5 - 2 expired FWC.
COLLEGE MART	Mini-mart	1106 W NOB HILL BLVD	YAKIMA	9/29/2014	Follow-Up Inspection	5/5 Missing FWC
COTTAGE ESPRESSO	Espresso Stand	1101 W. NOB HILL BLVD.	YAKIMA	9/8/2014	Routine Inspection	0/5 FWC's expired.
CURLEY'S BAR & GRILL	Tavern	111 N. GLEED RD.	GLEED	9/2/2014	Routine Inspection	30/33 Hands not washed as required, improperly stocked hand wash sink, raw meat stored next cooked meat

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
D'LISH BY DUFFIELDS CATERING	Catering	8007 DUFFIELD RD	MOXEE	9/24/2014	Routine Inspection	0/0
DOCTOR DELICIOUS	Mobile	112 W. WASHINGTON # 16 - UNION GAP - MAIN STREET MARKET	YAKIMA	9/2/2014	Routine Inspection	30/35 Missing FWC, improperly stocked hand wash sink, no receipts for food available
DOWNTOWN SUPER FOODS	Grocery Store	316 3RD ST S	YAKIMA	9/30/2014	Follow-Up Inspection	30/30 Improperly cooling PHF, no metal stem thermometer was available
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	9/6/2014	Catering Routine Inspection	0/0
EL COMAL	Mobile		GRANDVIEW	9/11/2014	Routine Inspection	25/25 Improperly stocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage
EXPRESS MART / SUBWAY	Restaurant	51 FIRING CENTER RD.	YAKIMA	9/25/2014	Compliance Inspection	10/10 Improperly stocked hand wash sink
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	9/18/2014	Follow-Up Inspection	45/50 Missing FWCs, improperly stocked hand wash station, improperly hot holding PHF, no metal stem thermometer available at taco stand
FRATERNAL ORDER OF EAGLES	Restaurant/Lounge	100 E. SOUTH HILL RD.	SUNNYSIDE	9/8/2014	Routine Inspection	35/40 BHC with RTE food, improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FRATERNAL ORDER OF EAGLES #289	Restaurant/Lounge	307 W. CHESTNUT	YAKIMA	9/4/2014	Routine Inspection	20/20 Improperly stocked hand wash sink, raw meat stored above RTE food, inaccurate metal stem thermometer
GLACIER'S FROZEN YOGURT, L.L.C.	Ice Cream Parlor	4040 TERRACE HEIGHTS DR. # 140	YAKIMA	9/3/2014	Routine Inspection	5/5 - FWC needed.
GOTTA STOP MABTON	Mini-mart	HWY 22 & MAIN	MABTON	9/15/2014	Routine Inspection	0/0
GRANGER HIGH SCHOOL CONCESSIONS	Seasonal Concession	315 MENTZER AVE	GRANGER	9/26/2014	Routine Inspection	50/50 Hands washed as required, improperly hot holding beans
GROOVIN' GROUNDS ESPRESSO ON THE GO	Mobile		YAKIMA	9/6/2014	Routine Inspection	0/0
JITTER BUG ESPRESSO	Espresso Stand	11 PENCE RD	YAKIMA	9/3/2014	Routine Inspection	5/5 - Expired FWC.
KIKI RESTAURANT	Restaurant	505 W. YAKIMA AVENUE	YAKIMA	9/3/2014	Routine Inspection	40/45 Improperly cooling PHF, improper chemical storage
K-MART LITTLE CAESAR'S PIZZA STATION	Restaurant	2304 E NOB HILL BLVD	YAKIMA	9/8/2014	Complaint Inspection	One freezer had not been cleaned thoroughly. Floors have been cleaned.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	9/26/2014	Routine Inspection	10/15 - Several workers need current FWC and improper thermometer being used.
LA MAZORCA		118 WAPATO AV S	WAPATO	9/23/2014	Routine Inspection	5/5 Labels missing on foods.
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	9/2/2014	Compliance Inspection	0/0
M & N GROCERY & BAKERY	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	9/26/2014	Routine Inspection	0/0
MARISCOS MAR & TIERRA # 11	Mobile		WAPATO	9/24/2014	Routine Inspection	40/40 - No FWC, No hot water or paper towels at handwash setup, and improper hot holding temperatures.
MARTINEZ SPORT BAR	Restaurant/Loung e	116 2ND ST W	WAPATO	9/4/2014	Routine Inspection	30/30 Missing FWC, food obtained from an unapproved source, raw meat stored above RTE food, no metal stem thermometer was available
MATTERHORN MEATS	Meat Market	1313 N 16TH AVE	YAKIMA	9/8/2014	Routine Inspection	0/0 No problems.
MCDONALD'S RESTAURANT	Restaurant	19 E. YAKIMA AVE.	YAKIMA	9/17/2014	Routine Inspection	10/18 Improper chemical storage
MEADOWBROOK FAMILY FUN CENTER	Snack Bar	7200 W. NOB HILL BLVD	YAKIMA	9/9/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	9/3/2014	Routine Inspection	10/20 Expired FWC's, improper hot holding of PHF's, improper thawing of raw chicken.
MOXEE MARKET	Grocery Store	105 ILER	MOXEE	9/4/2014	Routine Inspection	30/38 Missing FWCs, improperly hot holding PHF
MR MO'S ESPRESSO	Espresso Stand	103 W. FREMONT	SELAH	9/25/2014	Routine Inspection	
MUGSHOTZ CAFE	Restaurant	108-A E. MOXEE AVE. - 98936	MOXEE	9/22/2014	Routine Inspection	0/0
NEW HOPE COMMUNITY CHURCH	Church Kitchen	29 CHANNEL DRIVE	YAKIMA	9/10/2014	Routine Inspection	10/10 Improper chemical storage
NEW HOPE INDUSTRIES	Catering	1224 N 1ST ST	YAKIMA	9/4/2014	Routine Inspection	40/40 Improperly stocked hand wash sink, raw meat stored above RTE food, improperly cooling PHF
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	9/24/2014	Follow-Up Inspection	15/18 Improperly reheating PHF for hot holding
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	9/29/2014	Follow-Up Inspection	25/25 Hands not washed as required
PAPA MURPHY'S PIZZA	Restaurant	205 S. 1ST	SELAH	9/4/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	9/11/2014	Routine Inspection	30/35 No FWC's posted, Improper hot holding of PHF's
PEPE'S BAKERY OF YAKIMA	Bakery	605 E. NOB HILL BLVD.	YAKIMA	9/3/2014	Routine Inspection	0/0
PICKADILLY'S CAFE BISTRO	Restaurant	1017 S 48TH AVE #A	YAKIMA	9/30/2014	Pre-Opening Inspection	Approved to open
PIZZA HUT # 46022	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	9/8/2014	Routine Inspection	0/15
QUALITY INN & SUITES (TOPPENISH)	Continental Brkfst	511 S ELM ST	TOPPENISH	9/4/2014	Routine Inspection	0/0
QUIZNO'S SUB # 9469	Restaurant	1809 S. 1ST ST.	YAKIMA	9/18/2014	Routine Inspection	0/0
RIMROCK STORE	Grocery Store	34090 HWY 12	NACHES	9/6/2014	Routine Inspection	0/0
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	9/1/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFEWAY # 563	Grocery Store	613 S. 6TH STREET	SUNNYSIDE	9/8/2014	Complaint Inspection	There are flies in the bakery area. They are placing fly strips along the floor to catch flies.
				9/8/2014	Routine Inspection	50/63 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, improper chemical storage
				9/25/2014	Follow-Up Inspection	35/48 Hands not washed as required, improperly stocked hand wash sink
SAN JUAN RESTAURANT	Restaurant	415 S. WAPATO AVE. - WAPATO	WAPATO	9/3/2014	Routine Inspection	105/110 PIC did not answer correctly, missing FWCs, hands not washed required, BHC with RTE food, improperly stocked hand wash sink, raw meat stored above ready to eat food, RTS of PHF, no metal stem thermometer, unlabeled chemical
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	9/10/2014	Follow-Up Inspection	5/10 Missing FWCs
				9/29/2014	Compliance Inspection	0/5 Still need flooring and coving repairs.
				9/29/2014	Compliance Inspection	0/5 Flooring needs to be repaired in kitchen and employee restroom
SECOND STREET GRILL	Restaurant/Lounge	28 N 2ND ST.	YAKIMA	9/3/2014	Routine Inspection	20/25 Raw meat stored above RTE food, inaccurate metal stem thermometer, improper chemical storage
ST. JOE'S SNACKBAR	Deli	3112 MAIN ST	UNION GAP	9/5/2014	Complaint Inspection	Food workers were not smoking during inspection. One of three pop dispensers inspected were not cleaned thoroughly. Some walls and ceiling in the walkin refrigerator have not been cleaned thoroughly. Floor under the sandwich preparation refrigerator is dirty.
				9/5/2014	Routine Inspection	55/63 Missing FWC, BHC with RTE food, improperly cooling PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STATE FAIR CATERING	Catering	1301 FAIR AVE.	YAKIMA	9/5/2014	Routine Inspection	25/35 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food, inaccurate metal stem thermometer
SUNNYSIDE HIGH SCHOOL CONCESSIONS	Seasonal Concession	1110 S. 6TH ST.	SUNNYSIDE	9/26/2014	Routine Inspection	0/0
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	9/3/2014	Routine Inspection	30/32 - FWC needed and improper cooling.
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	9/11/2014	Compliance Inspection	5/5 Improperly cold holding PHF
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	9/2/2014	Follow-Up Inspection	They have corrected all problems from previous inspection.
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	9/11/2014	Complaint Inspection	Found mobile unit gone but a food service setup in its place. Owner decided to use his mobile unit to vend elsewhere while continuing to vend with another setup in same location at laundromat. Food service was closed as it is not licensed. Billing sent for operating without a permit.
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	9/8/2014	Routine Inspection	15/35 Expired FWC's, HW sink not working, dirty kitchen. Follow-up required.
				9/24/2014	Follow-Up Inspection	They have not corrected all problems from previous inspection. Compliance inspection needed.
THE BEER SHOPPE		302 W. YAKIMA AVE. # 107	YAKIMA	9/10/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE CITY MIX	Restaurant	101 S. RIVARD #B	MOXEE	9/22/2014	Routine Inspection	0/0
THE CRYSTAL TOUCH	Event Cntr/Catering	15 N. NACHES AVE.	YAKIMA	9/25/2014	Routine Inspection	0/0 No problems.
THE RANCH TAVERN	Tavern	515 FRUITVALE BLVD.	YAKIMA	9/22/2014	Routine Inspection	5/5 - Missing some FWC.
THE TACO SHACK	Restaurant/Catering	130 E NACHES	SELAH	9/24/2014	Catering Routine Inspection	50/50 - Improper cooling and storage of personal items in ice.
TOPPENISH SCHOOL DISTRICT CONCESSIONS	Seasonal Concession	141 WARD RD	TOPPENISH	9/26/2014	Routine Inspection	5/5 Metal stem thermometer was not available
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	9/4/2014	Routine Inspection	15/15 Improperly stocked hand wash sink, no metal stem thermometer available
WAPATO HIGH SCHOOL CONCESSIONS	Seasonal Concession	1103 S. WASCO	WAPATO	9/3/2014	Pre-Opening Inspection	0/10 Need three compartment sink installed in the concessions room inside the main building, need to install indirect drain for three compartment sink. Limited menu for concessions inside the main building to pre-packaged foods. No food preparation is allowed at the concessions inside the main building.
WEST VALLEY DAIRY QUEEN	Restaurant	7410 W. NOB HILL BLVD.	YAKIMA	9/11/2014	Routine Inspection	30/30 - Several FWC needed and BHC with ready to eat food.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WEST VALLEY HIGH SCHOOL CONCESSION STAND	Seasonal Concession	9800 ZIER RD.	YAKIMA	9/12/2014	Routine Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
WILRIDGE WINERY	Winery	250 EHLER RD.	YAKIMA	9/29/2014	Routine Inspection	0/0
WORLD BISTRO	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	9/17/2014	Routine Inspection	40/71 Improperly stocked hand wash sink, raw meat stored above RTE food, improperly hot holding PHF
YAKIMA ATHLETIC CLUB	Snack Bar	2501 RACQUET LANE	YAKIMA	9/18/2014	Routine Inspection	0/0
YAKIMA AVENUE DAIRY QUEEN	Restaurant	801 E YAKIMA AVE.	YAKIMA	9/14/2014	Routine Inspection	15/25 Paper towels missing, improper cold holding, dirty food prep area.
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	9/29/2014	Follow-Up Inspection	They have corrected problems from previous inspection.
ZIGGYS MARKET AND SMOKE SHOP	Mini-mart	225 W WINE COUNTRY ROAD	GRANDVIEW	9/5/2014	Compliance Inspection	Same issues remain. Owner states hot case and 3 comp sink issues will be fixed by October 1st.
ZILLAH HIGH SCHOOL A.S.B. (ATHLETIC EVENTS)	Seasonal Concession	1602 2ND AVE	ZILLAH	9/12/2014	Routine Inspection	15/15 Improperly stocked hand wash station, inaccurate metal stem thermometer