

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
40TH AVE. ESPRESSO	Espresso Stand	1207 N 40TH AVE	YAKIMA	4/16/2015	Routine Inspection	10/10 Blocked hand wash sink
7-ELEVEN #2307- 27470C	Mini-mart	810 YAKIMA AV E	YAKIMA	4/20/2015	Routine Inspection	15/15 Improper cold holding (failing refrigeration unit), missing a metal stem thermometer
A & A MINI MART & SMOKE SHOP	Mini-mart	708 N. 5TH AVE.	YAKIMA	4/22/2015	Routine Inspection	45/45 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer was available
AM/PM	Mini-mart	1601 W WASHINGTON AVE.	YAKIMA	4/13/2015	Routine Inspection	15/15 Missing FWC, unlabeled chemical
AMERISTAR #19	Mini-mart	3602 TIETON DR	YAKIMA	4/22/2015	Routine Inspection	10/10 Missing FWC, inaccurate metal stem thermometer
BEEM'S VALLEY NUTRITION	Grocery Store	2415 S 14TH STREET	UNION GAP	4/29/2015	Routine Inspection	5/5 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BOOTLEGGER'S COVE	Restaurant/Lounge	802 WISCONSIN AVENUE	TIETON	4/29/2015	Routine Inspection	20/20 Improperly stocked hand wash sink, no commercial refrigerator available for cold holding food
BRITO'S CHICHARRONES	Restaurant	208 1ST AV W	TOPPENISH	4/1/2015	Pre-Opening Inspection	Approved to open
CASH & CARRY SMART FOODSERVICE# 574	Grocery Store	1406 E. MEAD AVENUE	UNION GAP	4/30/2015	Routine Inspection	0/0
COCO'S AHTANUM	Mini-mart	1504 LOWER AHTANUM RD.	UNION GAP	4/7/2015	Routine Inspection	0/0
DOLLAR TREE # 2387	Grocery Store	703 W. NOB HILL BLVD. - YAKIMA	YAKIMA	4/13/2015	Routine Inspection	0/0
DOLLAR TREE # 5723	Grocery Store	614 E WINE COUNTRY ROAD	GRANDVIEW	4/6/2015	Pre-Opening Inspection	Approved to open.
DOLLAR TREE #4985	Mini-mart	300 W 1ST AVE	TOPPENISH	4/27/2015	Routine Inspection	Ok
EL CANTARITO MEXICAN FOOD	Restaurant	208 1ST AV W	TOPPENISH	4/1/2015	Pre-Opening Inspection	Several items need addressed before opening. See inspection report.
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	4/8/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL FARO TAQUERIA (MOBILE)	Mobile		SUNNYSIDE	4/17/2015	Pre-Opening Inspection	See plan review.
ESTUDILLO'S FOOD STORES	Grocery Store	2601 SHELLER RD	SUNNYSIDE	4/29/2015	Routine Inspection	5/15 PIC answered incorrectly
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	4/8/2015	Follow-Up Inspection	45/50 Missing FWCs, improperly hot holding PHF, improperly cold holding PHF
GEARJAMMER TRUCK STOP	Restaurant	2310 RUDKIN RD.	UNION GAP	4/29/2015	Routine Inspection	0/18
GLEED MART AND TERIYAKI	Grocery Store	3361 MAPLEWAY	YAKIMA	4/8/2015	Routine Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer was available
HOP NATION BREWING COMPANY	Winery	31 N 1ST AVENUE - YAKIMA	YAKIMA	4/1/2015	Pre-Opening Inspection	Approved to open.
JAMES GANG BAR & GRILL	Tavern	2101 S 3RD AVE	YAKIMA	4/28/2015	Routine Inspection	25/32 Improper cold holding, inadequate HW sink.
JOY GARDEN	Restaurant	5605 TIETON DR.	YAKIMA	4/9/2015	Routine Inspection	5/8 Inaccurate metal stem thermometer
KENTUCKY FRIED CHICKEN	Restaurant	415 S ELM	TOPPENISH	4/2/2015	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA OAXAQUENA	Mobile		YAKIMA	4/6/2015	Pre-Opening Inspection	Approved to open
LITTLE STORE ON NACHES HEIGHTS	Mini-mart	5521 NACHES HTS RD	YAKIMA	4/9/2015	Routine Inspection	0/0
LONE STAR RANCH HOUSE	Restaurant/Catering	8807 AHTANUM RD	YAKIMA	4/16/2015	Routine Inspection	10/5 Improper hot holding of PHF, Dishwasher was not properly sanitizing
LUCKY FOOD MART	Mini-mart	226 W. WINE COUNTRY RD.	GRANDVIEW	4/6/2015	Routine Inspection	45/45 Missing FWC, improperly hot holding PHF, improperly reheating PHF for hot holding
MANHATTAN STATION ESPRESSO	Espresso Stand	416 S. 1ST STREET	SELAH	4/8/2015	Routine Inspection	0/0
MERCADO LATINO II	Meat Market	718 S. 6TH STREET	YAKIMA	4/30/2015	Routine Inspection	60/60 PIC answered incorrectly, missing FWCs, improperly stocked hand wash sinks, food not in good condition, several foods were improperly hot held, raw meat stored next to RTE food
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	4/29/2015	Routine Inspection	25/25 Improperly cooling PHF
OUTBACK ESPRESSO	Espresso Stand	8803 AHTANUM RD.	YAKIMA	4/30/2015	Routine Inspection	0/5
PARK N PAK SMOKE SHOP	Mini-mart	516 W. LINCOLN AVE	YAKIMA	4/15/2015	Routine Inspection	45/48 Missing FWC, improperly stocked hand wash sinks, improperly hot holding PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PRONTO MARKET	Grocery Store	103 S. MAIN	GRANGER	4/27/2015	Routine Inspection	OK
SAFEWAY FUEL STATION # 462	Mini-mart	216 N. 5TH AVE.	YAKIMA	4/15/2015	Routine Inspection	0/0
SALVATION ARMY	Restaurant	310 N 16TH AVE.	YAKIMA	4/2/2015	Routine Inspection	10/5 Inaccurate thermometers, no sanitizer available during food preparation.
SPUR TAVERN	Tavern	3980 HARRAH RD.	HARRAH	4/13/2015	Routine Inspection	0/0
SUNTIDES MARKET & GAS	Mini-mart	11 PENCE RD	YAKIMA	4/28/2015	Routine Inspection	5/20 Inaccurate metal stem thermometers
SWEET TREATS BAKERY	Bakery	509 S 1ST ST. - SELAH	SELAH	4/6/2015	Pre-Opening Inspection	Several corrections needed prior to opening. See report.
TACOS LA LONCHERA VELOS	Restaurant	107 W. 3RD	WAPATO	4/27/2015	Routine Inspection	40/40 Blocked hand wash sink, improperly stocked hand wash sink, raw meat stored above RTE food, improperly cooling PHF
TREE TOP STORE & VISITOR'S CENTER	Espresso Stand/Deli	202 E 2ND AVE	SELAH	4/27/2015	Routine Inspection	0/0
VIBRANT HEALTH	Grocery Store	508 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/27/2015	Routine Inspection	10/10 Improper cold holding of PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WALGREENS # 12275	Grocery Store	610 W. YAKIMA AVE	YAKIMA	4/20/2015	Routine Inspection	0/0
WHEELER'S SMOKE & GAS	Mini-mart	7453 SUNNYSIDE MABTON RD	MABTON	4/27/2015	Routine Inspection	5/8 No FHC's for employees, improper thawing.